EAWML 70879 NRA

No. F023

OUTGOING

PERMIT

CONTROL OF POLLUTION ACT 1974
PART I

WASTE DISPOSAL LICENCE

THE * Humberside County Council
HEREBY GRANT a Waste Disposal Licence, pursuant to an application dated 9th February 1993, in respect of the following:

Full name and address of licence holder	JONATHAN POTTS LTD ESTATE ROAD NO.1, SOUTH HUMBERSIDE INDUSTRIAL ESTATE, GRIMSBY, DN31 2TR
Full name and address of local representative (if any) of licence holder	
Location of site to which this licence relates	ESTATE ROAD NO.1, SOUTH HUMBERSIDE INDUSTRIAL ESTATE, GRIMSBY. DN31 2TB (O.S. GRID REF : TA252108)
Form of deposit or disposal to which this licence relates	SCRAP METAL TREATMENT FACILITY/TRANSFER STATION (FOR THE PURPOSE OF THIS LICENCE A TRANSFER STATION SHALL BE REGARDED AS "A SITE USED FOR THE TEMPORARY STORAGE OF WASTE PENDING MOVEMENT ELSEWHERE".)
Types of waste of which deposit or disposal is authorised and any limitation as to quantity	AS SPECIFIED IN APPENDIX 1 OF THE "SCHEDULE OF CONDITIONS" REFERENCE NO. F023 ATTACHED

This Licence is granted subject to the following conditions:—

SEE "SCHEDULE OF CONDITIONS" ATTACHED REFERENCE NO. F023

Dated 23rd September 1994. (*Signed*) P. Dalton

(*Designation*) ASSISTANT DIRECTOR (STRATEGY)

THE LICENCE HOLDER SHOULD READ CAREFULLY THE NOTES OVERLEAF.

* Insert name of Waste Disposal Authority.

Cat. No. W.D. 5. Copyright form. SHAW & SONS LTD., Shaway House, London, SE26 5AE S1161 (M)

HUMBERSIDE COUNTY COUNCIL

CONTROL OF POLLUTION ACT 1974
Part 1 (Section 5)

WASTE DISPOSAL LICENCE
SCHEDULE OF CONDITIONS

WASTE DISPOSAL LICENCE REFERENCE NUMBER: . . F023 . . . . . .

The decision by . . HUMBERSIDE COUNTY COUNCIL . . . . . .
to grant a Waste Disposal Licence to . JONATHAN POTTS LTD., ...
ESTATE ROAD NO. 1, S. HUMBERSIDE INDUSTRIAL ESTATE, GRIMSBY. . . . . .
to operate a . . . SCRAP METAL TREATMENT FACILITY/TRANSFER STATION . . . .
situated at . . ESTATE ROAD NO. 1, S. HUMBERSIDE INDUSTRIAL ESTATE, . .
GRIMSBY. (O.S. GRID REF:- TA 252 108) . . . . . .

is subject to the operation of the above facility in accordance with this Schedule of Conditions consisting of . . 7 . . pages and . . 39 . conditions.

WASTE DISPOSAL LICENCE
SCHEDULE OF CONDITIONS

WASTE DISPOSAL LICENCE REFERENCE NUMBER: F023

SITE: ESTATE ROAD NO. 1, SOUTH HUMBERSIDE INDUSTRIAL ESTATE, GRIMSBY

---

1. This licence relates to the area outlined in red on the attached plan no. WMS/023. This area is hereafter referred to as "the site". For the purpose of this licence a transfer station shall be regarded as "a site used for the temporary storage of waste pending movement elsewhere".

2. Site operations shall be conducted in accordance with the proposals detailed in the attached Statement of Intent and as illustrated on the attached plan no. WMS/023 except insofar as they are amended by the conditions detailed in this Schedule of Conditions. The licensee shall notify the Waste Regulation Authority in writing of any proposed change in the conduct of operations from the proposals described within the aforementioned Statement of Intent and plan at least one month before it is proposed to implement any such change. Any such change will be approved or rejected in writing by the Waste Regulation Authority.

3. The types and maximum quantities of waste which may be deposited are specified in the attached "Schedule of Permitted Wastes", Appendix 1.

4. A copy of the site licence and the Schedule of Conditions attached thereto shall be displayed at the site office.

5. A person shall be designated as responsible for the security and satisfactory operation of the site, and the Waste Regulation Authority shall be notified of the person's name, address and telephone number. Any change shall be communicated to the Waste Regulation Authority immediately and confirmed in writing.

6. The conditions attached to the site licence shall be made known to any person who is given responsibility for the management, supervision or control of the site for any period.

7. Emergency instructions and telephone numbers shall be kept and displayed at the facility. A copy of such instructions shall be forwarded to the Waste Regulation Authority for approval.

8. A site office shall be provided and maintained from which supervision of the site shall be carried out.

9. A site log book shall be kept at the site office in which records required by the Waste Regulation Authority and any comments made by officers of the Waste Regulation Authority shall be recorded. The site log book shall be made available to officers of the Waste Regulation Authority.

10. A site identification board of durable material and finish shall be erected at the site entrance showing the following information:-

    a) name and address of the site operator and 24 hour telephone number(s).
    b) the opening hours of the site.
    c) particulars of the Waste Regulations Authority in the following terms:-
    licensed by:- Humberside County Council
    Technical Services Department
    County Hall
    BEVERLEY

    Telephone No. 0482 867131

11. The hours of operation of the site shall not exceed the following without the prior approval of the Waste Regulation Authority:-

Monday to Friday	- 0630 hours to 1730 hours
Saturday	- 0630 hours to 1230 hours
Sunday	- 0730 hours to 1230 hours

12. If the facility is to be used during the hours of darkness adequate lighting shall be provided and maintained in working order so as to ensure safe working conditions at all times. The hours of darkness shall be those covered by statutory lighting-up times published by the Science Research Council.

13. Gates, fences and walls shall be provided and maintained to such standard as to prevent unauthorised access to the site.

14. A written record shall be kept at the site office of all waste deposited at the site and of all waste, and its destination, which is removed from the site. The information recorded shall be made available to officers of the Waste Regulation authority on demand and shall include:-

    (a) the type of waste as classified by Condition no 3
    (b) the waste carrier involved
    (c) the quantity of waste in tonnes
    (d) the date of deposit
    (e) the date of removal

15. The total quantity of waste delivered to and removed from the site in each calendar year ending 31st December shall be calculated from the record compiled in accordance with Condition 14 and shall include sub-totals for each category of waste listed in Condition 3. The annual totals shall be submitted in writing to the Waste Regulation Authority before 31st January of the succeeding year.

16. No waste shall be permitted to be deposited at any time other than when the site is manned.

17. The site shall be manned and supervised throughout the working hours having due regard to the security and safe operational requirements of the site.

18. All waste received shall be inspected to ensure compliance with Condition 3. Any waste not in compliance with Condition 3 shall be placed in a secure storage area within the site and the Waste Regulation Authority informed immediately. The Authority shall be given not less than 24 hours' notice of the proposed method of dealing with the rejected waste. The waste shall be removed from the site within 7 days of the date of receipt.

19. To control any infestation by insects or vermin, the entire site shall be inspected and disinfestation measures applied as found necessary. Records of dates of inspections and disinfestation measures applied shall be kept in the site log book.

20. No material of any kind whatsoever shall be burned within the boundaries of the site, and a fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All outbreaks of fire shall be notified forthwith to the Waste Regulation Authority.

21. A written record of all outbreaks of fire and remedial action taken shall be kept in the site log book.

22. The Waste Regulation Authority shall be immediately informed of any incident that could given rise to danger to public health, pollution of water, or could be seriously detrimental to local amenities.

23. All necessary action shall be taken to prevent the dissemination of odour, fumes, dust or windblown material.

24. Measures shall be provided and used for the effective cleansing of the wheels and bodies of vehicles leaving the site to ensure that mud, debris or any other material is not deposited on any roadway. These measures shall include the sweeping of the site entrance and public highway leading from the site.

25. The maximum height of stored waste shall not exceed 3.5 metres.

26. The discovery of friable/fibrous asbestos material during the dismantling/cutting of any waste shall be notified to the Waste Regulation Authority. Such asbestos shall be placed into polythene bags (minimum 500 gauge) and double bagged. When filled the bags shall be sealed so as to prevent the escape of dust and be stored in a waterproof and secure area. Bags shall be removed and disposed of without delay to an appropriately licensed disposal site, in accordance with The Control of Pollution (Special Waste) Regulations 1980.

27. Within three months from the date of this licence a scheme shall be implemented to the satisfaction of the Waste Regulation Authority whereby, on arrival, vehicles or any other equipment intended for crushing, dismantling or separation, and containing liquids shall be either:

    (a) drained of oil, petrol, diesel, coolant and hydraulic fluid to suitable containers on an impermeable, bunded standing area which drains to a blind sump or interceptor, or

    (b) drained of oil, petrol, diesel, coolant and hydraulic fluid to suitable containers on an impermeable based surface within a building.

28. In the event of the accumulation of surface water or the formation of mud on the site, and if deemed necessary by the Waste Regulation Authority, a scheme detailing provisions for drainage shall be submitted to the Waste Regulation Authority for written approval.

29. When not in use all pressurised gas bottles shall be stored in a secure designated area or building or as otherwise agreed in writing with the Waste Regulation Authority.

30. Any oil/fuel storage tanks shall be located within a bund having a capacity of not less than 110% of the largest tank. If tanks are connected to pipework in such a way as to allow equalisation of the level of the contents, then the bund capacity shall be 110% of the largest combined volume. The floor and walls of the bund shall be impervious to oil/fuel and water. Inlet/outlet/vent pipes and gauges must be within the bunded area. Adequate arrangements to the satisfaction of the Waste Regulation Authority shall be made for the disposal of contaminated surface water from within the bund.

31. Only sound drums or other containers capable of being sealed, opened for inspection and effectively resealed shall be used for the storage of liquid waste. Should any container be found to be corroded or leaking, the wastes shall immediately be transferred to a suitable container which is labelled to describe its contents.

32. Drums or other containers used to store liquids shall be located within a bund, the floor and walls of which shall be impervious. The bund shall have a capacity of not less than 110% of the largest container to be stored.

33. Drums or other containers used to store liquids shall be clearly labelled so as to identify their contents.

34. All engines, gearboxes and other oil contaminated components shall only be stored in leakproof containers, unless alternative proposals have been approved in writing by the Waste Regulation Authority.

35. Batteries received at the site shall be initially stored within an area provided with an impermeable base so as to prevent contamination of the underlying ground occurring. The area shall also be covered so as to prevent the ingress of water into it.

36. Batteries awaiting removal from the site shall be either stored in leakproof containers covered so as to prevent the ingress of water, or stacked uniformly on pallets and wrapped in such a way as to prevent ingress of water and the escape of any liquids. Pallets must be of sound construction and shall not be overloaded. Any mechanical handling plant shall be capable of lifting and moving the batteries. The lifting capacity of the machine shall not be exceeded.

37. All oil contaminated swarf shall only be stored in leakproof containers, unless alternative proposals have been approved in writing by the Waste Regulation Authority.

38. Dry sand or other absorbent material which has an appropriate absorptive capacity shall be readily available on site to cover spillages.

39. Any spillage of liquid shall be dealt with immediately using material stored in accordance with Condition 38. Any contaminated and or other absorbent material arising as a result of a spillage shall be disposed of to the satisfaction of the Waste Regulation Authority.

ADVISORY NOTES

(i) In the event of any accident resulting in the death or serious bodily injury to any person as a result of operations on the sites, the licensee should notify the enforcing authority for the purposes of the Health and Safety at Work etc Act 1974. In most cases this will be the Health and Safety Executive, but for offices, shops and distribution centres will be the Environmental Health Department of the Local Authority.

(ii) In complying with the licensing provisions of the Control of Pollution Act 1974 the site occupier is not absolved from his responsibilities under other requirements of the Act and any other relevant legislation, including the Environmental Protection Act 1990, the Health and Safety at Work Act, the Town and Country Planning Act, the Public Health Acts, the Clean Air Acts, the Alkali etc Works Regulation and Orders and the C.O.S.H.H. Regulations.

(iii) Health and Safety Executive guidance note HS(G)51 gives guidance on the storage of flammable liquid in containers.

(iv) Health and Safety Executive guidance note HS(G)50 gives guidance on the storage of flammable liquids in fixed tanks (up to 10,000m^3 total capacity).

(v) Any liquid discharge into watercourses and drainage systems requires the approval of the National Rivers Authority (Anglian Region).

WASTE DISPOSAL LICENCE
SCHEDULE OF CONDITIONS - APPENDIX 1

WASTE DISPOSAL LICENCE REFERENCE NUMBER: F023

SITE: ESTATE ROAD NO. 1, SOUTH HUMBERSIDE INDUSTRIAL ESTATE, GRIMSBY

SCHEDULE OF PERMITTED WASTES

Category 1

Scrap vehicles and trailers

Category 2

Ferrous and non-ferrous scrap metal

The following special waste may also be permitted only:

Category C

Lead acid batteries

THE WASTE INTAKE SHALL ALSO COMPLY WITH THE FOLLOWING LIMITATIONS:-

i) Wastes defined in Category 2 of the schedule must not contain any hazardous quantity, or hazardous concentration, of a poisonous, noxious or polluting substance, and, for the purpose of this licence, a quantity of concentration of any substance contained in any waste is to be regarded as hazardous if that substance is present in the waste, in such a quantity or concentration as to subject persons or animals, to material risk of death, injury or impairment to health, or as to threaten the pollution of any surface or ground waters.

ii) The total quantity of waste delivered to the site shall not exceed 25000 tonnes per annum.

iii) All transformers and capacitors accepted under Category 2 of the schedule must be accompanied by written evidence stating that they do not contain polychlorinated bi-phenyl. Such evidence shall be made available to the Waste Regulation Authority upon request.

iv) All drums accepted at the site shall be totally dry/empty.

v) Any waste defined as special waste in The Control of Pollution (Special Waste) Regulations 1980 shall not be accepted at the site unless accompanied by relevant copies of CONSIGNMENT NOTES FOR THE CARRIAGE AND DISPOSAL OF HAZARDOUS WASTES, as specified in aforementioned Regulations.

JONATHAN POTTS LTD PLOT 11 ESTATE ROAD No 1

2.4 ACRES LEASED LAND FROM GREAT GRIMSBY BOROUGH COUNCIL

