PERMIT REFERENCE:
(EDRM OTHER REFERENCE)

Permit Reference as it appears on the permit including characters (/.-\)

245/E/0167

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder

Part A

To: Northumbrian Water Limited
Abbey Road
Pity Me
DURHAM
DH1 5FJ

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent reference 245/E/0167

Nature of Discharge(s); Storm Sewage
At Belmont Sewage Disposal Works SSO, Belmont, Co. Durham.

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B **Please complete in block capitals or type.**

To: The Environment Agency, Tyneside House, Skinnerburn Road, Newcastle Business Park, Newcastle Upon Tyne, NE4 7AR

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent 245/E/0167 Name:
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s); .....

Signed:..... **Dated:** .....

Name (block capitals):..... **Position:** .....

(to be completed when signing on behalf of corporate bodies)

POOR ORIGINAL

IMPOSED UNDER SECTION 7 OF THE RIVERS (PREVENTION OF POLLUTION) ACT, 1951

APPLICANT FOR CONSENT, OR PERSON SERVED WITH NOTICE IMPOSING OR VARYING CONDITIONS	DATE ON WHICH CONDITIONS CAME INTO FORCE	FULL ADDRESS OR OTHER SUFFICIENT DESCRIPTION OF LAND OR PREMISES TO WHICH THE CONDITIONS RELATE.
Durham Rural District Council Byland Lodge, Hawthorn Terrace, Durham.	24-1-58	An existing 21 inch surface water drain at point "A" to receive storm sewage from a stormwater overflow at Belmont Sewage Disposal Works to be located at point "B" as shown on the plan. 245/E/167 (An un-named tributary of River [illegible])

USE OF NEW OR ALTERED OUTLET

CONDITIONS IMPOSED WITH RESPECT TO:-

1. PRECISE LOCATION OF OUTLET

2. CONSTRUCTION OF OUTLET (OTHER THAN CONDITIONS TO BE SATISFIED BEFORE OUTLET IS BROUGHT INTO USE)

3. USE OF OUTLET

4. USE OF ANY OTHER OUTLET FOR TRADE OR SEWAGE EFFLUENT FROM THE SAME LAND OR PREMISES

NEW DISCHARGE

CONDITIONS IMPOSED WITH RESPECT TO:-

1. NATURE AND COMPOSITION OF DISCHARGE


2. TEMPERATURE OF DISCHARGE

3. VOLUME OR RATE OF DISCHARGE OF EFFLUENT FROM LAND OR PREMISES

The rate of such discharge of storm sewage from the stormwater overflow located at point "B" on the plan shall be limited to the capacity of flow in the sewer is at the time of discharge to exceed six times the dry weather flow (such dry weather flow being taken as 20[illegible] gallons per head of the point of overflow.

REMARKS

File No: P/1/3/3



Kalamazoo