

Water Resources Act 1991
(as amended by the Environment Act 1995)

Consents to Discharge
Certificate of Holder

Environment Act 1995 Schedule 23

Part A

To: **Mr & Mrs Robinson**
The Rising Sun Public House
Moseley Green
Parkend
Lydney
Glos
GL15 4HN

Date of Letter.....*27 November 2006*

Date to WIMS.....

Date Filed:.....

The Environment Agency ("The Agency") hereby confirms that the above named person(s) or body corporate is and has been since 10 September 2006 registered holder of Consent No. S/20/26311/T

Nature of Discharge(s): Secondary Treated Sewage Effluent and Trade Effluent
At: The Rising Sun Public House, Moseley Green, Gloucestershire.

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B **Please complete in block capitals or type.**

To: **Environment Agency**, Corporate Services Department, Riversmeet House, Newtown Industrial Estate, Northway Lane, Tewkesbury. GL20 8JG

Water Resources Act 1991: Notice of Transfer of Consent to Discharge

Consent No.	S/20/26311/T	Name:	Mr & Mrs Robinson
		Address:	The Rising Sun Public House
			Moseley Green
			Parkend
			Lydney
			Gloucestershire
			GL15 4HN

I/We* hereby serve notice on the Agency and I am/We are* no longer the holder of the above consent
* delete as appropriate

Name(s) of new Holder(s):
Address:

Post Code:

Date of Transfer to New Holder(s):

Signed: Dated:

Name (block capitals): Position:

(to be completed when signing on behalf of corporate bodies)

Environment Agency – Lower Severn Area

Riversmeet House, Newtown Industrial Estate, Northway Lane, Tewkesbury, Glos. GL20 8JG
Tel: 08708 506 506 Fax 01684 2935

ACCEPTANCE OF TRANSFER OF CONSENT TO DISCHARGE

Please complete and return to:

Corporate Services Department
The Environment Agency
Riversmeet House
Newtown Industrial Estate
Northway Lane
Tewkesbury
Gloucestershire.
GL20 8JG

ENVIRONMENT AGENCY
17 NOV 2006
Amount _____
Officer _____
CHQ No. _____
Midlands Region _____

I confirm that I accept ownership of:

Consent No. S/20/26311/T

Controlling the discharge at THE RISING SUN PUBLIC HOUSE, MOSELEY GREEN
GLoucestershire

I confirm that this consent was transferred on 10/9/06 (date)

Address: RISING SUN INN
MOSELEY GREEN. PARKEND.
WYDNEY. GLOUCESTERSHIRE
GL15 4HN

Signed _____

Date 10/11/06

Please Print Name AVIS. J. ROBINSON.

Signed on behalf of _____ (if signing for a company)

I require a copy of the consent: Yes / ~~No~~



**ENVIRONMENT
AGENCY**

CONSENT NO.	S/20/26311/T
--------------------	---------------------

**WATER RESOURCES ACT 1991
(AS AMENDED BY THE ENVIRONMENT ACT 1995)
SECTION 88 - SCHEDULE 10**

NOTICE OF MODIFICATION OF CONSENT TO DISCHARGE

TO: Mr K T Howell
Rising Sun Public House
Moseley Green
Parkend
Lydney
Gloucestershire
GL15 4HN

WHEREAS the **ENVIRONMENT AGENCY** in pursuance of its powers under the Water Resources Act 1991 **GRANTED** on 23 July 2004 **CONSENT NO. S/20/26311/T** permitting the discharge of **SEWAGE AND TRADE EFFLUENT**

FROM: The sewage treatment plant serving Rising Sun Public House, Moseley Green, Gloucestershire

NOTICE IS HEREBY given by the **ENVIRONMENT AGENCY**, that in pursuance of its powers under the above Acts, the said Consent is **MODIFIED** as follows:

- (1) **Condition 1.12** attached to **CONSENT NO. S/20/26311/T** is hereby modified (by addition) to read as follows:

START DATE

- 1.12 There shall be no discharge under the terms of this consent until the **1 December 2004 or some other date as modified in writing by the Agency prior to that date** or the end of commissioning of the works whichever is the sooner. The Consent Holder shall give the Agency at least 28 days written notice before making the Discharge.

Subject to the provisions of Schedule 10 of the Water Resources Act 1991 (as amended by the Environment Act 1995), no notice shall be served by the Agency, which alters the modifications made by this notice, without the agreement in writing of the Consent Holder, during a period of four years from the date this notice is served.

CONSENT NO.

S/19/26038/T

This modification is issued and takes effect on the eight day of October 2004.

Signature
Tea

The Env

Riversmeet House, Newtown Industrial Estate, Northway Lane, Tewkesbury GL20 8JG

NOTE. All other conditions of this consent remain unaltered and in force. This notice of modification should be attached to Consent No. S/20/26311/T



**ENVIRONMENT
AGENCY**

Consent to Discharge

Water Resources Act 1991 (as amended by the Environment Act 1995)

Consent Holder(s) **Mr K T Howell**

Rising Sun Public House

Moseley Green

Parkend

Lydney

Gloucestershire

GL15 4HN

Consent to Discharge from **Rising Sun Public House**

Moseley Green

Parkend

Lydney

Gloucestershire

GL15 4HN

Consent Number **S/20/26311/T**

WATER RESOURCES ACT 1991 - SECTION 190 (As Amended By The Environment Act 1995)	
DATE OF ENTRY ONTO REGISTER	6-8-2004

Consent to Discharge

Water Resources Act 1991
Section 88, Schedule 10
(as amended by the
Environment Act 1995)



**ENVIRONMENT
AGENCY**

Consent to Discharge

Consent Number
S/20/26311/T

To:
**Mr K T Howell
Rising Sun
Moseley Green
Parkend
Lydney
Glos
GL15 4HN**

The Environment Agency ("the Agency") in pursuance of its powers under the Water Resources Act 1991(as amended by the Environment Act 1995) hereby consents to the making of a discharge:

Of:
Secondary treated sewage effluent and trade effluent ("the Discharge")

From:
The sewage treatment plant

At:
Rising Sun public house, Moseley Green, Gloucestershire.

To:
Un-named tributary of Blackpool brook.

Subject to the conditions set out in this notice of Consent to Discharge.

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991(as amended by the Environment Act 1995), no notice shall be served by the Agency, altering this consent, without the agreement of the Consent Holder, during a period of 4 years from the date this notice is issued.

This Consent is issued on: **23 JULY 2004**

This Consent takes effect on: **23 JULY 2004**

Signed

Team Leader Environment Management

1 Conditions of Consent for secondary treated sewage effluent and trade effluent

1.1 Nature

- 1.1.1 The Discharge shall consist solely of secondary treated sewage effluent and trade effluent.

1.2 Place of Discharge

1.2.1

The Discharge shall be made in the manner and at the place specified as:

- a** discharging to un-named tributary of Blackpool brook;
- b** at National Grid Reference SO 6317108674;
- c** shown marked "OUTLET AND SAMPLE POINT" on Site Plan attached to this consent.

1.3 Sampling Point Requirements

1.3.1

A sample point shall be provided and maintained at National Grid Reference SO 6317108674 as shown marked "SAMPLE POINT" on the Site Plan attached to this consent, so that a representative sample of the Discharge may be obtained. The Consent Holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the Discharge taken at the said sampling point is a sample of what was discharging into controlled waters.

1.4 Volume

- 1.4.1 The volume of the Discharge shall not exceed 5 cubic metres per day.

1.5 Flow Measurement

1.5.1

- a** At the request of the Agency, the Consent Holder shall install, operate and maintain a means of flow measuring to a specification and at a location required by the Agency, to enable the daily volume and/or instantaneous flow of sewage through the sewage treatment plant to be recorded.
- b** The Consent Holder shall calibrate, operate and maintain the flow monitoring and recording system to a standard agreed or specified by the Agency. The flow and maintenance records shall be provided to the Agency as and when requested.

1.6 Composition

1.6.1

The Discharge shall not contain more than:

- a** 25 milligrammes per litre of biochemical oxygen demand (measured after 5 days at 20°C with nitrification suppressed by the addition of allyl-thiourea)

b 45 milligrammes per litre of suspended solids (measured after drying at 105°C)

c 10 milligrammes per litre of ammoniacal nitrogen (expressed as N)

1.6.2 As far as is reasonably practicable, the sewage treatment plant shall be operated so as to prevent the Discharge from containing any significant trace of visible oil or grease.

1.7 **Urban Waste Water Treatment Regulations**

1.7.1

a The Consent Holder shall comply with the Urban Waste Water Treatment (England and Wales) Regulations 1994 ('the Regulations').

b For the purpose of condition 1.7.2 below, interpretations and references to a numbered regulation or Schedule shall have the meaning as in the Regulations, unless otherwise indicated.

1.7.2

a The Discharge derives from an agglomeration with a population equivalent of less than 2,000 discharging to freshwaters.

b The Consent Holder shall inform the Agency in writing of any change, or proposed change, to the population equivalent such as would make a material change to the application of the Regulations and shall, on request, inform the Agency in writing of the actual population equivalent.

c The Discharge shall be subject to Regulation 5(7) and satisfy the requirements of Regulation 5(8)(a).

1.8 **Priority Substances**

1.8.1

a The quantity of Copper or Zinc in the Discharge shall not increase above the levels in the Discharge on the date of effect of this consent where no specific level is authorised; and

b notwithstanding a above, the Discharge shall not contain quantities of Copper or Zinc such as to cause or contribute to the concentration of that substance in the receiving water exceeding the relevant Environmental Quality Standard (EQS).

1.9 **Works Operation**

1.9.1

a The sewage treatment plant shall be operated and the effluent shall be treated in a manner which, so far as reasonably practicable, minimises the polluting effects of the Discharge made from the sewage treatment plant on controlled waters.

b This condition does not require any alteration of the sewage treatment plant or a change in the type of treatment used from that specified in the application.

1.10 **Maintenance**

1.10.1

The sewage treatment plant shall be operated and maintained in accordance with good operational practice such that:

- a** it remains fully operational except at times of unavoidable mechanical or electrical breakdown which shall be attended to, and the Agency informed of the failure, as soon as practicable after the failure;
- b** following a failure all equipment shall be returned to normal operation as soon as practicable;
- c** tanks shall be desludged at sufficient frequency and in such a manner to prevent excessive carryover of suspended solids.

1.11

Recording and Reporting

1.11.1

- a** The Consent Holder shall establish and operate a documented maintenance programme and record all non-routine actions undertaken that may have adversely affected effluent quality. Copies of the programme shall be made available for inspection by the Agency's officers at all reasonable times.
- b** On request the Consent Holder shall supply the Agency with a written report on the maintenance and all non-routine actions that may have adversely affected effluent quality.
- c** The Consent Holder shall as soon as reasonably practicable report to the Agency all non-routine actions that may have adversely affected effluent quality.

Site plan



OUTLET AND SAMPLE POINT

Environment Agency

This is the Site Plan referred to in

Consent No. S/20/26311/T

Dated 23 JULY 2004

This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office
© Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Environment Agency. 100026380. (2004).

Water Resources Act 1991

(as amended by the Environment Act 1995)

Consent to Discharge Certificate of Holder

Part A

To: Mr K Howell
Rising Sun Public House
Moseley Green
Parkend
Lydney
Gloucestershire
GL15 4HN

The Environment Agency ("the Agency") hereby confirms that the above named person(s) or body corporate is and has been since its date of issue the registered holder of Consent S/20/26311/T

Nature of Discharge; Secondary Treated Sewage Effluent and Trade Effluent
At: Rising Sun Public House, Moseley Green, Parkend, Lydney, Glos

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To: **The Environment Agency**, Customer Contact Team, Riversmeet House, Newtown Industrial Estate, Northway Lane, Tewkesbury, Gloucestershire, GL20 8JG

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent	S/20/26311/T	Name:	Mr K Howell
		Address	Rising Sun Public House Moseley Green Parkend Lydney Gloucestershire GL15 4HN

I/We* hereby serve notice on the Agency and I/We* am/are* no longer the Holder of the above consent which will be/was* transferred to:

*delete as appropriate

Name(s) of new Holder(s):

Address:

Post Code:

Date of Transfer to New Holder(s):.....

Signed:..... Dated:

Name (block capitals):..... Position:

(to be completed when signing on behalf of corporate bodies)



ENVIRONMENT
AGENCY

WATER RESOURCES ACT 1991 (schedule 10)

(as amended by the Environment Act 1995)

Application for new consent/variation to an existing consent* to discharge
(* delete as appropriate)

Regional/Area Address:

Official Use Only

Dist/Area Ref:

Application No. CP/CS/62357*

Date Received: 21/6/2004

Fee Received: 106.00.

Each applicant must complete the main form and may need to complete a separate annexe if appropriate. Please look through the form and read the notes carefully before you complete it. Processing of your application will be aided by full and accurate completion of all the relevant sections and provision of the necessary plans. If you have any queries regarding the form please contact the person given in the notes.

NOTE:

All information contained within this application will be made available on the public register unless there is a request to withhold any of it. Any such request should provide a full justification stating why the information needs to be withheld

1. SITE ADDRESS

1.1 Address or other sufficient description of land or premises to which this application applies.

RISING SUN
MOSELEY GREEN
PARKEND
LYDNEY
GLOS GL15 4HN

Post Code:

GL15 4HN

2. DETAILS OF DISCHARGE(S)

2.1. State the nature of the discharge(s) (see note i and ii) - tick one or more boxes as appropriate:-

Sewage Effluent - volume of 5 cubic metres per day or less

Sewage Effluent - volume greater than 5 cubic metres per day (complete annexe 1)

Sewage Effluent discharged under storm or emergency conditions (complete annexe 2)

Cooling Water (complete annexe 3)

Trade Effluent (including site drainage) (complete annexe 3)

Others (please specify)

☒
☐
☐
☐
☐
☐

2.2 Please state the maximum quantity it is proposed to discharge in any one day 4.66 m³/day
Briefly state how this figure was calculated (see note ii)

FLOW ESTIMATED BY KEE PROCESS BASED ON PEAK BANK HOLIDAY
 USAGE, FROM FLOOR AREA + NUMBER OF MEALS SERVED IN THE PAST.
 (ENCL)

2.3 a) Indicate proposed means of discharge - tick as appropriate and show on plan:-
(for 1, 2 & 3 please state dimensions below)

- | | | |
|---|--------------------------------------|--|
| 1. Pipe ☒ | 4. Borehole ☐ | 7. Sub-Irrigation System ☐ |
| 2. Channel ☐ | 5. Well ☐ | 8. Combination of 6. & 7. ☐ |
| 3. Culvert ☐ | 6. Soakaway ☐ | 9. Other (please specify below) ☐ |

100 MM DIAMETER PIPE OUTLET

b) National Grid Reference(s) of point(s) of discharge (see note iii)

50 / 6317 / 0868 (please indicate on accompanying plans)

2.4 a) The Agency will normally require adequate provision for the taking of samples of the discharge in a safe convenient manner at any time. Please indicate the means proposed (see note iv) - tick as appropriate and show on plan:-

At the outlet ☐ At the manhole or sampling chamber ☒

Other (Please specify)

b) National Grid Reference(s) of sampling point(s) (If different from 2.3b) above)

 / / (please indicate on accompanying plans)

c) What flow measurement facilities will be provided (see note v)?

Please give details.

NONE

2.5 a) Type of Treatment Plant(s) to be used (please specify make and model) - tick as appropriate:-

Septic tank ☐ Package Sewage Treatment Works ☒ Other ☐

KEE PROCESS LTD BG BIO DISC (TO POPULATION APPLICATION)

b) Will the treatment process involve the use of any chemicals (eg ferric salts, polyelectrolytes) ☒ Y/N

If yes please give details.

2.6 a) On what date do you anticipate the discharge will commence?

EXISTING DISCHARGE SINCE 1980 + BEFORE

NEW INSTALLATION

1 / 8 / 04

b) If you require the consent for a limited time period please give dates; from:

/ /

to:

/ /

c) If the discharge is not continuous please detail the period/circumstances when it will occur.

2.7 a) Are there any existing consents for discharge from the premises (see note vi)?

☒ Y/N

If yes, please give the reference numbers (Any further information should be given in section 5.3).

b) Has any person had a Prohibition Notice served on them in respect of this site?

☒ Y/N

If yes, please give the reference number.

3. SITE DETAILS

3.1 Please give the name of the relevant Planning Authority.

FOREST OF DEAN DISTRICT COUNCIL

3.2 Please give details of the premises - tick as appropriate:-

1. Single Dwelling

☐

6. Fish Farm

☐

2. Multiple Dwellings

☐

7. Mineral Workings

☐

3. Industrial Premises

☐

8. Water Services plc STW

☐

4. Vehicle Parking area

☐

9. Water Supply

☐

5. Commercial Premises (please specify)

☒

10. Other (please specify)

☐

PUBLIC HOUSE / DWELLING

3.3 Please indicate source of the water supply - tick as appropriate:-

1. Well ☐
2. Borehole ☐
3. Precipitation (eg. rain or snow) ☐
4. Mains (please state water supply company) ☒

5. River (please give name below) ☐
6. Estuary (please give name below) ☐
7. Coastal Water (please give name below) ☐

SEVERN & TRENT

4. DETAILS OF RECEIVING ENVIRONMENT

4.1 Receiving Medium - tick the category(s) to which the proposed discharge(s) is(are) to be made:-

1. Estuarial Water (tidal river or stream) ☐
2. River or Stream (non-tidal) ☒ ASB
3. Canal ☐
4. Lake, Loch or Pond ☐
5. Into Land ☐
6. Onto Land ☐
7. Directly into Groundwater ☒
8. Coastal Water (see note vii) ☐

State name of receiving water if known:

4.2 In the case of sub-irrigation systems, soakaways or boreholes:-

- a) Is any part of the system within 5 metres of the boundary of the premises? ☒ X/N
b) Is any part of the system within 10 metres of a watercourse? ☒ X/N
c) Is any part of the system within 50 metres of a borehole or spring? ☒ X/N
d) For wells and boreholes state dimension(s) in metres. m
e) For sub-irrigation systems, soakaway pits, wells and boreholes, state maximum depth in metres. m
f) For boreholes, state details of lining in metres:
(i) Depth of lining m
(ii) Depth of perforated lining m
(iii) Depth of unperforated lining m
g) A percolation test must be carried out in accordance with British Standard BS6297:1983.
Have the results been provided ? ☒ X/N

4.3 Is there a foul sewer available to which the discharge(s) could be made (see note viii)? ☒ X/N
If yes, please give the reasons it is not practical to connect to it (eg. distance, flow etc)

5 DETAILS OF APPLICANT AND OTHER INFORMATION

5.1 (See general notes and note ix)

- (a) Full name and postal address of applicant. This should be the person who will become the consent holder should consent be issued.

*
* MR KEVIN THOMAS HOWELL
* RISING SUN
* MOSELEY GREEN
* PARKEND
* LYDNEY, GLOS
*

Post Code: GL15 4HN

Daytime Telephone Number: 01594 562008

Company Registration Number (if appropriate):

- (b) Agent (if any) - Full name and postal address.

*
*
*
*
*
*

Post Code:

Contact Name and Daytime Telephone Number:

5.2

Please give full name and address to which bills should be sent if different to that given above:

*
*
*
*
*
*

AS ABOVE

Post Code:

Daytime Telephone Number:

5.3 Are there any other factors to be taken into account? Please continue on a separate sheet if necessary.

THE PUBLIC HOUSE HAS DISCHARGED EFFLUENT FROM FOUL DRAINAGE SINCE 1955 WITH A NEW KILGESTER SEPTIC TANK BEING FITTED IN 1980 WITH E.A. CONSENT

ON KEE PROCESS ADVICE THE EXISTING TANK WILL BE RETAINED AS A SETTLEMENT CHAMBER AND A B.G. BIO DISC FITTED AFTER TO DISCHARGE INTO AN EXISTING DITCH.

DECLARATION

I/we:

1. apply under the Water Resources Act 1991 (as amended by the Environment Act 1995) for consent to discharge, as described in this Application. "This Application" means this page, all the other pages of this form and any attached annexes, the attached plan(s), any other sheets attached, and any other written information supplied to support the application.
2. enclose the required application fee, payable to the Environment Agency (see note x).
3. enclose 3 copies of the plan(s) and location maps with all relevant information clearly marked (see note xi).
4. will pay required advertising costs (see note xii).
5. confirm that I/we* will notify the Environment Agency of any changes in the information in this application which might be material to the continuation of the consent.
6. confirm that the information given in this application and any questions which the Environment Agency may have about it is/will* be true to the best of my/our* knowledge, information and belief and am/are* not aware of any other facts or information which might affect the granting of a consent, or conditions which might be put on it (see note xiii).
7. confirm that I/we* will pay any annual charges due should a consent be granted YES/NO*. If no please indicate who will by completing section 5.2 above (see note xiv).

(*Delete as appropriate)

SIGNED: [REDACTED] PRINT NAME: KEVIN THOMAS HOWELL

ON BEHALF OF: DATED: 17-06-04


o o o

CONFIDENTIALITY

I/We apply for commercial confidentiality and enclose a full written justification (see note xv).

SIGNED: DATED:

PLEASE RETURN THIS FORM TO THE ADDRESS GIVEN ON THE FRONT PAGE



ALL WORK TO COMPLY WITH CURRENT BUILDING REGULATIONS AND RELEVANT NOTES

Site Details of The Rising Sun Inn, Moseley Green, Lydney, Glos.

Drg. No. D.S. 049-3

Sheet 1 of 5

Scale

:

'Rockland', Crown Lane,
Yorkley, Lydney, Glos. GL15 4TP

Design Services

Telephone / Fax:
(01594) 562806

Issue a,

Date June