



ENVIRONMENT
AGENCY

ENVIRONMENTAL PROTECTION ACT 1990
WASTE MANAGEMENT LICENCE

SECTION 37



NOTICE OF MODIFICATION

TO: GILLETT RECYCLING LIMITED (Company Registration No 3737304)
10 BURNT MILL
ELIZABETH WAY
HARLOW
ESSEX
CM20 2HT

SITE: 10 BURNT MILL
ELIZABETH WAY
HARLOW
ESSEX
CM20 2HT

LICENCE No: 328/96 (WML80442)

This modification is made pursuant to the Environmental Protection Act 1990 section 37(1)(a) and (b) shall take effect at 00.01 hours on 14th August 2000.

The waste management licence dated 29th February 1996 issued to Mr David Brian Gillett, Mrs Brenda Joyce Gillett and Mr John William Hammond and modified on 15 October 1996 and 10th March 1997 and subsequently transferred to Gillett Recycling Limited on 15 May 2000 and modified on 15 May 2000 is further modified as attached schedule:

Signed:



for D.M.W. Allen
Area Environment Planning Manager

Date:

11 August 2000

**YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL DETAILED IN THE NOTES
AT THE END OF THIS MODIFICATION**



SCHEDULE

Conditions 2.4, 5.14 are deleted

Annex 1 and Annex Z are deleted and replaced with Annex A

Conditions 2.0, 2.5, 5.7 and 5.17 are deleted and replaced as follows;

- 2.0 The types of controlled waste received at the site shall be restricted to those detailed in Appendix A.
- 2.5 No special waste as defined by regulations in force under section 62 of the Environmental Protection Act 1990 shall be accepted at the site, with the exception of bonded or compressed asbestos, lead-acid batteries and special waste which forms part of, or is contained in waste motor vehicle and was necessary for the normal operation of the vehicle.
- 5.7 No more than the following quantities of waste shall be stored on the site at any one time
- | | | |
|--------------------------------|---|------------------------------|
| Biodegradable waste | } | 50 tonnes or 50 cubic metres |
| Inert waste | | |
| Scrap metal | | 30 tonnes |
| Bonded and compressed asbestos | | 3 tonnes or 10 cubic metres |
- 5.17 Waste shall not remain on site other than with the written permission of the Agency for periods in excess of the following:
- | | |
|--------------------------------|-----------------|
| Biodegradable waste | 1 working day |
| Inert waste | 28 working days |
| Scrap metal | 90 working days |
| Bonded and compressed asbestos | 7 working days |

Conditions 6.1 and 6.2 are deleted and replaced as follows:

- 6.1 A record shall be kept of each load of waste accepted and each load of waste removed from the site. This record shall include the following details:
- a Loads in:- Nature (solid, sludge or liquid), waste type as specified under condition 2.0 and Appendix A to this modification, quantity (tonnes), date received, date accepted.
 - b Loads out:- Nature (solid, sludge or liquid), waste type as specified under condition 2.0 and Appendix A to this modification, quantity of waste removed (tonnes).
- 6.2 A summary record of the waste types accepted and removed from the site shall be made for each quarter of the financial year, and shall be submitted to the Agency within one month following the end of the quarter. The summary record shall be in a format agreed by the Agency in writing.

Section 8 is added as follows:

SPECIAL CONDITION RELATING TO BONDED AND COMPRESSED ASBESTOS

- 8.1 No load of bonded or compressed asbestos waste, shall be accepted at or removed from the facility unless the load is accompanied by the copies of the consignment note as required by. The Special Waste Regulations 1996
- 8.2 In cases where loads arrive without consignment notes, the carrier should be invited to wait at the facility, to allow sufficient information to be obtained from him and his vehicle and from the original waste producer (by telephone if necessary), to enable a consignment note to be completed. In such cases the Agency shall be consulted, if possible, prior to the carrier leaving the facility, whether the load is accepted or not.
- 8.3 The holder's copy of any consignment note of any loads deemed to be a 'special waste', which are deposited at the facility, shall be retained at the facility until the licence is surrendered or revoked, when they shall be sent to the Agency.
- 8.4 Bonded and compressed asbestos waste shall be handled at the facility in such a way as to prevent asbestos fibres or dust being emitted into the atmosphere. Nothing shall be done, or permitted to be done at the facility, which would lead to, cause, or result in, the release of dust containing asbestos fibres resulting in an atmospheric level in excess of 0.01 fibres per millilitre when measured over a four hour period at a flow rate of not less than one litre per minute. A system and programme of monitoring, shall be provided and approved by the Agency within three months of the issue of the licence and used to test for compliance with this condition.
- [NOTE: In this context fibres means particles of length greater than 5 micrometres, of diameter less than 3 micrometres and having a length to breadth ratio of at least 3:1 when observed by transmitted light under phase contrast conditions at a magnification of X500].
- 8.5 Large pieces of bonded or compressed asbestos products over 500 millimetres in size which are not likely to give rise to dust or the release of fibres during handling need not be wrapped.
- 8.6 Bonded or compressed asbestos waste in the form of fine dust and or loose swarf shall not be received at the facility unless it is contained within a sealed plastic bag (500 gauge or thicker). These bags shall be no more than half full and have had any excess air expelled. The whole shall be contained within a second plastic bag of at least 500 gauge. Alternatively, such wastes may be received if packaged in other sealed receptacles approved by the Agency.
- 8.7 Off-cuts and broken pieces of asbestos products with a size less than 500 millimetres square shall be securely double bagged as in condition 8.6 above. Material which is too large for secure packing in plastic bags shall be securely double wrapped in plastic sheeting (500 gauge or thicker).
- 8.9 All bagged and packaged waste shall be sealed before being transported to the facility. Such waste may be received if packaged in other receptacles approved by the Agency.
- 8.10 All containers or bags holding crocidolite (blue asbestos) must be clearly marked 'Blue Asbestos - Do Not Inhale Dust'.
- 8.11 Used bags and other items contaminated by asbestos shall not be received unless packaged as asbestos waste as in condition 8.6 above.
- 8.12 The waste as referred to in conditions 8.6 - 8.11 above shall be handled in such a way to prevent the contents being spilled during transfer or at any other time.

- 8.13 The holder shall ensure that all persons delivering bonded or compressed asbestos products to the facility report to the person in charge, who shall check that the packaging requirements, where applicable, are in compliance.
- 8.14 Before any vehicle removing asbestos waste or asbestos-bearing waste departs, the person in charge of the facility and the driver of the vehicle, shall inspect the vehicle. They shall ensure that the vehicle and/or container is adequately sealed and that there are no visible traces of asbestos or materials containing asbestos on the exterior of either the vehicle or the waste container. Any material identified or suspected must be removed and securely bagged as specified in condition 8.6 above.
- 8.15 Suitable cleaning equipment and washdown facilities for dealing with spillages etc. shall be maintained on site and any such event shall be dealt with in accordance with the working plan.
- 8.16 Written instructions shall be issued to the person responsible at the facility detailing the action to be taken in the event of an accidental spillage during unloading, storage or removal of the waste. Any spillage shall be reported to the licence holder. All spillages must be cleaned up, re-bagged if necessary and any surfaces contaminated shall be decontaminated. Any material arising from spillage clearance shall be disposed of by the holder in accordance with this licence and other relevant legislation.
- 8.17 Bonded and compressed asbestos shall only be stored in a dedicated, labelled sealed 12 cubic yard skip located in the area shown on the working plan.
- 8.18 The dedicated skip shall remain locked shut at all times except for when being loading.

APPENDIX A

WASTE CATEGORY A - INERT AND RELATIVELY BIOLOGICALLY STABLE WASTE

Solid materials which either do not degrade or degrade only very slowly and consist of uncontaminated materials from the following list:

Brickwork and Mortar
Clay/Soil
Concrete (reacted) including steel reinforcement
Excavated Road Metal (Road Planings)
Flint and Stone
Glass, Pottery, China, Enamels, Ceramics, Mica and Abrasives
Gravel/Silt
Naturally occurring rocks and soils (excluding asbestos and radioactive sources)
Sand (Including Foundry Sand)/Silica

WASTE CATEGORY B - COMMERCIAL AND INDUSTRIAL WASTES EXCLUDING HAZARDOUS OR HIGHLY POLLUTING SUBSTANCES

Solid materials which may degrade slowly and generate landfill gas which have the potential to threaten persons and/or property and/or generate leachates which have the potential to pollute ground and surface waters. They consist of uncontaminated materials from the following list which are not mixed with wastes from prohibited categories:-

Ash and Clinker (not including incinerator residues or bottom ash, Pulverised Fuel Ash or ashes containing Vanadium)
Boiler Sludge
Cardboard and Fibreboard
Cement (unreacted)
Domestic appliances
Electrical cable and wire
Empty used containers decontaminated and not exceeding 25 litres in capacity
Excavation and demolition wastes (with a pH in the range between 5-9 inclusive)
Leather
Natural and man-made fibres (excluding rubber and vehicles tyres)
Metals
Paper Plastics
Plasterboard
Tar, pitch and bitumen wastes in solidified form
Trees, Bushes, Weeds and Grass
Wood and wood products

WASTE CATEGORY P: SOLID SPECIAL WASTES

As defined in the Environmental Protection Act 1990, Part II, The Special Waste Regulations 1996

Bonded asbestos and asbestos in the following forms:
cement sheet, broken pieces, corrugated sheet, bonded products, fragments, off-cuts, pipes, roof tiles.

EXPLANATORY NOTES - RIGHT OF APPEAL

Section 43(1) of the Environmental Protection Act 1990 provides that —

Where, except in pursuance of a direction given by the Secretary of State,

- (a) an application for a licence or a modification of the conditions of a licence is rejected
- (b) a licence is granted subject to conditions,

the applicant may appeal from the decision to the Secretary of State.

Therefore if you feel aggrieved by the decision or any of the conditions to the licence as granted you may obtain the appropriate form on which to give written notice of an appeal from:-

The Planning Inspectorate,
Room 10/13,
Tollgate House,
Houghton Street,
Bristol,
BS10 9DJ

Tel: 0117 987 8812
Fax: 0117 987 8406

This notice of appeal should be accompanied by the following information: a copy of the licence; a copy of any correspondence relevant to the appeal; a copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development; and a statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations. You are also required to serve a copy of your notice of appeal, together with copies of any of the above documents that have accompanied your notice of appeal, on the Environment Agency, Apollo Court, 2 Bishop Square, St Albans Road West, Hatfield, Herts. AL10 9EX. You should appeal within 6 months of the date that this notice takes effect but the Secretary of State may allow notice of appeal to be given after the expiry of this time period.