

NORTHERN REGION

CLEVELAND



COUNTY COUNCIL
an equal opportunity employer

Licence No. CLE 327 SY

CONTROL OF POLLUTION ACT 1974 WASTE DISPOSAL LICENCE

The County Council of Cleveland as the Waste Regulation Authority (hereinafter referred to as "the Council") in pursuance of the powers and duties conferred on it by and under the Control of Pollution Act 1974 HEREBY GRANT a Waste Disposal Licence in respect of the following:-

Full Name and address of licence holder	C L Prosser and Co Ltd 7 Parkfield Road STOCKTON ON TEES Cleveland TS18 3DJ
Nature of licence	To: a) Deposit controlled waste b) permit the deposit of controlled waste c) use appropriate equipment for the purpose of dealing with controlled waste
Full name and address of local agent (if any) of licence holder	
Location of Site	Skippers Lane South Bank National Grid Map Ref NZ 531203
Manner of dealing with controlled waste	Scrapyard
Maximum quantities and types of waste to be stored and processed at the site	Scrap metal as detailed in Condition 3.1 attached to this licence. Maximum quantity which may be received at the site: In excess of 75,000 tonnes per annum.

IMPORTANT: THIS LICENCE IS SUBJECT TO THE CONDITIONS ATTACHED HERETO

Dated

10th

day of

June

19

94



OUTGOING - 1

WCL21W



OTHER-2

Signed



William Ault,
Director of Environment, Development & Transportation

CLEVELAND COUNTY COUNCIL
WASTE DISPOSAL LICENCE NO. CLE 327SY

C O N T E N T S

<u>SECTION</u>	<u>SUBJECT</u>	<u>PAGE NO.</u>
1.0	ADMINISTRATION	2
2.0	THE WORKING PLAN	3
3.0	PERMITTED WASTES	4
4.0	SITE PREPARATION, FACILITIES AND INFRASTRUCTURE	5
5.0	SITE OPERATION & CONTROL	7
6.0	ENVIRONMENTAL CONTROL Surface Water Management and Control	9
7.0	SITE RECORDS AND RETURNS	11
 <u>APPENDICES</u>		
APPENDIX A	LOCATION PLAN	12

1.0 CONDITIONS RELATING TO ADMINISTRATION

- 1.1 The terms of this licence shall apply to the area shown on the attached plan, reference P.CLE 327/531203**
- 1.2 Any temporary cessation of operations for a period in excess of one month shall be notified in writing to the Council.**
- 1.3 In the event of any temporary cessation of operations for a period in excess of one month not less than 14 days notice in writing be given to the Council of the date on which operations are to recommence.**
- 1.4 This licence shall be kept intact and shall be produced to any authorised officer of the Council on demand and shall be forwarded to the County Council with any written application for amendment, or transfer.**
- 1.5 No deposit shall take place until the Council has been notified in writing of the person(s) responsible for the management and control of the site including details of their experience, training and qualifications. The terms of this licence shall be made known to this person(s), who shall be suitably qualified and trained for the purpose of ensuring that these licence conditions are complied with. The Council shall be notified in advance if subsequently this responsibility is to be given to any other person(s) and shall be given the name(s) of these other person(s) along with details of their experience, training and qualifications.**
- 1.6 In the event of an accident resulting in the death or serious bodily injury of any person as a result of operations on the site the licence holder must notify the Council within 24 hours of the incident and in calculating this period any weekend or statutory holiday shall be disregarded.**
- 1.7 Any proposal to transfer this licence must be notified in writing to the Director of Environment, Development and Transportation FAO: Waste Regulation Officer, Gurney House, Gurney Street, Middlesbrough, Cleveland prior to such transfer, stating the date upon which the transfer is to take place and the name and address of the person to whom the licence is to be transferred.**

2.0 CONDITIONS RELATING TO THE WORKING PLAN

- 2.1 The transfer facility shall, subject to the conditions of this licence, be operated in accordance with the submitted licence application and Working Plan comprising all written submissions, operational statement and plans which were approved by the Council on 10 June 1994. In the event of any proposals contained in the Working Plan being contradictory to the licence conditions, the conditions shall prevail.**
- 2.2 The licence holder shall keep the Working Plan under review for the duration of this licence (CLE 327SY). Any proposals to change the Working Plan shall not be brought into effect until details have been submitted to and agreed in writing with the Council.**

3.0 PERMITTED WASTE DEPOSITS

3.1 No wastes other than scrap metal shall be accepted at the site. "Scrap metal" includes any old metal, any broken, worn out, defaced or partly manufactured articles made wholly or partly of metal, and any metallic wastes, and also includes old, broken, worn out or defaced tooltips or dies made of any of the materials commonly known as hard metal or of cemented or sintered metallic carbides.

3.2 The total daily input of wastes into the site shall not be such that the storage capacity is exceeded.

3.3 Subject to 3.4 no waste shall be deposited on the site which may give rise to an environmental hazard by virtue of the presence of:-

(a) Substances listed in Part 1 of Schedule 1 of the Control of Pollution Act (Special Waste) Regulations 1980.

(b) Other substances of a poisonous or noxious nature.

An environmental hazard is created if waste is deposited or disposed of in such a manner and in such a quantity as to subject persons or animals to material risk of death, injury or impairment of health, or as to threaten the pollution or contamination of any surface water or underground water.

3.4 Batteries, coolants, oils, petrol or asbestos which are associated with vehicles or machinery brought on to the site shall only be accepted provided that they are dealt with in such a manner that no danger to public health or pollution of surface water or groundwater can be caused. Within one month of issue of this licence a written procedure for handling these materials shall be agreed with the Council.

3.5 Scrap metal wastes should generally remain on site for no longer than 12 months without the agreement of the Council.

4.0 **CONDITIONS RELATING TO SITE PREPARATION, FACILITIES AND INFRASTRUCTURE**

- 4.1** No deposit shall take place unless a site identification board of durable material and finish is displayed at the site entrance, showing the hours when the site is open and giving the name, address and telephone number of the operator (to include details of his local agent, if any, and an out of hours emergency telephone number) and of the Council responsible for issuing the site licence. The board shall be maintained to a high standard so that the wording is legible at all times.
- 4.2** No deposit shall take place until a site control office equipped with a telephone or other means of communication has been provided. Where necessary toilet, washing and eating facilities shall be provided for site personnel.
- 4.3** No operations shall be carried out during the hours of darkness unless sufficient lighting has been provided to ensure safe working and compliance with licence conditions. The hours of darkness are those published as statutory lighting up times by the Science Research Council.
- 4.4** No deposit shall take place until the internal site layout has been constructed in accordance with the specification contained in the documentation submitted with the application received by the Council on 31 March 1993 and the following additional requirements:

Main access, exit and subsidiary site roads

Surface: Tarmac, concrete or compacted hardcore laid to a fall to encourage surface water run-off.

Width: 3m

Throughout the operation of the site, subsidiary site roads shall be provided to the waste transfer loading/unloading area. All site roads shall be maintained to the reasonable satisfaction of the Council and in particular shall be kept free from potholes.

- 4.5** No deposit shall take place until gate and fencing have been provided to the following specification:

Gates: 2.5m high steel bar gate covering the full width of the entrance.

Fencing: 2m high steel sheet fencing

The gates and fencing shall be maintained to the above minimum specification. The gates shall be kept securely locked at all times when the site is unmanned. All reasonable precautions shall be taken to prevent unauthorised access to the site and the unauthorised deposit of wastes on the site.

- 4.6** No deposit shall take place until the vehicle wash down area has been provided within the site. Details of the provision to be made and methods of operation shall be submitted to the Council prior to the site being brought into operation.

- 4.7 The drainage from the vehicle wash down area as detailed in the working plan shall be treated by means of a suitably sized interceptor prior to discharge.
- 4.8 No deposit shall take place until suitable provision, such as an inspection platform has been made on the site to allow the contents of vehicles delivering waste to the site to be visually examined to ensure compliance with licence conditions no 3.1 and 3.3.
- 4.9 Tanks used for the storage of oils, fuels or similar materials to be used or stored at the facility shall be bunded. The tanks shall be of a type and construction suitable for the liquid they contain and shall be labelled to show their contents. The bund shall be capable of treating 110% of the volume of the largest tank within the bund. The bund walls and floor shall be impervious and have no drain or outlet pipe.
- 4.10 Satisfactory arrangements should be made for the proper disposal of contaminated surface water from within the bund and there should be no uncontrolled discharge from the bunded area. Any rain-water etc, which collects in the bund must be removed at frequent intervals so as to retain adequate capacity for the potential loss of contents of the largest tank or combined tanks.
- 4.11 Any buildings and areas used for storing tyres should be located at least 10 metres from any watercourse, and be within a bund having a capacity sufficient to contain the likely volume of fire-fighting water. The floor and walls of the bund should be impervious to water.
- 4.12 Any pesticides used on the site shall be stored in a secure container with a bunded floor to contain any leaks. The container shall be kept locked when the site is closed.
- 4.13 Any gas cylinder used on the site shall be stored in a well ventilated area.
- 4.14 Any signs used to direct or control traffic within the site shall comply with the Road Traffic Regulation Act 1967.
- 4.15 Any safety signs used within the site shall comply with BS5378 "Safety Signs and Colours".
- 4.16 A plan shall be submitted to the Council, within six months of the issue of the licence, giving proposals for a phased hard-surfacing, eg by concreting of the site. The scheme shall be implemented forthwith upon approval by the Council unless this period is extended by the written agreement of the Council.

5.0 CONDITION RELATING TO SITE OPERATION AND CONTROL

- 5.1 No waste materials shall be deposited unless the site is manned.
- 5.2 All vehicles intending to deposit waste on the site shall be directed to report to the site control office where the contents of the vehicle shall, where practical, be visually examined by the site operator or his authorised agent to ensure compliance with the licence condition Nos 3.1 and 3.3. Vehicles shall not be allowed to proceed to the working areas without the authority of the site operator or his authorised agent.
- 5.3 Drivers of vehicles found on inspection to contain waste material unsuitable for deposition on the site shall be refused permission to deposit the waste concerned.
- 5.4 Should any waste suspected not to fall within the permitted waste categories (Licence Conditions Nos 3.1 and 3.3) arrive or be deposited at the site then the Council shall be contacted immediately and an attempt made to retain the vehicle on site until it can be inspected by a duly authorised officer of the Council. Should this not be possible then details of the vehicle registration, operator and any other relevant information shall be recorded and made available to a duly authorised officer of the Council at the earliest opportunity.
- 5.5 Details of any vehicles refused permission to deposit waste materials on the site shall be recorded and made available to a duly authorised officer of the Council at the earliest opportunity. These details to include, date, time, vehicle registration, operator, origin and description of waste.
- 5.6 Subsequent to deposit and prior to any further processing, the waste shall be further inspected to ensure compliance with conditions nos 3.1 and 3.3.
- 5.7 If any waste which is not within the permitted categories but was not identified by initial visual examination, is deposited on the site, the operator shall make arrangements for it to be removed from the site to another suitable licensed site.
- 5.8 The site shall be manned during opening hours by a minimum of 4 persons (not including drivers of vehicles delivering waste to the site) and supervised to ensure that the conditions of this licence are complied with.
- 5.9 This development shall take place at the locations as shown on the layout plans which accompanied the application which was received by the Council on 31 March 1993. Any proposals to vary the detail shall be agreed in writing with the Council prior to any changes being implemented.
- 5.10 Wastes shall be stored at the locations shown in the working plan, in such manner and quantities as to allow safe access throughout the site, and so as to present no hazard to the surrounding environment.
- 5.11 All reasonable precaution shall be taken to confine materials to those parts of the site designated for their reception and storage. The amount of waste stored shall, in any event, not exceed the yard's operational storage capacity.

- 5.12 At least once a day any loose waste which may be lying on the surface of the site outside the storage areas or which is attributable to the operation of the site and lying outside the site shall be gathered and disposed of in such a way as to keep the site and surrounding area tidy.
- 5.13 Any waste materials removed from site for final disposal shall only be deposited on a site licenced under the Control of Pollution Act 1974 or similarly authorised or exempted site. This includes combustible material removed from the site for incineration elsewhere.
- 5.14 Waste or reclaimed material shall not normally be stacked or deposited to a height exceeding 3 metres and the operational storage capacity of the site shall not be exceeded.
- 5.15 The hours during which the site is open for the receipt of waste shall normally be limited to the period 8.00 hrs to 18.00 hrs on weekdays and between 8.00 hrs and 18.00 hrs on Saturdays. Waste should not normally be received on Sundays or Public Holidays without the prior agreement of the Council. (In exceptional circumstances the site may receive waste outside of the above hours).

6.0 CONDITIONS RELATING TO ENVIRONMENTAL CONTROL

- 6.1** No waste material shall be burned within the boundaries of the site. Any fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All such outbreaks of fire shall be notified to the Council before the end of the working day on which the fire occurs.
- 6.2** Any rats, vermin and insect pests on the site shall be controlled in accordance with an agreed pest control programme. All pesticides, pesticidal products and where appropriate pest control techniques shall have been cleared for their intended use through the Control of Pesticides Regulations 1986, SI 1986; No 1510.
- 6.3** Measures shall be taken, including the use of the vehicle wash down area, to ensure that mud, waste and other extraneous matter resulting from the operation of the site are not deposited on a public highway. If any such material is deposited on a public highway, it shall be removed immediately. Details of the measures to be taken shall be submitted to the Council prior to operations commencing.
- 6.4** Any receptacles (such as skips, tanks etc.) which remain on site outside working hours or when the site is unmanned shall be maintained in good condition. At the end of each working day any such containers shall be placed level in a neat and tidy manner in a regular configuration or removed from the site. Any receptacle used for collecting materials shall be emptied when full.
- 6.5** All waste material to be deposited on the site shall where necessary be sprayed with water or otherwise treated to minimise dust emissions during transport, discharge and subsequent handling. In addition in dry conditions measures shall be taken to spray or otherwise treat the access and internal site roads so as to prevent any dust arising from the site giving rise to nuisance. Details of the dust suppression systems to be installed shall be submitted to the Council before operations commence.
- 6.6** If the operation of the site gives rise to any nuisance from noise, dust, odours or windblown materials, immediate action shall be taken to prevent the continuation of the nuisance.
- 6.7** All plant shall be regularly inspected and maintained in a serviceable condition to eliminate unnecessary noise.
- 6.8** All plant shall be regularly inspected and maintained to a serviceable condition to prevent the uncontrolled emission of dust.
- 6.9** All plant shall be regularly inspected and maintained to a serviceable condition to prevent ground contamination from hydraulic oils.

Surface Water Management and Control

- 6.10 Operations shall be carried out in such a way as to prevent either water pollution or flooding.
- 6.11 Any contaminated liquors, leachate or surface run-off derived from the site shall be treated or otherwise disposed of to the satisfaction of the Council.
- 6.12 The site surfacing shall be constructed and maintained so that water does not accumulate at the facility. Any waters draining from the site either naturally or through a drainage system shall, where necessary, be treated or otherwise disposed of to the satisfaction of the Council.
- 6.13 Any scrap items containing potentially polluting liquids, eg oils, coolants, acids or alkalis, shall be dealt with in such a manner that these liquids do not permeate the site surfacing nor drain from the site, other than via an approved drainage system described in the Working Plan, in order to prevent any danger or ground or surface water contamination. (Compliance with Condition 4.14 should address this matter).
- 6.14 Batteries shall be stored upright in approved containers such that battery acid will not leak or spill. The containers shall be placed on a concrete or similar surface within a covered structure. Quantities of appropriate material shall be stored nearby in order to neutralise any inadvertent spillages. Any large spillages of battery acids shall be treated as an emergency and appropriate action taken to prevent it reaching surface water drainage.
- 6.15 Vehicles, engines or any other equipment containing oils or having contained oils shall be stored on a concrete or similar-surfaced area. Drainage from this area shall be directed into an interceptor from where waters can be separated from the oils, the oils being collected frequently and disposed of to the satisfaction of the Council. The works shall be completed within «» months of issue of the licence.
- 6.16 Where any waste article is to be cut or crushed it shall be done in such a way as to prevent spillage directly on to the ground of any contents or residue whether solid or liquid.
- 6.17 All transformers and capacitors shall be assumed to contain polychlorinated bi-phenyl unless there is written evidence to the contrary. Such evidence shall be made available to the Council upon request.
- 6.18 Chlorofluorocarbons (CFC's) shall wherever possible be collected from refrigerators, freezers etc. for recycling or for disposal in a manner which minimises the damage to the environment caused by their release into the atmosphere.
- 6.19 There shall be no discharge off site of trade effluent arising from the waste disposal activities of the site without the written agreement of the Council.
- 6.20 The licence holder shall carry out operations on the site in a manner which will not cause danger to public health or the environment.

7.0 SITE RECORDS AND RETURNS

- 7.1 A record shall be kept of waste delivered to the site. This record shall be kept in accordance with the requirements of the Scrap Metal Dealers Act 1964. A summary of these records shall be sent to the Council every 12 months in a form agreed with the Council.**

(Compliance with this licence does not remove any statutory obligations which may rest on the licence holder under other legislation.)



WASTE DISPOSAL SITE LOCATION MAP



Plan No. : P/CLE 327 SY/531203
Scale : 1:5000
National Grid Ref. : NZ531203
Licence Number : CLE 327 SY
Operator : C L Prosser & Co Ltd
Location : Skippers Lane Industrial Estate
South Bank
Middlesbrough
TS6 6EZ