

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: THAMES WATER UTILITIES LIMITED
GAINSBOROUGH HOUSE
MANOR FARM ROAD
READING
BERKSHIRE RG2 0JN

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent 043472

Nature of Discharge(s); TREATED DOMESTIC SEWAGE EFFLUENT
at TIDWORTH GARRISON STW HUMBER LANE SOUTH TIDWORTH, WILTS.

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To: Environment Agency, Rivers House, Sunrise Business Park,
Higher Shaftesbury Road, Blandford Forum, Dorset DT11 8ST

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:	Name:	Transferrer's forwarding address:
043472	Address:	
	THAMES WATER UTILITIES LIMITED GAINSBOROUGH HOUSE MANOR FARM ROAD READING BERKSHIRE RG2 0JN	

TIDWORTH GARRISON STW HUMBER LANE SOUTH TIDWORTH, WILTS.
I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... **Dated:**.....

Name (block capitals):..... **Position:**.....



Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



ENVIRONMENT
AGENCY

Part A

To: CAPT (RETD) J WILLIAMS
(PROPERTY MANAGER)
THE STABLES, JAGDALIK ROAD
TIDWORTH
WILTSHIRE
SP9 7AL

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent 043472

Nature of Discharge(s); SEWAGE - TREATED EFFLUENT
at TIDWORTH GARRISON SEWAGE TREATMENT WORKS HUMBER LANE SOUTH TIDWORTH, WILTSHIRE

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To: Rivers House, Sunrise Business Park, Higher Shaftesbury Road, Blandford Forum, Dorset DT11 8ST

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: 043472

Name: CAPT (RETD) J WILLIAMS
Address: (PROPERTY MANAGER)
THE STABLES, JAGDALIK ROAD
TIDWORTH
WILTSHIRE

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:

Name (block capitals);

Dated:

Position:

(to be completed when signing on behalf of corporate bodies)



NATIONAL RIVERS AUTHORITY
SOUTH WESTERN REGION

WATER RESOURCES ACT 1991
SECTION 88 AND SCHEDULE 10

NOTICE OF CONSENT TO DISCHARGE
Consent Number: 043472

The terms of this consent will not, without the consent in writing of the person (named below) to whom this consent is given (or his successor), be altered before the expiration of the period ending two years after the date on which the consent takes effect.

If you are not satisfied with the terms of this consent you may appeal to the Secretary of State for the Environment (Planning Inspectorate); any such appeal has to be made within three months of the issue of the consent.

SIGNED FOR AND ON BEHALF OF THE AUTHORITY

Date 24th March 96

Area Manager *H Davidson*

Name and Location of Site

TIDWORTH GARRISON
SEWAGE TREATMENT WORKS
HUMBER LANE
SOUTH TIDWORTH, WILTSHIRE

Name and address of person to whom this consent is given

CAPT (RETD) J WILLIAMS
THE STABLES, JAGDALIK ROAD
TIDWORTH, WILTSHIRE, SP9 7AL

This consent document contains 7 pages. The conditions specified in the consent shall apply on and after the date of issue.

National Rivers Authority
South Western Region
Rivers House, Sunrise Business Park
Higher Shaftesbury Road
BLANDFORD FORUM
Dorset DT11 8ST

Consent Number: 043472

Name of Site: TIDWORTH GARRISON
SEWAGE TREATMENT WORKS
HUMBER LANE, SOUTH TIDWORTH
WILTSHIRE

Name of person or body responsible for the operation of the site: CAPT (RETD) J WILLIAMS
(PROPERTY MANAGER)

Type of discharge: TREATED DOMESTIC SEWAGE EFFLUENT

Name of receiving environment: DISCHARGE TO SOAKAWAY LAGOON

Sub-catchment: RIVER BOURNE (43/24)

National Grid Reference of site main entrance: SU 2303 4695

The outlet and sampling point at this site to which the consent relates are listed below and are marked on the attached map/plan using the same reference code or number.

Outlet		Sampling Point	
Code	NGR	Number	NGR
A	SU 2312 4670	1	SU 2309 4684

CONSENT CONDITIONS

- 1.(i) The discharge shall not contain any poisonous, noxious, or polluting matter or solid waste matter.
- (ii) Provided that the discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition 1.(i) above by reason of containing substances or having properties identified in and controlled by those conditions.
2. Outlet A shall be used for the discharge of biologically treated domestic sewage effluent.

CONSENT CONDITIONS CONTINUED

3. The volume of the discharge from 'Tidworth Garrison STW' under dry weather flow conditions shall not exceed 1760.0 cubic metres per day. The rate of discharge shall not exceed 55.0 litres per second.

For the purpose of this consent dry weather flow shall mean the average daily flow to the treatment works during seven consecutive days without rain (excluding a period of which includes public holidays) following seven days during which the rainfall did not exceed 0.25 millimetres on one day.

4. The soakaway lagoon shall be located in accordance with the attached plan.
5. The soakaway lagoon shall have no direct connection with a watercourse, ditch, surface water drain, land drain or water contained in underground strata.
6. At the written request of the Authority the discharger shall install and maintain flow measuring and recording devices to the Authority's specification to measure total daily flow and rate of flow. The installation shall be located, designed, constructed, maintained and calibrated to the satisfaction of the Authority. The discharger shall make returns of the information to the Authority as required. Flow measuring devices shall be accessible at all times without delay to the Authority's representatives.
7. The treated effluent will be sampled at the point labelled 1 on the attached plan which is a chamber prior to the outlet to the soakaway lagoon.
8. The sampling chamber shall be maintained in a satisfactory and safe condition and shall be accessible at all times to the Authority's officers for the purpose of taking samples and ensuring satisfactory operation.
9. The discharge of treated effluent shall not:-
 - (a) have a biochemical oxygen demand (nitrication suppressed, over 5 days at 20 degrees C) in excess of 30 mg/l.
 - (b) contain suspended solids (dried at 105 degrees C) in excess of 40 mg/l.
 - (c) have an ammoniacal nitrogen concentration (as N) in excess of 20 mg/l.


Consent No: 043472

CONSENT CONDITIONS CONTINUED

10. The discharge shall not contain oils or grease in sufficient quantity to produce a visible film on the surface of a sample taken at the sampling chamber.
11. The discharger shall regularly inspect the treatment works to ensure that the mechanical, electrical and other parts of the plant are operating correctly.
12. The works shall be regularly maintained and any defective parts replaced to ensure that the plant operates effectively.
13. Any breakdown shall be attended to immediately and the treatment works returned to operation promptly.
14. The discharger shall keep a record of maintenance and repair for inspection by the Authority's officers.
15. As far as reasonably practicable, the works shall be operated so as to prevent the discharge from having any other adverse environmental impact.

NATIONAL RIVERS AUTHORITY
SOUTH WESTERN REGION

Consent Number: 043472



Date: MARCH 1996

Outlet:
A/SU 2312 4670

Sampling Point:
1/SU 2309 4684

TIDWORTH GARRISON
SEWAGE TREATMENT WORKS
HUMBER LANE
SOUTH TIDWORTH, WILTSHIRE

Consent No: 042472

CONSENT NOTES

The consent notes below are provided for explanation and clarification - they do not form conditions of the consent.

- A. If you are not satisfied with the terms of this consent, you may appeal to the Secretary of State for the Environment (Planning Inspectorate). Any such appeal has to be made within three months of the issue of the consent.
- B. This consent includes a copy of a map showing the location of the site to which this consent relates and a plan of the site to assist in interpretation of the consent. The outlets and sampling points are referred to in the text.
- C. The conditions attached to this consent remain in force unless varied as a result of appeal or review. They are binding, not only on the person, company or body named in the consent, but on any person making the discharge.
- D. Notice is hereby given under Section 202(2) of the Water Resources Act, 1991, that the Authority requires to be notified in writing of any change in the particulars of the name or address of the person to whom this consent is given, or who makes or proposes to make any discharge to which it applies, within one month of the change taking effect.
- E. In exercise of the powers conferred by Section 169(1), Notice is hereby given under Schedule 20 Water Resources Act, 1991, that a person designated in writing by the Authority may enter premises to which it applies in order to carry out such inspections and take away samples of water or effluent as the Authority consider appropriate.