

Water Quality Public Register Scanning – Work Instruction
Appendix 1.

PERMIT REFERENCE:
(EDRM OTHER REFERENCE)

Permit Reference as it appears on the permit including characters (/.-\)

235/1707

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: Mr D Moy
7 Keilder Avenue
Cramlington
Northumberland
NE23 8JT

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent Ref. 235/1707

Nature of Discharge(s); **Biologically Treated Sewage**
at **Bushblades Farm, Tantobie, Stanley, County Durham**

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To: **The Environment Agency, Tyneside House, Skinnerburn Road,
Newcastle Business Park, Newcastle Upon Tyne, NE4 7AR**

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: 235/1707

Name:
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed: **Dated:**

Name (block capitals): **Position:**



CONSENT NO:

235/1707

ENVIRONMENT AGENCY

**WATER RESOURCES ACT 1991
(As amended by the Environment Act 1998)**

SECTION 88 - SCHEDULE 10

CONSENT TO DISCHARGE

TO: Mr D Moy
7 Keilder Avenue
Cramlington
Northumberland
NE23 8JT

DATE OF ENTRY

INTO REGISTER: 10/11/99

The **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY CONSENTS** to the making of a discharge of **BIOLOGICALLY TREATED SEWAGE** ("the Discharge") as follows:

FROM: A SEWAGE TREATMENT PLANT

AT: BUSHBLADES FARM, TANTOBIE, STANLEY, COUNTY DURHAM

TO: AN UNNAMED TRIBUTARY OF THE KYO BURN (RIVER TEAM)

SUBJECT TO the conditions set out in the attached schedule:

Schedule No: 235/1707-01

BIOLOGICALLY TREATED SEWAGE

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991 (as amended by the Environment Act 1995), no notice shall be served by the Agency, altering this consent without the agreement in writing of the Consent Holder, during a period of 4 years from the date this consent takes effect or such later date as may be specified in an endorsement to this document.

This consent is issued and takes effect on the 10th day of

November 1999

Signed: [Redacted Signature]

J E BURNS, ENVIRONMENT PLANNING MANAGER

On behalf of the Environment Agency

CONSENT NO:	235/1707
SCHEDULE NO:0	235/1707-01
DATE ISSUED:	10/11/99

**SCHEDULE OF CONDITIONS RELATING TO THE DISCHARGE OF
BIOLOGICALLY TREATED SEWAGE ("the Discharge")**

1. GENERAL

- i) The Discharge shall not contain any poisonous, noxious, or polluting matter or solid waste matter.
- ii) Provided that the Discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition i) above by reason of containing substances or having properties identified in and controlled by those conditions.
- iii) As far as is reasonably practicable, the treatment facilities shall be operated so as to prevent:
 - a) any matter being present in the Discharge other than matter specifically covered by numerical conditions in this consent, to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
 - b) the Discharge from having any other adverse environmental impact.

2. NATURE

The Discharge shall consist solely of biologically treated sewage effluent.

3. OUTLET AND LOCATION

The Discharge shall be made at the place specified as:

- i) discharging to an unnamed tributary of the Kyo Burn (River Team)
- ii) at National Grid Reference NZ 1737 5315 shown marked "Consent Point" on the plan attached to this consent.

4. VOLUME

The volume of the Discharge shall not exceed 5 cubic metres per day.

5. COMPOSITION

i) No sample of the Discharge shall contain more than:

- a) 30 milligrams per litre (mg/l) of suspended solids (measured after drying at 105 degrees Celsius).
- b) 20 mg/l of biochemical oxygen demand (measured after 5 days at 20 degrees Celsius with nitrification suppressed by the addition of allyl-thiourea).

ii) As far as is reasonably practicable, the works shall be operated so as to prevent the Discharge from containing any significant trace of visible oil or grease.

6. SAMPLING

A sample point shall be provided and maintained at National Grid Reference NZ 1693 5335, shown marked "sample point" on the plan attached to this consent, so that a representative sample of the Discharge may be obtained. The Consent Holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the Discharge taken at the said sampling point is a sample of what was discharging into controlled waters.



Consent Ref: 235/1707

NOTES ATTACHED TO CONSENT

1. This consent does not exempt the applicant from obtaining any consent required by, or from complying with, any other statutory provisions, statutory instruments or bye-laws.
2. There should be no departure from the proposals as described in the application submitted without prior consultation with the Agency.
3. This consent is given on the understanding that the relevant treatment facilities will be operated and maintained in a satisfactory manner.
4. Under paragraph 2 of Section 91 of the Water Resources Act 1991, you may appeal to the Secretary of State for the Environment if you consider any of the conditions of this consent to be unreasonable. Any appeal should be sent to:-

The Planning Inspectorate
Room 10/13
Tollgate House
Houlton Street
Bristol
BS1 9DJ

Notice of an appeal must be given in writing within 3 months of this notification and must be accompanied by a statement of the grounds of appeal.

ENVIRONMENT AGENCY

NORTHUMBRIA AREA

WATER RESOURCES ACT 1991 (PART III)
(as amended by the Environment Act 1995)

NEW APPLICATION

Consent Reference: 235/1707

1	APPLICANT'S NAME AND ADDRESS	MR D MOY 7 KEILDER AVENUE CRAMLINGTON NORTHUMBERLAND NE23 8JT
2	DATE OF APPLICATION	28 JUNE 1999
	DATE RECEIVED	5 JULY 1999
	FURTHER INFORMATION RECEIVED	
3	NAME AND ADDRESS OF LOCATION OF DISCHARGE	BUSHBLADES FARM TANTOBIE STANLEY CO. CURHAM
	RECEIVING WATER OR INTO LAND	TRIBUTARY KYO BURN
	N.G.R. POINT OF DISCHARGE	NZ 1737 5315
4	NATURE OF DISCHARGE	BIOLOGICALLY TREATED SEWAGE
	COMPOSITION: PARAMETERS & CONCENTRATIONS as appropriate Incl. Temperature	
	FOR SSO - RATE OF FLOW AT COMMENCEMENT OF DISCHARGE	
	DRY WEATHER FLOW (m³d)	
	MAXIMUM DAILY VOLUME (m³d)	5
	MAXIMUM RATE OF DISCHARGE (l/sec)	
	PERIOD OF DISCHARGE IF A LIMITED PERIOD	

DATE OF ENTRY INTO REGISTER: 6 JULY 1999