

Water Quality Public Register Scanning

PERMIT REFERENCE (EDRM OTHER REFERENCE)

Permit Reference as it appears on the permit including characters (/.-\)

CP 1066

CTWC 1066

THAMES WATER AUTHORITY

RP 74 | 1034

CONTROL OF POLLUTION ACT 1974
PART II POLLUTION OF WATERCONSENT

to discharge sewage or trade effluent or other matter

TO: C.W. Parker Esq.,
Emerald Valley Nurseries,
London Road,
Wendover Dean, Buckinghamshire

The **THAMES WATER AUTHORITY** ("the Authority") pursuant to Section 34 of the Control of Pollution Act 1974 **HEREBY CONSENT** to the making of the discharge described in the First Schedule overleaf in accordance with your application dated 24th June, 1986 and the plan accompanying the same **SUBJECT** to the conditions set out in the Second Schedule overleaf.

The terms of this consent will not, without the agreement in writing of the person to whom this consent is given (or his successor) be altered before the expiration of the period ending with the 31st day of July 1988 except in accordance with the provisions of Section 38(3) of the Control of Pollution Act 1974.

Dated this 29th day of July 1986

Nugent House
Vastern Road
Reading
Berks RG1 8DB

...
ACTING SECRETARY

Duly authorised to sign on behalf
of Thames Water Authority

NOTES

1. This Consent does not exempt the applicant from obtaining any consent required by, or from complying with, any other statutory provisions, statutory instruments or byelaws.
2. There must be no departure from the approved application and plan without the prior written permission of the Authority.
3. Any question as to the reasonableness of the conditions of this Consent shall be determined by the Secretary of State for the Environment. Any reference to the Secretary of State must be made within 3 months from the date on which the applicant was notified by the Authority of their decision, or within such longer period as the Secretary of State may at any time allow.
4. The Authority may at any time after the period specified above, or during that period, in accordance with Section 38(3) of the Act, by notice in writing to the person making the discharge in pursuance of this Consent, revoke the Consent if it is reasonable to do so or make reasonable modifications of its conditions.
5. This Consent shall continue in force (subject to any variation) until revoked, and shall be binding on any person discharging effluent in accordance with the Consent.
6. Section 38(3) provides that a water authority may serve a notice within the period specified above without the written agreement of the discharger if it is considered that it is necessary to serve notice in order to provide proper protection for persons likely to be affected by discharges which could lawfully be made apart from the notice. Where a notice is served by an Authority, the Authority may be liable to pay compensation in certain circumstances (Section 38(4)).

FIRST SCHEDULE

Description of Discharge

The making of a discharge of sewage effluent from a dwelling at Emerald Valley Nurseries, London Road, Wendover Dean, Buckinghamshire into land

SECOND SCHEDULE

Conditions

1. The discharge shall be made at National Grid Reference SP 8762 0481 at the point indicated on the submitted plan
2. The discharge shall be made by means of a sub irrigation system
3. The depth below ground level of the sub irrigation system shall not exceed 500 millimetres
4. The discharge shall consist only of sewage effluent
5. The volume of the discharge shall not exceed 1 cubic metre per day.