Notice of Variation and Consolidation with introductory note

Environmental Permitting (England & Wales) Regulations 2007

Safety-Kleen Emerson's Green

Safety-Kleen U.K. Limited
Unit 202
Longmead Road
Emerson's Green
Bristol
BS16 7FG

Variation notice number
EPR/NP3893FX/V003

Permit number

EPR/NP3893FX

Safety-Kleen Emerson's Green
Permit number EPR/NP3893FX

Introductory note

This introductory note does not form a part of the permit

The following notice, which is issued pursuant to regulations 18 and 20 and Part 1 of Schedule 5 of the Environmental Permitting (England and Wales) Regulations S.I.2007 No. 3538 (the Regulations), gives notice of the variation of an environmental permit to operate a regulated facility and the replacement of that permit with a consolidated environmental permit.

This variation will provide the operator with a consolidated, up to date EP Permit. This variation also details EWC codes which may be unloaded outdoors on an impermeable surface with sealed drainage, in the marked area as referred to in the Safety-Kleen U.K Limited Working Plan, listed in Table S1.2, Operating Techniques, in the permit.

All of the conditions of the permit have been varied other than those indicated in Schedule 1. Schedule 2 contains a copy of the varied and consolidated environmental permit, including any site plan.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status Log of the permit		
Detail	**Date**	**Response Date**
EAWML 26017 Issued	25/05/2000	
EAWML 26017 Modified	23/12/2005	
Application EPR/NP3893FX/V003 Received	27/05/2009	
Application EPR/NP3893FX/V003 Not Duly Made	02/06/2009	05/06/2009
Application EPR/NP3893FX/V003 Duly Made	05/06/2009	
Variation application EPR/NP3893FX/V003 Determined	26/10/09	

End of Introductory note

Notice of variation and consolidation

Environmental Permitting
(England and Wales) Regulations 2007

Permit number
EPR/NP3893FX

Variation notice number
EPR/NP3893FX/V003

Operator
Safety-Kleen U.K. Limited

whose registered office is
Safety-Kleen House
390 London Road
Isleworth
Middlesex
TW7 5AN

Company registration number/limited liability partnership

01190039

Regulated facility
Unit 202
Longmead Road
Emerson's Green
Bristol
BS16 7FG

The Environment Agency in exercise of its powers under Regulations 18 and 20 and Part 1 of Schedule 5 of the Environmental Permitting (England and Wales) Regulations 2007 (SI 2000 No 3538) varies the environmental permit as set out below and replaces it with a consolidated environmental permit and all the conditions of that permit other than those indicated in Schedule 1 are varied and the permit is replaced with a consolidated permit in the form set out in Schedule 2.

The notice shall take effect from 26 October 2009

Name	Date
	26th October 2009

Authorised on behalf of the Environment Agency

Schedule 1

The following conditions were varied on the application of the operator:

Table S1.1

Table S1.1 activities		
Description of activities	**Description of activities for waste operations**	**Limits of activities**
A9	**R13:** Storage of wastes pending any of the operations R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced. **D14:** Repackaging prior to submission to any of the operations numbered D1 to D13. **D15:** Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced).	Unloading of waste with EWC Codes 13 01 09, 13 01 10, 13 01 11, 13 01 13, 13 02 04, 13 02 05, 13 02 06, 13 02 08, 13 04 01, 13 04 02, 13 04 03, 13 05 06 13 05 07, 13 07 01, 13 07 02, 13 07 03, 15 01 02, 15 01 04, 15 01 06, 15 02 02, 15 02 03, 16 01 07, 16 01 12, 16 01 13, 16 01 22 and 16 05 04, may take place outdoors on an impermeable surface with sealed drainage, in the marked area as detailed on Plan B in the SafetyKleen Working Plan, listed in Table S1.2, Operating Techniques, in this permit. Bulking up and storage of all permitted waste must take place indoors on an impermeable surface with sealed drainage. The maximum quantity of hazardous waste and waste oils that can be accepted, stored or bulked up at the site in connection with a disposal operation shall not exceed 10 tonnes per day. There shall be no treatment of waste.

- all other conditions were replaced with new template conditions

Schedule 2 – varied and consolidated permit

Please see following attachment.

Safety-Kleen
Permit Number EPR/NP3893FX

Introductory note

This introductory note does not form a part of the permit

The main features of the facility are as follows. This Permit will allow the operator to operate a Hazardous Waste Transfer Station at a specified location, as detailed in Schedule 2 of this Permit. The total quantity of waste that can be accepted at a site under this Permit must be less than 11,000 tonnes a year. With the exception of specified waste, all bulking and transfer of waste must be carried out inside a building on an impermeable surface with sealed drainage. Wastes can be bulked up for disposal or recovery elsewhere and can be manually sorted or separated for recovery but this Permit will not allow any waste treatment activities such as screening and crushing. This Permit will not permit the burning of any wastes, either in the open, inside buildings or in any form of incinerator.

This Permit does not allow any point source emission into surface waters or groundwater. However, under the fugitive emissions of substances rule:

• Liquids may be discharged into a sewer subject to a consent issued by the local water company.

• Liquids may be taken off-site in a tanker for disposal or recovery.

• Clean surface water from roofs, or from areas of the site that are not being used in connection with storing and treating waste, may be discharged directly to surface waters, or to groundwater by seepage through the soil via a soakaway.

End of Introductory Note

Conditions

Management

1.1 General management

1.1.1 The activities shall be managed and operated:

(a) in accordance with a management system, which identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances and closure and those drawn to the attention of the operator as a result of complaints; and

(b) by sufficient persons who are competent in respect of the responsibilities to be undertaken by them in connection with the operation of the activities.

1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.

1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.

1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Accident management plan

1.2.1 The operator shall:

(a) maintain and implement an accident management plan;

(b) review and record at least every 4 years or as soon as practicable after an accident, (whichever is the earlier) whether changes to the plan should be made;

(c) make any appropriate changes to the plan identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 2 to this permit.

2.3 Operating techniques

2.3.1 (a) The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Agency.

(b) If notified by the Agency that the activities are giving rise to pollution, the operator shall submit to the Agency for approval within the period specified, a revision of any plan specified in schedule 1, table S1.2 or otherwise required under this permit, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Agency.

3 Emissions and monitoring

3.1 Emissions to water, air or land

3.1.1 There shall be no point source emissions to water, air or land

3.2 Fugitive emissions of substances

3.2.1 Fugitive emissions of substances (excluding odour, noise and vibration) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved fugitive emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

3.2.3 All liquids, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.4 Noise and vibration

3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

(a) be legible;

(b) be made as soon as reasonably practicable;

(c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and

(d) be retained, unless otherwise agreed in writing by the Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:

(i) off-site environmental effects; and

(ii) matters which affect the condition of the land and groundwater.

4.1.2 All records, plans and the management system required to be maintained by this permit shall be held on the site where practicable, or other location agreed in writing and controlled by the operator.

4.2 Reporting

4.2.1 All reports and notifications required by the permit shall be sent to the Agency using the contact details supplied in writing by the Agency

4.3 Notifications

4.3.1 The Agency shall be notified without delay following the detection of:

(a) any malfunction, breakdown or failure of equipment or techniques, accident, or fugitive emission which has caused, is causing or may cause significant pollution;

(b) the breach of a limit specified in the permit; or

(c) any significant adverse environmental effects.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 6 to this permit within the time period specified in that schedule.

4.3.3 Where the Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Agency when the relevant monitoring is to take place. The operator shall provide this information to the Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

(a) any change in the operator's trading name, registered name or registered office address; and

(b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

(a) any change in the operator's name or address; and

(b) any steps taken with a view to the dissolution of the operator.

In any other case:

(a) the death of any of the named operators (where the operator consists of more than one named individual);

(b) any change in the operator's name(s) or address(es); and

(c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

(a) the Agency shall be notified at least 14 days before making the change; and

(b) the notification shall contain a description of the proposed change in operation.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 7 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

Schedule 1 - Operations

Table S1.1 activities		
Description of activities	**Description of activities for waste operations**	**Limits of activities**
A9	**R13:** Storage of wastes pending any of the operations R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced. **D14:** Repackaging prior to submission to any of the operations numbered D1 to D13. **D15:** Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced).	Unloading of waste with EWC Codes 13 01 09, 13 01 10, 13 01 11, 13 01 13, 13 02 04, 13 02 05, 13 02 06, 13 02 08, 13 04 01, 13 04 02, 13 04 03, 13 05 06 13 05 07, 13 07 01, 13 07 02, 13 07 03, 15 01 02, 15 01 04, 15 01 06, 15 02 02, 15 02 03, 16 01 07, 16 01 12, 16 01 13, 16 01 22 and 16 05 04, may take place outdoors on an impermeable surface with sealed drainage, in the marked area as detailed on Plan B in the SafetyKleen Working Plan, listed in Table S1.2, Operating Techniques, in this permit. Bulking up and storage of all permitted waste must take place indoors on an impermeable surface with sealed drainage. The maximum quantity of hazardous waste and waste oils that can be accepted, stored or bulked up at the site in connection with a disposal operation shall not exceed 10 tonnes per day. There shall be no treatment of waste.

Table S1.2 Operating techniques		
Description	**Parts**	**Date Received**
Technical Guidance Note: Getting the Basics Right	All	N/A
SafetyKleen Working Plan	All	27/05/09

Schedule 2 - Site plan



["Reproduced from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationery Office ©Crown Copyright 2000. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings."]

Schedule 3 - Waste types, raw materials and fuels

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
01	**WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS**
01 05	**drilling muds and other drilling wastes**
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing dangerous substances
02	**WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 08*	agrochemical waste containing dangerous substances
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 03	**wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation**
02 03 02	wastes from preserving agents
02 03 03	wastes from solvent extraction
02 06	**wastes from the baking and confectionery industry**
02 06 02	wastes from preserving agents
02 07	**wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)**
02 07 02	wastes from spirits distillation
02 07 03	wastes from chemical treatment
02 07 04	materials unsuitable for consumption or processing
03	**WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD**
03 02	**wastes from wood preservation**
03 02 01*	non-halogenated organic wood preservatives
03 02 02*	organochlorinated wood preservatives
03 02 03*	organometallic wood preservatives
03 02 04*	inorganic wood preservatives
03 02 05*	other wood preservatives containing dangerous substances
04	**WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES**
04 01	**wastes from the leather and fur industry**
04 01 03*	degreasing wastes containing solvents without a liquid phase
04 02	**wastes from the textile industry**
04 02 10	organic matter from natural products (for example grease, wax)
04 02 14*	wastes from finishing containing organic solvents
04 02 16*	dyestuffs and pigments containing dangerous substances
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
05	**WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL**
05 01	**wastes from petroleum refining**
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 07*	acid tars
05 01 08*	other tars

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
05 01 09*	sludges from on-site effluent treatment containing dangerous substances
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 11*	wastes from cleaning of fuels with bases
05 01 12*	oil containing acids
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 01 15*	spent filter clays
05 01 17	bitumen
05 06	**wastes from the pyrolytic treatment of coal**
05 06 01*	acid tars
05 06 03*	other tars
05 07	**wastes from natural gas purification and transportation**
05 07 01*	wastes containing mercury
06	**WASTES FROM INORGANIC CHEMICAL PROCESSES**
06 01	**wastes from the manufacture, formulation, supply and use (MFSU) of acids**
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 03*	hydrofluoric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
06 02	**wastes from the MFSU of bases**
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
06 03	**wastes from the MFSU of salts and their solutions and metallic oxides**
06 03 13*	solid salts and solutions containing heavy metals
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 15*	metallic oxides containing heavy metals
06 03 16	metallic oxides other than those mentioned in 06 03 15
06 04	**metal-containing wastes other than those mentioned in 06 03**
06 04 04*	wastes containing mercury
06 07	**wastes from the MFSU of halogens and halogen chemical processes**
06 07 04*	solutions and acids, for example contact acid
06 13	**wastes from inorganic chemical processes not otherwise specified**
06 13 01*	inorganic plant protection products, wood-preserving agents and other biocides.
06 13 03	carbon black
07	**WASTES FROM ORGANIC CHEMICAL PROCESSES**
07 01	**wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals**
07 01 01*	aqueous washing liquids and mother liquors
07 01 03*	organic halogenated solvents, washing liquids and mother liquors
07 01 04*	other organic solvents, washing liquids and mother liquors

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
07 01 09*	halogenated filter cakes and spent absorbents
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 01*	aqueous washing liquids and mother liquors
07 02 03*	organic halogenated solvents, washing liquids and mother liquors
07 02 04*	other organic solvents, washing liquids and mother liquors
07 02 07*	halogenated still bottoms and reaction residues
07 02 08*	other still bottoms and reaction residues
07 02 09*	halogenated filter cakes and spent absorbents
07 03	**wastes from the MFSU of organic dyes and pigments (except 06 11)**
07 03 01*	aqueous washing liquids and mother liquors
07 03 03*	organic halogenated solvents, washing liquids and mother liquors
07 03 04*	other organic solvents, washing liquids and mother liquors
07 03 07*	halogenated still bottoms and reaction residues
07 03 08*	other still bottoms and reaction residues
07 03 09*	halogenated filter cakes and spent absorbents
07 04	**wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides**
07 04 01*	aqueous washing liquids and mother liquors
07 04 03*	organic halogenated solvents, washing liquids and mother liquors
07 04 04*	other organic solvents, washing liquids and mother liquors
07 04 07*	halogenated still bottoms and reaction residues
07 04 08*	other still bottoms and reaction residues
07 04 09*	halogenated filter cakes and spent absorbents
07 05	**wastes from the MFSU of pharmaceuticals**
07 05 01*	aqueous washing liquids and mother liquors
07 05 03*	organic halogenated solvents, washing liquids and mother liquors
07 05 04*	other organic solvents, washing liquids and mother liquors
07 05 07*	halogenated still bottoms and reaction residues
07 05 08*	other still bottoms and reaction residues
07 05 09*	halogenated filter cakes and spent absorbents
07 05 13*	solid wastes containing dangerous substances
07 06	**wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics**
07 06 01*	aqueous washing liquids and mother liquors
07 06 03*	organic halogenated solvents, washing liquids and mother liquors
07 06 04*	other organic solvents, washing liquids and mother liquors
07 06 07*	halogenated still bottoms and reaction residues
07 06 08*	other still bottoms and reaction residues
07 06 09*	halogenated filter cakes and spent absorbents
07 06 10*	other filter cakes and spent absorbents
07 07	**wastes from the MFSU of fine chemicals and chemical products not otherwise specified**
07 07 01*	aqueous washing liquids and mother liquors

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
07 07 03*	organic halogenated solvents, washing liquids and mother liquors
07 07 04*	other organic solvents, washing liquids and mother liquors
07 07 07*	halogenated still bottoms and reaction residues
07 07 08*	other still bottoms and reaction residues
07 07 09*	halogenated filter cakes and spent absorbents
07 07 10*	other filter cakes and spent absorbents
08	**WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS**
08 01	**wastes from MFSU and removal of paint and varnish**
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 13*	sludges from paint or varnish containing organic solvents or other dangerous substances
08 01 14	sludges from paint or varnish other than those mentioned in 08 01 13
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 17*	wastes from paint or varnish removal containing organic solvents or other dangerous substances
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other dangerous substances
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
08 01 21*	waste paint or varnish remover
08 03	**wastes from MFSU of printing inks**
08 03 07	aqueous sludges containing ink
08 03 08	aqueous liquid waste containing ink
08 03 12*	waste ink containing dangerous substances
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 14*	ink sludges containing dangerous substances
08 03 15	ink sludges other than those mentioned in 08 03 14
08 03 17*	waste printing toner containing dangerous substances
08 03 18	waste printing toner other than those mentioned in 08 03 17
08 03 19*	disperse oil
08 04	**wastes from MFSU of adhesives and sealants (including waterproofing products)**
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
08 04 11*	adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 12	adhesive and sealant sludges other than those mentioned in 08 04 11
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other dangerous substances

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
08 04 17*	rosin oil
08 05	**wastes not otherwise specified in 08**
08 05 01*	waste isocyanates
09	**WASTES FROM THE PHOTOGRAPHIC INDUSTRY**
09 01	**wastes from the photographic industry**
09 01 01*	water-based developer and activator solutions
09 01 02*	water-based offset plate developer solutions
09 01 03*	solvent-based developer solutions
09 01 04*	fixer solutions
09 01 05*	bleach solutions and bleach fixer solutions
09 01 06*	wastes containing silver from on-site treatment of photographic wastes
09 01 13*	aqueous liquid waste from on-site reclamation of silver other than those mentioned in 09 01 06
10	**WASTES FROM THERMAL PROCESSES**
10 01	**wastes from power stations and other combustion plants (except 19)**
10 01 09*	sulphuric acid
10 02	**wastes from the iron and steel industry**
10 02 11*	wastes from cooling-water treatment containing oil
10 03	**wastes from aluminium thermal metallurgy**
10 03 27*	wastes from cooling-water treatment containing oil
10 04	**wastes from lead thermal metallurgy**
10 04 09*	wastes from cooling-water treatment containing oil
10 05	**wastes from zinc thermal metallurgy**
10 05 08*	wastes from cooling-water treatment containing oil
10 06	**wastes from copper thermal metallurgy**
10 06 09*	wastes from cooling-water treatment containing oil
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 07*	wastes from cooling-water treatment containing oil
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 12*	tar-containing wastes from anode manufacture
10 08 19*	wastes from cooling-water treatment containing oil
11	**WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY**
11 01	**wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)**
11 01 05*	pickling acids
11 01 06*	acids not otherwise specified
11 01 07*	pickling bases
11 01 11*	aqueous rinsing liquids containing dangerous substances
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
11 01 13*	degreasing wastes containing dangerous substances
11 01 14	degreasing wastes other than those mentioned in 11 01 13
11 01 98*	other wastes containing dangerous substances
11 02	**wastes from non-ferrous hydrometallurgical processes**
11 02 07*	other wastes containing dangerous substances
12	**WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS**
12 01	**wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 13	welding wastes
12 01 14*	machining sludges containing dangerous substances
12 01 15	machining sludges other than those mentioned in 12 01 14
12 01 19*	readily biodegradable machining oil
12 03	**wastes from water and steam degreasing processes (except 11)**
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
13	**OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)**
13 01	**waste hydraulic oils**
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	**waste engine, gear and lubricating oils**
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03	**waste insulating and heat transmission oils**
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
13 03 10*	other insulating and heat transmission oils
13 04	**bilge oils**
13 04 01*	bilge oils from inland navigation
13 04 02*	bilge oils from jetty sewers
13 04 03*	bilge oils from other navigation
13 05	**oil/water separator contents**
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators
13 05 03*	interceptor sludges
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	**wastes of liquid fuels**
13 07 01*	fuel oil and diesel
13 07 02*	petrol
13 07 03*	other fuels (including mixtures)
13 08	**oil wastes not otherwise specified**
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
14	**WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)**
14 06	**waste organic solvents, refrigerants and foam/aerosol propellants**
14 06 02*	other halogenated solvents and solvent mixtures
14 06 03*	other solvents and solvent mixtures
14 06 04*	sludges or solid wastes containing halogenated solvents
14 06 05*	sludges or solid wastes containing other solvents
15	**WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED**
15 01	**packaging (including separately collected municipal packaging waste)**
15 01 02	plastic packaging
15 01 04	metallic packaging
15 01 06	mixed packaging
15 01 10*	packaging containing residues of or contaminated by dangerous substances
15 02	**absorbents, filter materials, wiping cloths and protective clothing**
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	**WASTES NOT OTHERWISE SPECIFIED IN THE LIST**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 07*	oil filters
16 01 08*	components containing mercury
16 01 12	brake pads other than those mentioned in 16 01 11
16 01 13*	brake fluids

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
16 01 14*	antifreeze fluids containing dangerous substances
16 01 15	antifreeze fluids other than those mentioned in 16 01 14
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
16 01 22	components not otherwise specified
16 02	**wastes from electrical and electronic equipment**
16 02 13*	discarded equipment containing hazardous components [1] other than those mentioned in 16 02 09 to 16 02 12
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 03	**off-specification batches and unused products**
16 03 03*	inorganic wastes containing dangerous substances
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 05*	organic wastes containing dangerous substances
16 03 06	organic wastes other than those mentioned in 16 03 05
16 05	**gases in pressure containers and discarded chemicals**
16 05 04*	gases in pressure containers (including halons) containing dangerous substances
16 05 06*	laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
16 05 07*	discarded inorganic chemicals consisting of or containing dangerous substances
16 05 08*	discarded organic chemicals consisting of or containing dangerous substances
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
16 06	**batteries and accumulators**
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 04	alkaline batteries (except 16 06 03)
16 07	**wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)**
16 07 08*	wastes containing oil
16 07 09*	wastes containing other dangerous substances
16 09	**oxidising substances**
16 09 01*	permanganates, for example potassium permanganate
16 09 02*	chromates, for example potassium chromate, potassium or sodium dichromate
16 09 03*	peroxides, for example hydrogen peroxide
16 09 04*	oxidising substances, not otherwise specified
16 10	**aqueous liquid wastes destined for off-site treatment**
16 10 01*	aqueous liquid wastes containing dangerous substances
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
16 10 03*	aqueous concentrates containing dangerous substances
16 10 04	aqueous concentrates other than those mentioned in 16 10 03

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
17	**CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)**
17 03	**bituminous mixtures, coal tar and tarred products**
17 03 01*	bituminous mixtures containing coal tar
17 03 03*	coal tar and tarred products
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**
19 01	**wastes from incineration or pyrolysis of waste**
19 01 06*	aqueous liquid wastes from gas treatment and other aqueous liquid wastes
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing dangerous substances
19 02 06	sludges from physico/chemical treatment other than those mentioned in 19 02 05
19 02 07*	oil and concentrates from separation
19 02 08*	liquid combustible wastes containing dangerous substances
19 02 09*	solid combustible wastes containing dangerous substances
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 03	**stabilised/solidified wastes [2]**
19 03 04*	wastes marked as hazardous, partly [3] stabilised
19 03 06*	wastes marked as hazardous, solidified
19 08	**wastes from waste water treatment plants not otherwise specified**
19 08 06*	saturated or spent ion exchange resins
19 08 07*	solutions and sludges from regeneration of ion exchangers
19 08 09	grease and oil mixture from oil/water separation containing only edible oil and fats
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 09	**wastes from the preparation of water intended for human consumption or water for industrial use**
19 09 04	spent activated carbon
19 11	**wastes from oil regeneration**
19 11 01*	spent filter clays
19 11 02*	acid tars
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05
19 12	**wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified**
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing dangerous substances

Table S3.1 Permitted waste types and quantities for the Hazardous Waste Transfer Station	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 11,000 tonnes a year.
Waste code	**Description**
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**
20 01	**separately collected fractions (except 15 01)**
20 01 13*	solvents
20 01 14*	acids
20 01 15*	alkalines
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 25	edible oil and fat
20 01 27*	paint, inks, adhesives and resins containing dangerous substances
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27

Schedule 4 – Emissions and monitoring

There are no emission limits or associated monitoring requirements.

Schedule 5 - Reporting

There is no reporting under this schedule.

Schedule 6 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or fugitive emission which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	**Notification period**

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B - to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of Safety-Kleen U.K. Limited

Schedule 7 - Interpretation

"A*ccident*" means an accident that may result in pollution.

"Annex IIA" means Annex IIA to Directive 2006/12/EC of the European Parliament and of the Council of 5 April 2006 on Waste.

"A*nnually*" means once every year.

"*Application*" means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

"Authorised officer" means any person authorised by the Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

"best available treatment, recovery and recycling techniques" shall have the meaning given to it in the document published jointly by the Department for Environment, Food and Rural Affairs, the Welsh Assembly Government and the Scottish Executive on 27th November 2006, entitled "Guidance on Best Available Treatment, Recovery and Recycling Techniques (BATRRT) and Treatment of Waste Electrical and Electronic Equipment (WEEE);

"Controlled substances" means chlorofluorocarbons, other fully halogenated chlorofluorocarbons, halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide, hydrobromofluorocarbons and hydrochlorofluorocarbons listed in Annex I of Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer, including their isomers, whether alone or in a mixture, and whether they are virgin, recovered, recycled or reclaimed. This definition shall not cover any controlled substance which is in a manufactured product other than a container used for the transportation or storage of that substance, or insignificant quantities of any controlled substance, originating from inadvertent or coincidental production during a manufacturing process, from unreacted feedstock, or from use as a processing agent which is present in chemical substances as trace impurities, or that is emitted during product manufacture or handling.

"D" means a disposal operation provided for in Annex IIA to Directive 2006/12/EC of the European Parliament and of the Council of 5 April 2006 on Waste.

"Emissions to land", includes emissions to groundwater.

"*End-of-Life Vehicles Directive*" means Directive 2000/53/EC of the European Parliament and Council of 18 September 2000 on end-of-life vehicles.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations SI 2007 No.3538 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

"Fugitive emission" means an emission to air, water or land from the activities from a localised or diffuse source which is not controlled by an emission or background concentration limit.

"Groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"Hazardous waste" has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005 No.894, the Hazardous Waste (Wales) Regulations 2005 No. 1806 (W.138), the List of Wastes (England) Regulations 2005 No.895 and the List of Wastes (Wales) Regulations 2005 No. 1820 (W.148).

"MCERTS" means the Environment Agency's Monitoring Certification Scheme.
"Ozone-depleting substances" "ODS" means "controlled substances" contained in refrigeration, air-conditioning and heat pump equipment, equipment containing solvents, fire protection systems and fire extinguishers.

"Quarter" means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

"R" means a recovery operation provided for in Annex IIB to Directive 2006/12/EC of the European Parliament and of the Council of 5 April 2006 on Waste.

"Waste code" means the six digit code referable to a type of waste in accordance with the List of Wastes (England)Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

"WEEE" means waste electrical and electronic equipment.

"WEEE Directive" means Directive 2002/96/EC of the European Parliament and of the Council of 27th January 2003 on waste electrical and electronic equipment (WEEE) as amended by Directive 2003/108/EC of the European Parliament and of the Council of 8th December 2003 on waste electrical and electronic equipment (WEEE).

"Year" means calendar year ending 31 December.

END OF PERMIT