Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Mr Philip Andrew Pidgley

FDS Waste Services Limited
Clapcotts Yard
17-19 Mannings Heath Road
Poole
Dorset
BH12 4NQ

Variation application number

EPR/FP3693FA/V006

Permit number

EPR/FP3693FA

FDS Waste Services Limited
Permit number EPR/FP3693FA

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

This variation is to add one hazardous waste code to the permitted waste types: European Waste Code 17 06 05* construction materials containing asbestos. Table S1.1 and S2.2 have been updated accordingly. This variation does not require any changes to the conditions of the permit. The total annual storage limit remains unchanged for the site. The site plan has also been amended to correct an error by the applicant as part of the previous partial surrender application.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	**Date**	**Comments**
Waste Management Licence issued EAWML 23749	30/11/05	Permit for waste transfer station
Allocated permit number EPR/FP3693FA		
Variation determined EPR/FP3693FA/V002	19/10/12	Application to vary permit to standard rules SR2008No3 and change boundary of permitted area. Notice of variation issued.
Variation withdrawn EPR/FP3693FA/V003	29/06/16	Application to vary permit from standard rules SR2008No3 to a bespoke permit. Operator withdrew variation application.
Variation application EPR/FP3693FA/V004	Duly made 15/03/17	Application to vary permit from standard rules SR2008No3 to a bespoke permit and to add one new waste code 18 01 04.
Variation application EPR/FP3693FA/V004	26/05/17	Response to Schedule 5 issued on 03/05/17 about the Fire Prevention Plan received.
Variation application EPR/FP3693FA/V004	14/07/17	Response to Schedule 5 issued on 30/06/17 about the Fire Prevention Plan received.
Variation application EPR/FP3693FA/V004	07/08/17, 09/08/17 and 22/08/17	Response to Schedule 5 issued on 14/07/17 about the Fire Prevention Plan received.
Variation application EPR/FP3693FA/V004	11/08/17	Dust Management Plan received in response to Schedule 5 issued on 04/08/17.

Status log of the permit		
Description	**Date**	**Comments**
Variation application EPR/FP3693FA/V004	31/08/17	Email confirming that waste codes 12 01 01, 12 01 03 and 12 01 05 will only be stored within a building and restricting what can be accepted under 03 01 05.
Variation determined EPR/FP3693FA/V004	20/09/17	Notice of variation and consolidation issued.
Application EPR/FP3693FA/S005	Duly made 14/11/17	Application to part surrender land where waste operations have not commenced on all sides of the site.
Part surrender determined EPR/FP3693FA	08/02/18	Part surrender complete.
Application EPR/FP3693FA/V006	Duly made 10/01/18	Application to vary the permit to add one hazardous waste code 17 06 05* to the permitted waste types in table S2.2.
Variation determined EPR/FP3693FA	27/03/18	Notice of variation and consolidation issued.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/FP3693FA

Issued to

Mr Philip Andrew Pidgley ("the operator")

of

7-8 Church Street
Wimborne
Dorset
BH21 1JH

to operate a regulated facility at

FDS Waste Services Limited
Clapcotts Yard
17-19 Mannings Heath Road
Poole
Dorset
BH12 4NQ

to the extent set out in the schedules.

The notice shall take effect from 27/03/2018

Name	Date
Tom Swift	**27/03/2018**

Authorised on behalf of the Environment Agency

Schedule 1

Condition 2.5 has been varied by the consolidated permit EPR/FP3693FA as a result of the application made by the operator. A condition has been added regarding hazardous waste storage.

Table S1.1 as referenced in conditions 2.1.1 and 2.5.1 has been updated.

Table S2.2 as referenced in condition 2.3.3 has been updated.

Schedule 7 as referenced in condition 2.2.1 has been updated.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/FP3693FA

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/FP3693FA/V006 authorising,

Mr Philip Andrew Pidgley ("the operator"),

of

7-8 Church Street
Wimborne
Dorset
BH21 1JH

to operate waste operations at

FDS Waste Services Limited
Clapcotts Yard
17-19 Mannings Heath Road
Poole
Dorset
BH12 4NQ

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Tom Swift	**27/03/2018**

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

1.1.1 The operator shall manage and operate the activities:

(a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and

(b) using sufficient competent persons and resources.

1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.

1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.

1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Avoidance, recovery and disposal of wastes produced by the activities

1.2.1 The operator shall take appropriate measures to ensure that:

(a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and

(b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and

(c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.

1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ("plan") specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan , and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

2.3.3 Waste shall only be accepted if:

(a) it is of a type and quantity listed in schedule 2 table S2.1 and S2.2; and

(b) except for household waste accepted from householders, it conforms to the description in the documentation supplied by the producer and holder.

2.4 Improvement programme

2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Technical requirements

Hazardous waste storage

2.5.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

3 Emissions and monitoring

3.1 Emissions of substances not controlled by emission limits

3.1.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

3.1.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;

(b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.2 Odour

3.2.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.2.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;

(b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.3 Noise and vibration

3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.3.2 The operator shall:

(a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;

(b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Fire prevention

3.4.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

(a) be legible;

(b) be made as soon as reasonably practicable;

(c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and

(d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:

(i) off-site environmental effects; and

(ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

4.3 Notifications

4.3.1 The Environment Agency shall be notified without delay following the detection of:

(a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;

(b) the breach of a limit specified in the permit; or

(c) any significant adverse environmental effects.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

(a) any change in the operator's trading name, registered name or registered office address; and

(b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

(a) any change in the operator's name or address; and

(b) any steps taken with a view to the dissolution of the operator.

In any other case:

(a) the death of any of the named operators (where the operator consists of more than one named individual);

(b) any change in the operator's name(s) or address(es); and

(c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

(a) the Environment Agency shall be notified at least 14 days before making the change; and

(b) the notification shall contain a description of the proposed change in operation.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made “without delay”, in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities	
Description of activities for waste operations	**Limits of activities**
D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced) R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced) D14 Repackaging prior to submission to any of the operations numbered D1 to D13. D9: Physico-chemical treatment not specified elsewhere which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12 R3: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes) R4: Recycling/reclamation of metals and metal compounds R5: Recycling/reclamation of other inorganic materials	Treatment consisting only of manual and mechanical sorting, separation, screening, baling, shredding, crushing or compaction of waste into different components for disposal, (no more than 50 tonnes per day) or recovery. Subject to any other requirements of this permit wastes shall be stored for no longer than 1 year prior to disposal or 3 years prior to recovery. The capacity of the site for non hazardous waste subject to an R3 activity (Biological treatment only) shall not exceed 75 tonnes per day. No more than 50 tonnes per day of non hazardous waste to be treated at the site under a D9 activity. No more than a total of 50 tonnes of intact and shredded waste vehicle tyres (waste codes 16 01 03 and 19 12 04) shall be stored at the site. No more than 10 tonnes per day of hazardous waste to be accepted at the site. No hazardous waste shall be treated at the site. Construction materials containing asbestos (17 06 05*) must only be accepted on site double-bagged and leave site double-bagged. Waste types as specified in Table S2.1 and S2.2.

Table S1.2 Operating techniques		
Description	**Parts**	**Date Received**
Application	How to comply with your environmental permit. Additional guidance for clinical waste (EPR 5.07)	N/A
Response to Schedule 5 Notice dated 03/05/17, 30/06/17 and 24/07/17 and email dated 09/08/17 to Steve Barker	Approved Fire Prevention Plan consisting of the following documents: - Fire Prevention Plan version 6 August 2017 - S5 Covering Letter - Wind rose	07/08/17, 09/08/17 and 22/08/17
Response to Schedule 5 dated 04/08/17	Dust & Particulate Emission Management Plan FDS Waste DMP version number 4 dated 11th August 2017	11/08/17

Table S1.3 Improvement programme requirements		
Reference	**Requirement**	**Date**
IC1	Design, install and commission a fire detection and suppression system to UKAS accredited standard and in accordance with the approved Fire Prevention Plan Version 6 August 2017.	20/12/2017
IC2	Design and construct a bund wall for the retention of firewater on site in accordance with drawing CEC/FDS/001 and the approved Fire Prevention Plan Version 6 August 2017.	20/12/2017
IC3	Design and construct a bay for the storage of plasterboard on site in accordance with drawing CEC/FDS/001 and the approved Fire Prevention Plan Version 6 August 2017.	20/12/2017
IC4	On completion of IC3 relocate storage of any plasterboard onsite to the bay referenced in IC3.	Within 24 hours of the completion of IC3.

Schedule 2 – Waste types

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
01	**Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals**
01 01	**wastes from mineral excavation**
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	**wastes from physical and chemical processing of metalliferous minerals**
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 10
01 04	**wastes from physical and chemical processing of non-metalliferous minerals**
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
02	**Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 07	wastes from forestry
02 01 10	waste metal
02 02	**wastes from the preparation and processing of meat, fish and other foods of animal origin**
02 02 03	materials unsuitable for consumption or processing
02 03	**wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation**
02 03 04	materials unsuitable for consumption or processing
02 04	**wastes from sugar processing**
02 04 01	soil from cleaning and washing beet

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
02 04 02	off-specification calcium carbonate
02 05	**wastes from the dairy products industry**
02 05 01	materials unsuitable for consumption or processing
02 06	**wastes from the baking and confectionery industry**
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
02 07	**wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)**
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation
02 07 04	materials unsuitable for consumption or processing
03	**Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard**
03 01	**wastes from wood processing and the production of panels and furniture**
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	**wastes from pulp, paper and cardboard production and processing**
03 03 01	waste bark and wood
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
04	**Wastes from the leather, fur and textile industries**
04 01	**wastes from the leather and fur industry**
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	wastes from dressing and finishing
04 02	**wastes from the textile industry**
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
06	**Wastes from inorganic chemical processes**
06 09	**wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes**
06 09 02	phosphorous slag

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
06 11	**wastes from the manufacture of inorganic pigments and opacificiers**
06 11 01	calcium-based reaction wastes from titanium dioxide production
07	**Wastes from organic chemical processes**
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 13	waste plastic
09	**Wastes from the photographic industry**
09 01	**wastes from the photographic industry**
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single-use cameras without batteries
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
10	**Wastes from thermal processes**
10 01	**wastes from power stations and other combustion plants (except 19)**
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 24	sands from fluidised beds
10 02	**wastes from the iron and steel industry**
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
10 03	**wastes from aluminium thermal metallurgy**
10 03 02	anode scraps
10 03 05	waste alumina
10 03 16	skimmings other than those mentioned in 10 03 15

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
10 04	**wastes from lead thermal metallurgy**
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	**wastes from zinc thermal metallurgy**
10 05 01	slags from primary and secondary production
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
10 06	**wastes from copper thermal metallurgy**
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	**wastes from silver, gold and platinum thermal metallurgy**
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 05	sludges and filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	**wastes from other non-ferrous thermal metallurgy**
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	anode scrap
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	**wastes from casting of ferrous pieces**
10 09 03	furnace slag

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 14	waste binders other than those mentioned in 10 09 13
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10	**wastes from casting of non-ferrous pieces**
10 10 03	furnace slag
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	**wastes from manufacture of glass and glass products**
10 11 03	waste glass-based fibrous materials
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 12	**wastes from manufacture of ceramic goods, bricks, tiles and construction products**
10 12 01	waste preparation mixture before thermal processing
10 12 05	sludges and filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 13	**wastes from manufacture of cement, lime and plaster and articles and products made from them**
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 07	sludges and filter cakes from gas treatment

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete and concrete sludge
11	**Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy**
11 01	**wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)**
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 14	degreasing wastes other than those mentioned in 11 01 13
11 02	**wastes from non-ferrous hydrometallurgical processes**
11 02 03	wastes from the production of anodes for aqueous electrolytical processes
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05
11 05	**wastes from hot galvanising processes**
11 05 01	hard zinc
11 05 02	zinc ash
12	**Wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01	**wastes from shaping and physical and mechanical surface treatment of metals and plastics**
12 01 01	ferrous metal filings and turnings
12 01 03	non-ferrous metal filings and turnings
12 01 05	plastics shavings and turnings
12 01 13	welding wastes
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
15	**Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified**
15 01	**packaging (including separately collected municipal packaging waste)**
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
15 02	**absorbents, filter materials, wiping cloths and protective clothing**
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	**Wastes not otherwise specified in the list**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 03	end-of-life tyres
16 02	**wastes from electrical and electronic equipment**
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	**off-specification batches and unused products**
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 06	**batteries and accumulators**
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
16 11	**waste linings and refractories**
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	**Construction and demolition wastes (including excavated soil from contaminated sites)**
17 01	**concrete, bricks, tiles and ceramics**
17 01 01	concrete
17 01 02	bricks

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	**wood, glass and plastic**
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	**bituminous mixtures, coal tar and tarred products**
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	**metals (including their alloys)**
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 05	**soil (including excavated soil from contaminated sites), stones and dredging spoil**
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	**insulation materials and asbestos-containing construction materials**
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 08	**gypsum-based construction material**
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09	**other construction and demolition wastes**
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
18	**Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)**
18 01	**wastes from natal care, diagnosis, treatment or prevention of disease in humans**

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
18 01 04	wastes whose collection and disposal is not subject to special requirements in order to prevent infection (for example dressings, plaster casts, linen, disposable clothing, diapers)
19	**Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use**
19 01	**wastes from incineration or pyrolysis of waste**
19 01 02	ferrous materials removed from bottom ash
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
19 02	**wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)**
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 04	**vitrified waste and wastes from vitrification**
19 04 01	vitrified waste
19 05	**wastes from aerobic treatment of solid wastes**
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
19 12	**wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified**
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 10	combustible waste (refuse derived fuel)
19 13	**wastes from soil and groundwater remediation**
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01

Table S2.1 Permitted waste types and quantities for non hazardous waste treatment and transfer station	
Maximum quantity	**The total quantity of waste accepted at the site for the above activity shall be no more than 68,000 tonnes a year.** **Wastes having any of the following characteristics shall not be accepted:** • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
20	**Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions**
20 01	**separately collected fractions (except 15 01)**
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	**garden and park wastes (including cemetery waste)**
20 02 01	biodegradable waste
20 02 02	soil and stones
20 03	**other municipal wastes**
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 07	bulky waste

Table S2.2 Permitted waste types suitable for storage and sorting outside in bays	
	Wastes having any of the following characteristics shall not be accepted: • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
01	**Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals**
01 01	**wastes from mineral excavation**
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 04	**wastes from physical and chemical processing of non-metalliferous minerals**
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
02	**Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing**
02 01	**wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing**
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 10	waste metal
02 04	**wastes from sugar processing**
02 04 01	soil from cleaning and washing beet
03	**Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard**
03 01	**wastes from wood processing and the production of panels and furniture**
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04 (excluding sawdust, shavings and veneer)
03 03	**wastes from pulp, paper and cardboard production and processing**
03 03 01	waste bark and wood
07	**Wastes from organic chemical processes**
07 02	**wastes from the MFSU of plastics, synthetic rubber and man-made fibres**
07 02 13	waste plastic
10	**Wastes from thermal processes**
10 11	**wastes from manufacture of glass and glass products**
10 11 12	waste glass other than those mentioned in 10 11 11
10 12	**wastes from manufacture of ceramic goods, bricks, tiles and construction products**
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 13	**wastes from manufacture of cement, lime and plaster and articles and products made from them**
10 13 14	waste concrete and concrete sludge

Table S2.2 Permitted waste types suitable for storage and sorting outside in bays	
	Wastes having any of the following characteristics shall not be accepted: • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
15	**Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified**
15 01	**packaging (including separately collected municipal packaging waste)**
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 07	glass packaging
16	**Wastes not otherwise specified in the list**
16 01	**end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)**
16 01 03	end-of-life tyres
17	**Construction and demolition wastes (including excavated soil from contaminated sites)**
17 01	**concrete, bricks, tiles and ceramics**
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	**wood, glass and plastic**
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	**bituminous mixtures, coal tar and tarred products**
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	**metals (including their alloys)**
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 05	**soil (including excavated soil from contaminated sites), stones and dredging spoil**

Table S2.2 Permitted waste types suitable for storage and sorting outside in bays	
	Wastes having any of the following characteristics shall not be accepted: • **Consisting solely or mainly of dusts, powders or loose fibres** • **Wastes that are in a form which is either sludge or liquid**
Waste code	**Description**
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	**insulation materials and asbestos-containing construction materials**
17 06 05*	construction materials containing asbestos
19	**Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use**
19 12	**wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified**
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
20	**Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions**
20 01	**separately collected fractions (except 15 01)**
20 01 02	glass
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 02	**garden and park wastes (including cemetery waste)**
20 02 01	biodegradable waste
20 02 02	soil and stones

Schedule 3 – Emissions and monitoring

There are no emission limits or associated monitoring requirements.

Schedule 4 – Reporting

There is no reporting under this schedule.

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	**Notification period**

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“Annex I” means Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“Annex II” means Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“building” means a construction that has the objective of providing sheltering cover and minimising emissions of noise, particulate matter, odour and litter.

“D” means a disposal operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“List of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“R” means a recovery operation provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“Waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste.

“year” means calendar year ending 31 December.

When the following terms appear in the waste code list in Schedule 2, table S2.1 AND S2.2, for that table, they have the meaning given below:

“hazardous substance” means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

“heavy metal” means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“PCBs” means

- polychlorinated biphenyls

- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 %by weight.


“transition metals” means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances.

“stabilisation” means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste.

“solidification” means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste.

“partly stabilised wastes” means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

Schedule 7 – Site plan



END OF PERMIT