

Notice of variation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Camiers Group Limited

Camiers Group Limited

Unit 25 and Unit 32

Old Ministry Airfield

Cheddington Lane

Long Marston

HP23 4QR

Variation application number

EPR/FB3409HE/V002

Permit number

EPR/FB3409HE

Camiers Group Limited

Permit number EPR/FB3409HE

Introductory note

This introductory note does not form a part of the notice

The following notice gives notice of the variation of an environmental permit.

This variation increases the site boundary to expand operations. The boundary extension involves an additional area and building, developed on an adjacent site (Unit 25, Old Ministry Airfield). Simultaneously, two EWC codes (19 10 04 and 19 10 06) have been added that will only be processed in Unit 25.

The Fire Prevention Plan has been updated to reflect the operations at Unit 25 and Unit 32.

The schedules specify the changes made to the original permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application EPR/FB3409HE/A001	Duly made 20/10/17	Application for waste transfer with treatment facility.
Additional information received	14/12/17	Updated Fire Prevention Plan (Rev 2).
Additional information received	23/01/18	Updated Fire Prevention Plan (Rev 3).
Additional information received	27/01/18	Information regarding the site activities, management and ownership. Information on Camiers Group Limited management structure, evidence of lease between landlord and operator, confirmation of permit boundary and, confirmation that no further waste activities will be carried on at the site (other than the applied for permitted activities).
Additional information received	04/02/18	Updated Fire Prevention Plan (additional information to accompany Rev 3). Evidence of appropriate drain permissions in lease.
Additional information received	22/02/18	Updated Fire Prevention Plan (Rev 4).
Additional information received	16/03/18	Further evidence confirming operator's control of the site Evidence of registration for appropriate technical competency qualification.
Additional information received	19/03/18	Further evidence confirming operator's control of the site.
Additional information received	16/04/18	Updated Fire Prevention Plan (Rev 5), confirmation that all hazardous waste codes have been removed from the application and confirmation that the operator understands liability implications for not submitting site condition baseline.

Status log of the permit		
Description	Date	Comments
Additional information received	26/04/18	Updated Fire Prevention Plan (Rev 6)
Additional information received	09/05/18	Updated Fire Prevention Plan (updated Rev 6) and updated Annex F
Additional information received	17/05/18	Updated Fire Prevention Plan (Rev 7) and updated Annex F
Permit determined EPR/FB3409HE	11/06/18	Permit issued to Camiers Group Limited
Application EPR/FB3409HE/V002 (variation and consolidation)	Duly made 07/02/19	Application to vary the permit to extend the site boundary and add two waste codes
Additional information received	08/04/19, 16/04/19, 10/05/19, 20/05/19	Emails and letters received containing amendments to the Unit 25 Fire Prevention Plan and associated documents
Additional information received	04/06/19	Schedule 5 response email confirming the sole director and owner of Camiers Group Limited
Additional information received	25/06/19	Request for information response combining Unit 32 and Unit 25's Fire Prevention Plan into a single document
Additional information received	26/06/19	Request for information response to the Fire Prevention Plan (Rev 8/Version 7) and associated documents
Additional information received	23/08/19	Schedule 5 response for amendments to the Fire Prevention Plan (Rev 9/Version 8) and associated documents.
Additional information received	03/09/19	Schedule 5 response for amendments to the Fire Prevention Plan (Rev 10/Version 9)
Additional information received	24/09/19 25/09/19 04/10/19	Request for information response to minor changes to the Fire prevention Plan (Rev 11/Version 10). Request for information response to Site Layout Plan.
Variation determined EPR/FB3409HE	31/10/19	Varied permit issued.

End of introductory note

Notice of variation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/FB3409HE

Issued to

Camiers Group Limited ("the operator")

whose registered office is

28 West Street

Dunstable

Bedfordshire

LU6 1TA

company registration number 11000338

to operate a regulated facility at

Camiers Group Limited

Unit 25 and Unit 32

Old Ministry Airfield

Cheddington Lane

Long Marston

HP23 4QR

to the extent set out in the schedules.

The notice shall take effect from 31/10/2019

Name	Date
Tom Carey	31/10/2019

Authorised on behalf of the Environment Agency

Schedule 1 – conditions to be deleted

None

Schedule 2 – conditions to be amended

The following conditions are amended as a result of the application made by the operator

Table S1.2 Operating techniques, as referred to in condition 2.3.1 of the permit, has been amended. Table S1.2 now reads:

Table S1.2 Operating techniques		
Description	Parts	Date Received
Variation application	Non-technical Summary confirming waste codes 19 10 04 and 19 10 06 are permitted at Unit 25 only.	06/02/19
Response to Schedule 5 Notice dated 23/08/19 and subsequent second Schedule 5 dated 03/09/19	Approved Fire Prevention Plan Rev 11/Version 10 and the following Annexes: - Unit 32 Drainage Plan (Annex G) dated - Unit 32 Site Layout Plan (Annex F) - Unit 25 Drainage Plan (LCL/FPP/Annex G) - Unit 25 Site Layout Plan (CGL/PartC2/5a)	25/09/19 23/08/19 04/10/19 24/09/19 24/09/19
Email response to request for information	Email detailing confirmation that any waste solely or mainly consisting of dusts, powders or loose fibres, as well as wastes that are in a form which is either sludge or liquid will not be knowingly accepted.	24/09/19

Table 1.3 Improvement requirements, as referred to in condition 2.4.1 of the permit, has been amended.

Table 1.3 now reads:

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
IP1	The Operator shall implement all improvements and repairs related to the site drainage infrastructure as detailed in the approved written report. This written report consists of: - Compliance Improvement Condition IP2 Operators written report (dated 01/10/19). - Compliance Improvement Condition IP2 Further information from Operator for written report (dated 07/10/19). - Compliance Improvement Condition IP2 final information from Operator (dated 09/10/19).	31/01/2020
IP2	The Operator shall clearly demark: - the extent of the permitted area (not including Unit 25 which is already demarked by the boundary of the building and existing fences and hedgerow), either on the ground using permanent markings or by use of a physical barrier such as fencing; - in Unit 32 a 3 metre height-line within all waste bays and on the southern and western perimeter walls to demonstrate the maximum waste storage height; and - in Unit 25 a 4 meter height-line for the incoming waste	31/01/2020

	pile and a 5 metre height-line for the processed waste piles to demonstrate the maximum storage heights for these waste streams.	
IP3	The Operator shall install the following on the western boundary of the area which contains the combustible waste storage and treatment operations (as detailed in Fire Prevention Plan Revision 11 Version 10 and Annex F): • a secure lockable steel palisade site access gate; and • 3.5 metre high concrete bay walls consisting of 180mm concrete panels (CE marked EN 14992:2007+A1:2012) providing a high degree of fire resistance (minimum fire resistant period, both radiant heat and flaming, of 2 hours or more where 6 metre separation distances between combustible waste piles cannot be achieved) with heavy industrial steel Rolled Steel Joists.	31/01/2020

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment, as referred to in condition 2.3.3 of the permit, has been amended.

Table S2.1 now reads:

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	wastes from physical and chemical processing of metalliferous minerals
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 10
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 07	wastes from forestry
02 01 10	waste metal
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin
02 02 03	materials unsuitable for consumption or processing
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 04	materials unsuitable for consumption or processing
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
02 04 02	off-specification calcium carbonate
02 05	wastes from the dairy products industry
02 05 01	materials unsuitable for consumption or processing
02 06	wastes from the baking and confectionery industry
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation
02 07 04	materials unsuitable for consumption or processing
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
03 03 10	fibre rejects from mechanical separation
04	Wastes from the leather, fur and textile industries
04 01	wastes from the leather and fur industry
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	wastes from dressing and finishing
04 02	wastes from the textile industry
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
09	Wastes from the photographic industry
09 01	wastes from the photographic industry
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single-use cameras without batteries
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
10	Wastes from thermal processes
10 01	wastes from power stations and other combustion plants (except 19)
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 24	sands from fluidised beds
10 02	wastes from the iron and steel industry
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 14	filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other filter cakes
10 03	wastes from aluminium thermal metallurgy
10 03 02	anode scraps
10 03 05	waste alumina

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
10 03 16	skimmings other than those mentioned in 10 03 15
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
10 04	wastes from lead thermal metallurgy
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	wastes from zinc thermal metallurgy
10 05 01	slags from primary and secondary production
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
10 06	wastes from copper thermal metallurgy
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 05	filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	wastes from other non-ferrous thermal metallurgy
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	anode scrap
10 08 18	filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	wastes from casting of ferrous pieces
10 09 03	furnace slag

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 14	waste binders other than those mentioned in 10 09 13
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10	wastes from casting of non-ferrous pieces
10 10 03	furnace slag
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	wastes from manufacture of glass and glass products
10 11 03	waste glass-based fibrous materials
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	waste preparation mixture before thermal processing
10 12 05	filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime
10 13 07	filter cakes from gas treatment
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 03	end-of-life tyres
16 02	wastes from electrical and electronic equipment
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	off-specification batches and unused products
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 06	organic wastes other than those mentioned in 16 03 05
16 06	batteries and accumulators
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
16 11	waste linings and refractories
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 03	bituminous mixtures, coal tar and tarred products
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	insulation materials and asbestos-containing construction materials
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 08	gypsum-based construction material
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01

Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
17 09	other construction and demolition wastes
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 01	wastes from incineration or pyrolysis of waste
19 01 02	ferrous materials removed from bottom ash
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 04	vitrified waste and wastes from vitrification
19 04 01	vitrified waste
19 05	wastes from aerobic treatment of solid wastes
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
19 10	Wastes from shredding of metal-containing wastes
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03
19 10 06	other fractions other than those mentioned in 19 10 05
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 10	combustible waste (refuse derived fuel)


Table S2.1 Permitted waste types and quantities for Household, Commercial and Industrial transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site for the above activity shall be less than 175,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: - Consisting solely or mainly of dusts, powders or loose fibres - Wastes that are in a form which is either sludge or liquid
Waste code	Description
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
19 13	wastes from soil and groundwater remediation
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 03	other municipal wastes
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 07	bulky waste

Schedule 3 – conditions to be added

None

Schedule 4 – amended plan

Amended plan attached



“©Crown Copyright. All rights reserved. Environment Agency, 100024198, 2019.”