

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

**To: SWIZZELS MATLOW LTD
CARLTON HOUSE
ALBION RD, NEW MILLS
STOCKPORT
CHESHIRE
SK12 3HA**

Contact Name (if applicable):
Registered as Joint Consent Holder: No

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent **70/1327** from 1 October 1996.

Consent Alias (if applicable):
Sample Point Grid Reference:

Nature of Discharge(s): **COOLING WATER**

at **SWIZZLES LIMITED BRUNSWICK WORKS ALBION ROAD NEW MILLS STOCKPORT**

PLEASE NOTE: For Consents with Multiple Discharges, see the attached Schedule.

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

**To: Environment Agency P.O. Box 12 Richard Fairclough House Knutsford Road Warrington WA4 1HG
Tel: 01925 653999 Fax: 01925 242209**

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent: 70/1327

**Name:
Address:**

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed: Dated:

Name (block capitals): Position:

JWE/5/96

(to be completed when signing
on behalf of corporate bodies)





P.5438

70/1327

PLW

Mersey and Weaver River Authority

RIVERS (PREVENTION OF POLLUTION) ACT, 1951

CONSENT TO NEW OR ALTERED OUTLET OR NEW DISCHARGE OF TRADE OR SEWAGE EFFLUENT

WHEREAS the Mersey and Weaver River Authority (hereinafter called "the Authority") have received an application from **Natlow Bros.,**
Scissors Limited, Brunswick Works, Albion Road, New Mills, Stockport in the
County of Chester

(hereinafter called "the applicant") for the consent of the Authority under Section 7 of the Rivers (Prevention of Pollution) Act, 1951:-

(A) to bring into use a (new) ~~sewerage~~ outlet for the discharge of (trade) ~~sewerage~~ effluent from **the Applicant's new factory, Albion Road, New Mills in the County of Chester at the point (National Grid Reference SJ975483) shown on drawing No. 104/104/30324 enclosed with the application dated 25th October, 1970**

(and)

(B) to begin to make a new discharge of (trade) ~~sewerage~~ effluent from **the Applicant's premises referred to in (A) above**

to a stream within the area of the Authority, namely
the Peak Forest Canal.

NOW THE AUTHORITY HEREBY GRANT TO THE APPLICANT THEIR CONSENT:-

(A) to bring into use the said (new) ~~substantially~~ outlet subject to the following conditions:-

1. The point of discharge shall be as shown on Drawing No. 12/154/3/321 enclosed with the application dated 26th October, 1970.
2. The outlet shall be used only for the discharge of cooling water.
3. The outlet shall have an adequate headfall.

(B) to begin to make the said new discharge subject to the following conditions:-

1. The nature shall be that of cooling water.
2. The volume discharged shall not exceed 72,000 gallons (327,542 litres) per day and the rate of discharge shall not exceed 7,200 gallons (32,754.2 litres) per hour.
3. The composition shall be such that when compared with the composition of the water drawn from the Peak Forest Canal at the intake, it shall not:-
 - (a) Show any increase in biochemical oxygen demand (5 days at 20°C).
 - (b) Show any increase in permanganate value (4 hours at 20°C).
 - (c) Contain a greater content of suspended solids (dried at 105°C).
 - (d) Contain a greater content of total dissolved solids (dried at 105°C).
 - (e) Show any alteration in pH value exceeding 0.5 of a unit.
 - (f) Show a temperature rise exceeding 10°C.

For the purposes of (a), (b), (c), (d) and (e) above, a relative difference of plus or minus 10% shall be ignored.

4. The effluent shall contain no added poisonous, noxious or polluting matter not referred to in item 3, above.

The conditions shall come into force on the date of this consent.

The terms of this consent will not, without the consent in writing of the person to whom this consent is given (or his successor), be altered before the expiration of the period

ending with the 31st day of December 1972

DATED this 3rd day of December, 1970

R. Woodward
Clerk of the Authority

**The Secretary,
Wallow Bridge,
Skelton, North
Barncliffe Road,
Albion Road,
Rip Mill,
Stockport,
Cheshire.
SK12 3BB**

This consent is granted under the provisions of the Rivers (Pollution) Act 1965 and does not relieve the Applicant of obtaining any other consent which may be required from a landowner or other local or public authority.

consent shall come into force on the date

the terms of this consent will be subject to the consent of the person to whom this consent is given and to the satisfaction of the person to whom this consent is given.

to be

to be

NOTE:

This consent is granted under the provisions of the Rivers (Prevention of Pollution) Acts only and does not relieve the Applicant of the necessity of obtaining any other consent which may be required from any interested landowner or other local or public authority.