PERMIT

No. 1616

ENVIRONMENTAL PROTECTION ACT 1990
PART II

OUTGOING

WASTE MANAGEMENT LICENCE

The West Yorkshire Waste Management Joint Committee passed a Resolution on 8th March 1996 which subsequently fell to be treated as a Waste Management Licence on 1st April 1996

Name and address of licence holder on issue of licence:	**West Yorkshire Waste Management Joint Committee, County Hall, Wakefield, WF1 2QW**

Names and addresses of subsequent holders:	**Calderdale Metropolitan Borough Council, Environmental Services Department, Northgate House Halifax, HX1 1UN.**
Agency endorsement: Signed Date	[redacted] 10.5.2000

Activities permitted by this licence	**Keeping of waste**

Specified description of controlled waste	**As detailed in conditions 8 and 9**

Location of site to which this licence relates	**Eastwood Household Waste Site, Todmorden As detailed in condition 1**
Grid reference:	**SD 962 249**

Conditions	**This licence is granted subject to the attached conditions**

ENVIRONMENT AGENCY

ENVIRONMENTAL PROTECTION ACT 1990
Section 37

NOTICE OF MODIFICATION OF WASTE MANAGEMENT LICENCE

To Calderdale Metropolitan Borough Council
Environmental Services Department
Northgate House
Halifax
HX1 1UN

WHEREAS on 08th March 1996 the West Yorkshire Waste Management Joint Committee granted West Yorkshire Waste Management Joint Committee a Resolution now treated as a Waste Management Licence 1616 relating to land at Eastwood Household Waste Site, Todmorden, NGR SD 962 249 and the said licence was transferred to you on 10th May 2000

subject to conditions set out therein

AND WHEREAS on 12/03/2001 you applied to the Environment Agency to modify the said conditions

NOTICE IS HEREBY GIVEN that the Environment Agency ("the Agency") modifies the said conditions as follows:-

Condition 23 to Waste Management Licence Reference Number: 1616 shall be deleted.

Such modification shall take effect on: 05 June 2001 at: 12.00 Hours.

DATED 4 June 2001

Signed....[redacted]..
Paul Aspinall
Waste Licensing Team Leader - Ridings Area

NOTES

The person served with this notice may appeal against the Agency's decision to the Secretary of State within six months or such longer period as the Secretary of State may allow, (see notes overleaf).

*[The person on whom this notice is served may also make application to the Secretary of State for a ruling as to whether the Agency has acted reasonably in including the above statement as to the non-application of Section 43[4] of the Act, (see notes overleaf).]

The Environment Agency, Ridings Area, Phoenix House, Global Avenue, LEEDS LS11 8PG
Tel: 0113 244 0191 Fax: 0113 213 4609

WASTE MANAGEMENT LICENCE NO. 1616
Eastwood Household Waste Site
Halifax Road
Stoodley Bridge Todmorden
NGR SD 962 249

CONDITIONS

GENERAL

1. This licence relates to the area as indicated on the attached plan No. T/230/2 HWS.

2. The licence holder shall operate the site in accordance with the plan No. T/230/2HWS, and details contained in the document entitled "Eastwood Transfer Loading Station Household Waste Site. Waste Disposal Licence Application" dated 5th May 1993 and appendices entitled "Working Plan Additional Information" (Nos. 1, 2 and 3) attached to this licence, unless contradicted or superseded by the conditions of this licence, which shall take precedence at all times.

3. The activity permitted by this licence is the keeping of waste.

4. The licence holder shall notify the Environment Agency, hereinafter called the Agency, in writing of any change in the conduct of operations, as detailed in condition 2, within 5 working days of the change, unless specified otherwise in the following conditions which shall take precedence at all times.

5. By 1st June 1996, the working plan shall be updated, as may be necessary, with as built plans showing the site infrastructure in place on the day that the licence takes effect.

6. The Agency shall be informed immediately, in writing, of any proposed or actual change in the status of the licence holder which could have a material effect on the licence e.g. the name of the holder, bankruptcy, appointment of an administrative receiver or company liquidation.

7. Waste storage operations shall be limited to containers situated within the licensed area as shown on the attached plan No.T/230HWS and described further in the working plan.

PERMITTED WASTE TYPES & QUANTITIES

8. Subject to condition 9 below the types and quantities of waste accepted at the site shall be as described in the attached schedule ref. S1616/1/97, and shall exclude any waste which is Special Waste as defined by the Special Waste Regulations 1996.

9. No wastes which are likely to cause pollution of the environment or harm to human health shall be accepted at the site except as described on the attached schedule S1616/1/97.

10. The quantity of waste stored on site at any time shall not exceed 100 tonnes including 3000 litres of waste oil.

SITE INFRASTRUCTURE

11. The road from the site entrance to the waste transfer area shall be maintained. The road shall have a hard surface and be drained to prevent accumulations of mud, stone or other material adhering to the wheels of vehicles leaving the site. Adequate waiting and unloading space shall be provided within the site

12. By 1st June 1996, a site identification board of durable materials and finish shall be displayed and maintained at a suitable point at the site entrance, showing the licence number, the hours when the site is open, the name and address of the operator, and the address and telephone number of the Agency.

13. No waste transfer operations shall be carried out unless the site has been secured to prevent unauthorised vehicular access.

14. No waste transfer operations shall be carried out unless gates capable of preventing unauthorised vehicular access, are erected at the site entrance.

15. All walls, fences and gates shall be maintained to ensure the security of the site at all times.

16. All concreted areas shall be repaired or reinstated as necessary to ensure they have an impermeable surface.

17. All tarmac areas shall be maintained.

18. All drainage works, mechanical waste handling equipment and any other ancillary equipment shall be maintained in working order

19. The drainage of the site shall be as described in the details attached to this licence.

20. Any proposals for amendment to the drainage or surfacing of the site shall be submitted for the prior approval of the Agency.

21. All bulk liquid storage containers used in connection with the operation of the site shall be located within a bund to ensure containment of the liquid if for any reason leakage occurs. The floor and walls of the bund shall be watertight and capable of holding 110% of the capacity of the container. All pipework and the outlet valve shall be contained within the bund, and any tap valve shall be so arranged as to discharge vertically downwards and shall be kept locked shut when not in use.

22. Any accumulations of water or other liquid within the bund surrounding a bulk liquid storage container shall be removed so as to retain the effectiveness of the bund and the liquid disposed of in the manner described in the working plan.

SITE OPERATIONS - GENERAL

23. Subject to condition 24 below (unless agreed otherwise in writing by the Agency) operating hours for waste transfer operations shall not exceed:

Deleted 05·06·01

0800 hours to 1700 hours Monday to Friday inclusive and
0800 hours to 1200 hours on Saturday and
0900 hours to 1200 hours on Sunday.

24. No waste transfer operations shall be carried out during the hours covered by official lighting up times (i.e. half an hour after sunset to half an hour before sunrise) unless lighting is provided.

25. The gates at the site entrance shall be kept locked at all times when the site is unattended and all precautions shall be taken to prevent unauthorised access to the site.

26. Whenever waste transfer operations are being carried out the site shall be adequately manned to ensure that waste is handled in compliance with the conditions of this licence.

27. Whenever waste transfer operations are being carried out the site shall be supervised by technically competent management to ensure that waste is handled in compliance with the conditions of this licence. The Agency shall be informed immediately, in writing, of any change in the management of the site.

28. The terms of the site licence shall be made known to any person who is given responsibility for the management or control of the site and a copy of the licence shall be available on the site whenever the site is operational.

SITE OPERATIONS - WASTE HANDLING

29. Waste received shall be regularly inspected to ensure that it conforms to the requirements of the licence.

30. Any waste which has been deposited at the site and is subsequently found to be contrary to condition 9 of this licence, shall be dealt with as described in the details attached to this licence and the Agency informed at the earliest opportunity.

31. The Agency shall be given not less than 24 hours notice of the proposed method of dealing with any waste as described in condition 30. The waste shall be removed from the site within 7 days of the date of its discovery unless agreed otherwise with the Agency.

32. Waste shall not remain on site for longer than as detailed in the working plan. Any change to these details shall not be implemented without the prior written consent of the Agency. The changes shall form part of the working plan once the Agency has given consent to the changes.

33. Containers of waste types which could become windblown shall be handled as described in the working plan. Any changes to these details shall not be implemented without the prior written consent of the Agency. The changes shall form part of the working plan once the Agency has given consent to the changes.

34. Any items or material of value recovered from the waste shall be stored as shown on plan No.T/230/2HWS and shall at all times be maintained in a tidy condition.

35. Any vehicle batteries received at the site shall be stored in such a manner as to prevent the spillage or leakage of acid.

SITE OPERATIONS - ENVIRONMENTAL CONTROL

36. The deposit on the public highway of mud, stone or other materials caused by the operation of the site shall be prevented.

37. Precautions shall be taken to prevent the pollution of any water accumulating on the site and the uncontrolled discharge of contaminated water from the site.

38. Surface water from the site shall be passed through an oil / grit interceptor prior to discharge to the watercourse. The interceptor shall be suitably designed and constructed to deal with the volume of surface water arising on the site.

39. The oil / grit interceptor shall be inspected regularly and shall be maintained and emptied so as to retain its effectiveness.

40. Any spillage of liquid shall be dealt with immediately to clear or alleviate the effect of the spillage and adequate quantities of dry sand or absorbent materials shall be on hand.

41. At all times the site shall be kept in a tidy condition. Any loose waste which may be lying on the site shall be gathered up and disposed of tidily each day.

42. Any containers holding oil shall be stored only in a designated area of the site, in such a manner as to prevent spillage or leakage of oil. The designated area shall be surfaced with concrete or other suitable impermeable material in order to prevent contamination of the underlying ground. All waste oil shall be emptied into a storage tank as soon as possible after receipt and in any case before the end of the working day.

43. No materials shall be burned within the boundaries of the site and a fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it.

44. The Agency shall be immediately informed of any incident that could give rise to danger to pollution of the environment, harm to human health or could be seriously detrimental to the amenities of the locality, including any fire.

45. Action shall be taken to deal effectively with any vermin or pests on the site.

46. All necessary action shall be taken to prevent the dissemination of odour, fumes, dust, grit or windblown material.

RECORD KEEPING

47. A record shall be kept of all wastes received and of all materials (wastes and recovered materials) removed from the site. The records shall include the following for each vehicle load of waste/materials;

a). origin of waste by local authority district,
b). time and date received,
c). quantities in tonnes received and waste type - as specified by the Agency,
d). time and date removed,
e). quantities in tonnes removed and waste type - as specified by the Agency,
f). destination of materials removed by local authority district,

48. A summary of the information specified in condition 47 above shall be submitted to the Agency, in a format and at a frequency as required by the Agency. This summary shall be submitted within fourteen days of the end of the accounting period as specified by the Agency.

49. By 12th August 2000 the licence holder shall enter into a Performance Deed agreement with the Environment Agency in respect of the financial provision required to meet the obligations of this licence.

The Performance Deed referred to in the previous paragraph shall be maintained by the licence holder throughout the subsistence of the licence.

FOOTNOTES

"Technically competent" shall have the meaning given in the Waste Management Licensing Regulations 1994.

Fridges and freezers contain chlorofluorocarbons (CFCs) which are believed to damage the ozone layer and thereby present a threat to human health. The CFC coolant can be recovered from such appliances and reused. This Agency would encourage the recycling of CFCs and support your participation in such a recovery scheme. Further information on the recovery of CFCs can be obtained from the Agency.

Consultation responses have been received from the following organisations. Details of these responses are available for inspection on the Environment Agency files:

British Gas plc, British Telecom, Calderdale MBC, Health & Safety Executive, National Grid Division, National Rivers Authority, West Yorkshire Fire Service, Yorkshire Electricity and Yorkshire Water Services Ltd.
(Yorkshire Electricity stated that they have a service cable located within the boundary of the site, to which access to repair, maintain and renew will be required at all times.)

OVERHEAD POWER CABLES)
The Health and Safety Executive have advised that if overhead power lines cross the site hazards can arise due to contact with such lines if appropriate precautions are not taken. Guidance on safe practices is contained in the Health and Safety Executive Guidance Note GS6 (obtainable from HMSO) and from the booklet 'Safety Precautions in Connection with Electric Cables' (obtainable from the Federation of Civil Engineering Contractors). The assistance of Yorkshire Electricity can also be obtained when additional advice is required.

OTHER STATUTORY REQUIREMENTS

The licence holder should note that this document originated as a Resolution passed under Section 11 of the Control of Pollution Act 1974 and does not provide them with exemption from any other statutory requirements. On 1 April 1996 it fell to be treated as a waste management licence.

After 1st April 1996 the licence holder may apply to the Agency to have the conditions of this licence modified, pursuant to Section 37 of the Environmental Protection Act 1990.

It should also be noted that even though the licence holder may comply with all the above conditions and any other requirements deemed appropriate, this does not necessarily exclude the licence holder from prosecution should subsequent pollution of the environment occur. IT IS THE RESPONSIBILITY OF THE LICENCE HOLDER TO PREVENT POLLUTION.

LICENCE NO. 1616
Eastwood Household Waste Site, Halifax Road
Stoodley Bridge Todmorden.,

SCHEDULE OF WASTES
AUTHORISED FOR ACCEPTANCE UNDER CONDITION 8


REF. NO. S1616/1/97

WASTE TYPE	MAXIMUM DAILY QUANTITY ACCEPTED TONNES
HOUSEHOLD WASTE (which may include uncontaminated earth and excavation waste, uncontaminated bricks, stone, solid concrete, breeze blocks, building sand, gravel, tiles, other ceramic materials and slate etc., ash from solid fuel heating, garden waste, general household refuse, domestic appliances and other scrap metal, waste oil and parts from private motor vehicles, empty paint and solvent drums, animal and food wastes, dusty wastes from DIY)	54.


MAXIMUM ANNUAL QUANTITY OF WASTE ACCEPTED 7499 TONNES

The above schedule excludes all Special or difficult waste as defined below, other than small quantities which arise as part of normal household waste such as tyres, empty drums, paint and solvent, animal and food wastes and dusty wastes from DIY activities.

Special waste has the same meaning as in the Special Waste Regulations 1996, and difficult waste means a waste which by virtue of its chemical composition or physical form requires a particular handling or disposal procedure.



EASTWOOD TRANSFER STA
GENERAL ARRANGEMENT



EASTWOOD TRANSFER
GENERAL ARRANGEMEN