

Notice of variation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Mytum & Selby Waste Recycling Limited

Goole Recycling Facility
Goole Fields
Jerry Lane
Goole
East Riding of Yorkshire
North Humberside
DN14 8BJ

Variation application number

EPR/QP3692ES/V003

Permit number

EPR/QP3692ES

Goole Recycling Facility

Permit number **EPR/QP3692ES**

Introductory note

This introductory note does not form a part of the notice

The following notice gives notice of the variation of an environmental permit.

This variation, at the request of the operator, is to allow:

- The addition of EWC 19 08 02 (waste from desanding) to the list of permitted wastes.
- The blending of trommel fines (produced by the treatment of excavation, construction and demolition waste) with CLO (Compost Like Output). The trommel fines for blending with the CLO shall only come from 2 other specified MYgroup (GB) Limited's subsidiary company sites and will be limited to the following sites only:
 - Mytum & Selby Waste Recycling Limited in Sherburn, Mill Cross Quarry Materials Recycling & ELV Facility, Garden Lane, Sherburn in Elmet, Leeds, LS25 6AT (EPR/LB3337AF)
 - Mytum & Selby Waste Recycling Limited in Hull, Morley Street, Hull, HU8 8DN (EPR/AB3438RY).

We have included a pre-operational measure for future development (table S1.4 pre-operational conditions) to allow for trommel fines from other sites (operated by MYgroup (GB) Limited and its subsidiaries Mytum and Selby Waste Recycling Limited and The Maltings Organic Treatment Limited) to be blended with the CLO (Compost Like Output) in the future only if waste characterisation has been provided and approved.

For clarity we have included in Table S1.1 that trommel fines may be blended with CLO as an activity.

The schedules specify the changes made to the original permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Permit determined EPR/QP3692ES	05/04/2011	Permit issued to Mytum & Selby Waste Recycling Limited, for an inert and excavation waste transfer station and composting facility.
Variation determined EPR/QP3692ES/V002	09/09/2015	Variation issued to add new waste codes and to allow outside storage and treatment of some of the already permitted waste types.
Application EPR/QP3692ES/V003	Duly made 13/08/2021	Application to allow blending of trommel fines with the CLO (Compost Like Output) and to add 1 additional waste code to the list of permitted wastes.
Variation determined EPR/QP3692ES	09/03/2023	Notice of variation issued

End of introductory note

Notice of variation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/QP3692ES

Issued to

Mytum & Selby Waste Recycling Limited (“the operator”)

whose registered office is

**Mill Cross Quarry
Garden Lane
Sherburn in Elmet
West Yorkshire
LS25 6AT**

company registration number **04350599**

to operate a regulated facility at

**Goole Recycling Facility
Goole Fields
Jerry Lane
Goole
East Riding of Yorkshire
North Humberside
DN14 8BJ**

to the extent set out in the schedules.

The notice shall take effect from 09/03/2023

Name	Date
Ammier Clarke	09/03/2023

Authorised on behalf of the Environment Agency

Schedule 1 – conditions to be deleted

None

Schedule 2 – conditions to be amended

The following conditions are amended as a result of the application made by the operator

- Table S1.1 as referenced in Condition 2.1.1 of the permit

Table S1.1 activities		
Activity reference	Description of activities for waste operations	Limits of activities
Inert and non-hazardous waste treatment and hazardous waste transfer station	D15: Storage pending any of the operations numbered D01 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced)	Treatment consisting only of manual sorting, separation, screening, baling, shredding, crushing, blending or compaction of non-hazardous waste into different components for disposal (no more than 50 tonnes per day) or recovery.
	D14: Repackaging prior to submission to any of the operations numbered D01 to D13	Blending of trommel fines with Compost Like Output (CLO).
	D13: Blending or mixing prior to submission to any of the operations numbered D01 to D12.	The maximum quantity of hazardous waste received at the site shall not exceed 10 tonnes per day.
	D9: Physico-chemical treatment not specified elsewhere which results in final compounds or mixtures which are disposed of by any of the operations numbered D01 to D12.	The maximum quantity of hazardous waste stored at the site shall not exceed 10 tonnes. Wastes shall be stored for no longer than 1 year prior to disposal or 3 years prior to recovery.
	R13: Storage of wastes pending any of the operations numbered R01 to R12 (excluding temporary storage, pending collection, on the site where it is produced).	There shall be no treatment of hazardous wastes. No more than 50 tonnes per day of non-hazardous waste to be treated at the site under a D9 activity.
	R5: Recycling/reclamation of other inorganic materials.	Treatment in shredders of non-hazardous metal waste, including WEEE and ELVs and their components for disposal (no more than 50 tonnes per day) or recovery (no more than 75 tonnes per day).
	R4: Recycling/reclamation of metals and metal compounds.	The capacity of the site for non-hazardous waste subject to an R3 activity (Biological treatment only) shall not exceed 75 tonnes per day.
	R3: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes).	No more than a total of 50 tonnes of intact and shredded waste vehicle tyres (waste codes 16 01 03 and 19 12 04) shall be stored at the site.

- Table S1.2 as referenced in Condition 2.3.1 of the permit

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application	Application for an environmental permit. Part B4, New bespoke waste operation permit Section 3 Operating Techniques, Table 3a – Technical Standards.	18/11/2010 (Duly Made 05/01/2011)
Application	Document G – Operating Techniques, excluding all references to treatment of Hazardous Waste, including asbestos waste.	18/11/2010 (Duly made 05/01/2011)
E-mail	Confirmation of impermeable surface and “hardstanding” and handling of asbestos	22/02/2011
E-mailed Site Risk Assessment	Revised Site Risk Assessment Document I – Site Risk Assessment (Revised 23.02.2011) 7296a/CJB	23/02/2011
E-mail	Response to 10 day review. Revised list of waste types including wastes which were omitted in error. Revised list Table 5a Ful March 2011	15/03/2011
Application EPR/QP3692ES/V002	<ul style="list-style-type: none"> • Document submitted in response to Part C4, Section 3 Operating Techniques, Table 3a – Technical Standards • Section 3 of the document titled ‘Supporting Statement’ 	02/04/2015 (Duly Made 19/05/2015)
Response to the Schedule 5 Notice received by email	<ul style="list-style-type: none"> • Documents submitted in response to the Schedule 5 Notice titled: • ‘MS1020 - Schedule 5 Response (Final)’ • ‘Mytum & Selby (Goole) Waste Acceptance Procedure’ • ‘Mytum & Selby (Goole) - OMP’ – Odour Management Plan 	07/08/2015 (at 16:34)
Additional information received by email	<ul style="list-style-type: none"> • Amended copy of the Part C4 form titled ‘MS1020 - Part C4 (rev1- Final)’ containing details of the storage limit for hazardous waste 	19/08/2015 (at 16:56)
Application EPR/QP3692ES/V003	Documents submitted with the application include application forms and Supporting Statement	13/08/2022 (Duly Made 13/08/2022)
Additional information received by email	Response clarifying term commercial waste used within Appendix 2 of the Supporting Statement, and provided an updated document titled: <ul style="list-style-type: none"> • ‘Appendix 2 – R1 – CLO – Benefit of Trommel Fines Statement’ 	29/07/2022 (at 09:33)
Additional information received by email	Updated documents submitted titled: <ul style="list-style-type: none"> • MS103604.R2 - NTS (Final) - updated Non-Technical Summary which clarifies company structure of the overarching company MYGroup (GB) Limited and its subsidiaries • ‘MS103605.R2 - SS (Final)’ - updated Supporting Statement containing revised Appendix 3 <ul style="list-style-type: none"> ○ Section 2.3 of this document details the agreed sampling of the trommel fines at every 2,000 tonnes; and the agreed sampling following the blending of the trommel fines with the CLO, at every 4,000 tonnes 	08/09/2022 (at 17:06)

Table S1.2 Operating techniques		
Description	Parts	Date Received
	<ul style="list-style-type: none"> ○ This document is now superseded with the version received 09/03/2023 but Appendix 1, Appendix 2, and the Drawings sections at the end of this document remain valid 	
Response to the Schedule 5 Notice received by email	Updated documents submitted to provide outstanding data for the Schedule 5 Response, titled: <ul style="list-style-type: none"> • '22100688_V01' • 22100688_xtab_V02' These provide the sampling and analysis of trommel fines from 2 specified sites	26/10/2022 (at 09:20)
Response to RFI email received by email	Clarification of how waste will be stored to reduce the risk of odour, including how material is moved on a weekly basis and that blending of CLO and trommel fines will only be conducted for batch production once destination sites are ready to accept the blended material.	05/12/2022 (at 16:19)
Additional information received by email	Updated Odour Management Plan titled: <ul style="list-style-type: none"> • MYGroup Goole OMP v3.1.pdf - this includes addendum to reflect how the blended CLO/trommel fine material will be stored 	09/12/2022 (at 09:05)
Response to RFI email received by email	Updated documents submitted: <ul style="list-style-type: none"> • MS103605.R3 – Goole EPVA Supporting Statement.pdf <ul style="list-style-type: none"> ○ This provides an updated section 2.3 to outline in more detail the agreed sampling regime to be undertaken both prior to and after blending the trommel fines with the CLO ○ Appendix 1, Appendix 2 and Drawings section from the end of the version of the Supporting Statement as received 08/09/2022 • MG.ENV008 – Trommel Fines Acceptance Criteria v1.3.pdf – this is an updated Appendix 3 to go with the new revised version of the Supporting Statement 	09/03/2023 (at 09:31)

- Table S2.1 as referenced in Conditions 2.3.2 and 2.3.3 of the permit

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
01	Wastes resulting from exploration, mining, quarrying, and physical and chemical treatment of minerals
01 01	wastes from mineral excavation
01 01 01	wastes from mineral metalliferous excavation
01 01 02	wastes from mineral non-metalliferous excavation
01 03	wastes from physical and chemical processing of metalliferous minerals
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 10

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
01 04	wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	waste sand and clays
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05	drilling muds and other drilling wastes
01 05 04	freshwater drilling muds and wastes
02	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing, food preparation and processing
02 01	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 02	animal-tissue waste
02 01 03	plant-tissue waste
02 01 04	waste plastics (except packaging)
02 01 07	wastes from forestry
02 01 08*	agrochemical waste containing hazardous substances
02 01 09	agrochemical waste other than those mentioned in 02 01 08
02 01 10	waste metal
02 02	wastes from the preparation and processing of meat, fish and other foods of animal origin
02 02 02	animal-tissue waste
02 02 03	materials unsuitable for consumption or processing
02 03	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 02	wastes from preserving agents
02 03 03	wastes from solvent extraction
02 03 04	materials unsuitable for consumption or processing
02 04	wastes from sugar processing
02 04 01	soil from cleaning and washing beet
02 04 02	off-specification calcium carbonate
02 05	wastes from the dairy products industry
02 05 01	materials unsuitable for consumption or processing
02 06	wastes from the baking and confectionery industry
02 06 01	materials unsuitable for consumption or processing
02 06 02	wastes from preserving agents

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
02 07	wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	wastes from spirits distillation
02 07 03	wastes from chemical treatment
02 07 04	materials unsuitable for consumption or processing
03	Wastes from wood processing and the production of panels and furniture, pulp, paper and cardboard
03 01	wastes from wood processing and the production of panels and furniture
03 01 01	waste bark and cork
03 01 04*	sawdust, shavings, cuttings, wood, particle board and veneer containing hazardous substances
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 02	wastes from wood preservation
03 02 01*	non-halogenated organic wood preservatives
03 02 02*	organochlorinated wood preservatives
03 02 03*	organometallic wood preservatives
03 02 04*	inorganic wood preservatives
03 02 05*	other wood preservatives containing hazardous substances
03 03	wastes from pulp, paper and cardboard production and processing
03 03 01	waste bark and wood
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
03 03 09	lime mud waste
03 03 10	fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
04	Wastes from the leather, fur and textile industries
04 01	wastes from the leather and fur industry
04 01 02	liming waste
04 01 03*	degreasing wastes containing solvents without a liquid phase
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	wastes from dressing and finishing
04 02	wastes from the textile industry
04 02 09	wastes from composite materials (impregnated textile, elastomer, plastomer)
04 02 10	organic matter from natural products (for example grease, wax)
04 02 14*	wastes from finishing containing organic solvents

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
04 02 15	wastes from finishing other than those mentioned in 04 02 14
04 02 16*	dyestuffs and pigments containing hazardous substances
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
04 02 21	wastes from unprocessed textile fibres
04 02 22	wastes from processed textile fibres
06	Wastes from inorganic chemical processes
06 01	wastes from the manufacture, formulation, supply and use (MFSU) of acids
06 01 01*	sulphuric acid and sulphurous acid
06 01 02*	hydrochloric acid
06 01 03*	hydrofluoric acid
06 01 04*	phosphoric and phosphorous acid
06 01 05*	nitric acid and nitrous acid
06 01 06*	other acids
06 02	wastes from the MFSU of bases
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
06 03	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
06 03 16	metallic oxides other than those mentioned in 06 03 15
06 06	wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes
06 06 03	wastes containing sulphides other than those mentioned in 06 06 02
06 07	wastes from the MFSU of halogens and halogen chemical processes
06 07 01*	wastes containing asbestos from electrolysis
06 09	wastes from the MFSU of phosphorous chemicals and phosphorous chemical processes
06 09 02	phosphorous slag
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03
06 11	wastes from the manufacture of inorganic pigments and opacifiers
06 11 01	calcium-based reaction wastes from titanium dioxide production
06 13	wastes from inorganic chemical processes not otherwise specified
06 13 03	carbon black
07	Wastes from organic chemical processes
07 02	wastes from the MFSU of plastics, synthetic rubber and man-made fibres

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
07 02 13	waste plastic
07 02 14*	wastes from additives containing hazardous substances
07 02 15	wastes from additives other than those mentioned in 07 02 14
07 02 16*	waste containing hazardous silicones
07 02 17	waste containing silicones other than those mentioned in 07 02 16
07 05	wastes from the MFSU of pharmaceuticals
07 05 13*	solid wastes containing hazardous substances
07 05 14	solid wastes other than those mentioned in 07 05 13
08	Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), adhesives, sealants and printing inks
08 01	wastes from MFSU and removal of paint and varnish
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 17*	wastes from paint or varnish removal containing organic solvents or other hazardous substances
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 01 21*	waste paint or varnish remover
08 02	wastes from MFSU of other coatings (including ceramic materials)
08 02 01	waste coating powders
08 03	wastes from MFSU of printing inks
08 03 12*	waste ink containing hazardous substances
08 03 13	waste ink other than those mentioned in 08 03 12
08 03 17*	waste printing toner containing hazardous substances
08 03 18	waste printing toner other than those mentioned in 08 03 17
08 04	wastes from MFSU of adhesives and sealants (including water proofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
09	Wastes from the photographic industry
09 01	wastes from the photographic industry
09 01 07	photographic film and paper containing silver or silver compounds
09 01 08	photographic film and paper free of silver or silver compounds
09 01 10	single-use cameras without batteries
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
09 01 12	single-use cameras containing batteries other than those mentioned in 09 01 11
10	Wastes from thermal processes

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
10 01	wastes from power stations and other combustion plants (except 19)
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 02	coal fly ash
10 01 03	fly ash from peat and untreated wood
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 24	sands from fluidised beds
10 01 25	wastes from fuel storage and preparation of coal-fired power plants
10 01 26	wastes from cooling-water treatment
10 02	wastes from the iron and steel industry
10 02 01	wastes from the processing of slag
10 02 02	unprocessed slag
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	mill scales
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 02 14	sludges and filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	other sludges and filter cakes
10 03	wastes from aluminium thermal metallurgy
10 03 02	anode scraps
10 03 05	waste alumina
10 03 16	skimmings other than those mentioned in 10 03 15
10 03 17*	tar-containing wastes from anode manufacture
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 22	other particulates and dust (including ball-mill dust) other than those mentioned in 10 03 21
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	sludges and filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
10 04	wastes from lead thermal metallurgy
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
10 05	wastes from zinc thermal metallurgy
10 05 01	slags from primary and secondary production
10 05 05*	solid waste from gas treatment
10 05 08*	wastes from cooling-water treatment containing oil
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	dross and skimmings other than those mentioned in 10 05 10
10 06	wastes from copper thermal metallurgy
10 06 01	slags from primary and secondary production
10 06 02	dross and skimmings from primary and secondary production
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	wastes from silver, gold and platinum thermal metallurgy
10 07 01	slags from primary and secondary production
10 07 02	dross and skimmings from primary and secondary production
10 07 03	solid wastes from gas treatment
10 07 05	sludges and filter cakes from gas treatment
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	wastes from other non-ferrous thermal metallurgy
10 08 09	other slags
10 08 11	dross and skimmings other than those mentioned in 10 08 10
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	anode scrap
10 08 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	wastes from casting of ferrous pieces
10 09 03	furnace slag
10 09 05*	casting cores and moulds which have not undergone pouring containing hazardous substances
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 07*	casting cores and moulds which have undergone pouring containing hazardous substances
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 12	other particulates other than those mentioned in 10 09 11
10 09 14	waste binders other than those mentioned in 10 09 13
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
10 10	wastes from casting of non-ferrous pieces
10 10 03	furnace slag
10 10 05*	casting cores and moulds which have not undergone pouring, containing hazardous substances
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 07*	casting cores and moulds which have undergone pouring, containing hazardous substances
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 14	waste binders other than those mentioned in 10 10 13
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
10 11	wastes from manufacture of glass and glass products
10 11 03	waste glass-based fibrous materials
10 11 09*	waste preparation mixture before thermal processing, containing hazardous substances
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 11*	waste glass in small particles and glass powder containing heavy metals (for example from cathode ray tubes)
10 11 12	waste glass other than those mentioned in 10 11 11
10 11 15*	solid wastes from flue-gas treatment containing hazardous substances
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	sludges and filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 11 19*	solid wastes from on-site effluent treatment containing hazardous substances
10 11 20	solid wastes from on-site effluent treatment other than those mentioned in 10 11 19
10 12	wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	waste preparation mixture before thermal processing
10 12 05	sludges and filter cakes from gas treatment
10 12 06	discarded moulds
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)
10 12 09*	solid wastes from gas treatment containing hazardous substances
10 12 10	solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 11*	wastes from glazing containing heavy metals
10 12 12	wastes from glazing other than those mentioned in 10 12 11
10 13	wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 01	waste preparation mixture before thermal processing
10 13 04	wastes from calcination and hydration of lime

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
10 13 07	sludges and filter cakes from gas treatment
10 13 09*	wastes from asbestos-cement manufacture containing asbestos
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 12*	solid wastes from gas treatment containing hazardous substances
10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	waste concrete and concrete sludge
10 14	waste from crematoria
10 14 01*	waste from gas cleaning containing mercury
11	Wastes from chemical surface treatment and coating of metals and other materials; non-ferrous hydro-metallurgy
11 01	wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 10	sludges and filter cakes other than those mentioned in 11 01 09
11 01 13*	degreasing wastes containing hazardous substances
11 01 14	degreasing wastes other than those mentioned in 11 01 13
11 02	wastes from non-ferrous hydrometallurgical processes
11 02 03	wastes from the production of anodes for aqueous electrolytical processes
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05
11 05	wastes from hot galvanising processes
11 05 01	hard zinc
11 05 02	zinc ash
12	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 01	ferrous metal filings and turnings
12 01 02	ferrous metal dust and particles
12 01 03	non-ferrous metal filings and turnings
12 01 04	non-ferrous metal dust and particles
12 01 05	plastics shavings and turnings
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 13	welding wastes
12 01 16*	waste blasting material containing hazardous substances
12 01 17	waste blasting material other than those mentioned in 12 01 16
12 01 18*	metal sludge (grinding, honing and lapping sludge) containing oil
12 01 19*	readily biodegradable machining oil
12 01 20*	spent grinding bodies and grinding materials containing hazardous substances
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20
13	Oil wastes and wastes of liquid fuels (except edible oils, and those in chapters 05, 12 and 19)
13 01	waste hydraulic oils
13 01 01*	hydraulic oils, containing PCBs
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02	waste engine, gear and lubricating oils
13 02 04*	mineral-based chlorinated engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03	waste insulating and heat transmission oils
13 03 01*	insulating or heat transmission oils containing PCBs
13 03 06*	mineral-based chlorinated insulating and heat transmission oils other than those mentioned in 13 03 01
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 05	oil/water separator contents
13 05 01*	solids from grit chambers and oil/water separators

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07	wastes of liquid fuels
13 07 01*	fuel oil and diesel
13 07 03*	other fuels (including mixtures)
14	Waste organic solvents, refrigerants and propellants (except 07 and 08)
14 06	waste organic solvents, refrigerants and foam/aerosol propellants
14 06 03*	other solvents and solvent mixtures
15	Waste packaging, absorbents, wiping cloths, filter materials and protective clothing not otherwise specified
15 01	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 01 02	plastic packaging
15 01 03	wooden packaging
15 01 04	metallic packaging
15 01 05	composite packaging
15 01 06	mixed packaging
15 01 07	glass packaging
15 01 09	textile packaging
15 01 10*	packaging containing residues of or contaminated by hazardous substances
15 01 11*	metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers
15 02	absorbents, filter materials, wiping cloths and protective clothing
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 03	end-of-life tyres
16 01 04*	end-of-life vehicles
16 01 06	end-of-life vehicles, containing neither liquids nor other hazardous components
16 01 07*	oil filters
16 01 10*	explosive components (for example air bags)
16 01 11*	brake pads containing asbestos

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
16 01 12	brake pads other than those mentioned in 16 01 11
16 01 13*	brake fluids
16 01 14*	antifreeze fluids containing hazardous substances
16 01 15	antifreeze fluids other than those mentioned in 16 01 14
16 01 16	tanks for liquefied gas
16 01 17	ferrous metal
16 01 19	plastic
16 01 20	glass
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
16 01 22	components not otherwise specified
16 02	wastes from electrical and electronic equipment
16 02 09*	transformers and capacitors containing PCBs
16 02 10*	discarded equipment containing or contaminated by PCBs other than those mentioned in 16 02 09
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 12*	discarded equipment containing free asbestos
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 15*	hazardous components removed from discarded equipment
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15
16 03	off-specification batches and unused products
16 03 03*	inorganic wastes containing hazardous substances
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 03 05*	organic wastes containing hazardous substances
16 03 06	organic wastes other than those mentioned in 16 03 05
16 06	batteries and accumulators
16 06 01*	lead batteries
16 06 02*	Ni-Cd batteries
16 06 03*	mercury-containing batteries
16 06 04	alkaline batteries (except 16 06 03)
16 06 05	other batteries and accumulators
16 06 06*	separately collected electrolyte from batteries and accumulators
16 07	wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)
16 07 08*	wastes containing oil

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
16 07 09*	wastes containing other hazardous substances
16 08	spent catalysts
16 08 01	spent catalysts containing gold, silver, rhenium, rhodium, palladium, iridium or platinum (except 16 08 07)
16 08 02*	spent catalysts containing hazardous transition metals or hazardous transition metal compounds
16 08 03	spent catalysts containing transition metals or transition metal compounds not otherwise specified
16 08 04	spent fluid catalytic cracking catalysts (except 16 08 07)
16 08 05*	spent catalysts containing phosphoric acid
16 08 07*	spent catalysts contaminated with hazardous substances
16 11	waste linings and refractories
16 11 01*	carbon-based linings and refractories from metallurgical processes containing hazardous substances
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01
16 11 03*	other linings and refractories from metallurgical processes containing hazardous substances
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 05*	linings and refractories from non-metallurgical processes containing hazardous substances
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	Construction and demolition wastes (including excavated soil from contaminated sites)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 06*	mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing hazardous substances
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	wood, glass and plastic
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 02 04*	glass, plastic and wood containing or contaminated with hazardous substances
17 03	bituminous mixtures, coal tar and tarred products
17 03 01*	bituminous mixtures containing coal tar

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
17 03 02	bituminous mixtures other than those mentioned in 17 03 01
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 09*	metal waste contaminated with hazardous substances
17 04 10*	cables containing oil, coal tar and other hazardous substances
17 04 11	cables other than those mentioned in 17 04 10
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 03*	soil and stones containing hazardous substances
17 05 04	soil and stones other than those mentioned in 17 05 03
17 05 05*	dredging spoil containing hazardous substances
17 05 06	dredging spoil other than those mentioned in 17 05 05
17 05 07*	track ballast containing hazardous substances
17 05 08	track ballast other than those mentioned in 17 05 07
17 06	insulation materials and asbestos-containing construction materials
17 06 01*	insulation materials containing asbestos
17 06 03*	other insulation materials consisting of or containing hazardous substances
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 06 05*	construction materials containing asbestos
17 08	gypsum-based construction material
17 08 01*	gypsum-based construction materials contaminated with hazardous substances
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09	other construction and demolition wastes
17 09 01*	construction and demolition wastes containing mercury
17 09 02*	construction and demolition wastes containing PCB (for example PCB- containing sealants, PCB-containing resin-based floorings, PCB-containing sealed glazing units, PCB-containing capacitors)
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
19	Wastes from waste management facilities, off-site waste water treatment plants and the preparation of water intended for human consumption and water for industrial use
19 01	wastes from incineration or pyrolysis of waste
19 01 02	ferrous materials removed from bottom ash
19 01 11*	bottom ash and slag containing hazardous substances
19 01 12	bottom ash and slag other than those mentioned in 19 01 11
19 01 13*	fly ash containing hazardous substances
19 01 14	fly ash other than those mentioned in 19 01 13
19 01 15*	boiler dust containing hazardous substances
19 01 17*	pyrolysis wastes containing hazardous substances
19 01 18	pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	sands from fluidised beds
19 02	wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	premixed wastes composed only of non-hazardous wastes
19 02 09*	solid combustible wastes containing hazardous substances
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 02 11*	other wastes containing hazardous substances
19 03	stabilised/solidified wastes
19 03 05	stabilised wastes other than those mentioned in 19 03 04
19 03 07	solidified wastes other than those mentioned in 19 03 06
19 04	vitrified waste and wastes from vitrification
19 04 01	vitrified waste
19 05	wastes from aerobic treatment of solid wastes
19 05 01	non-composted fraction of municipal and similar wastes
19 05 02	non-composted fraction of animal and vegetable waste
19 05 03	off-specification compost
19 05 99	wastes not otherwise specified (compost like output including those with physical contaminants)
19 08	wastes from waste water treatment plants not otherwise specified
19 08 02	waste from desanding
19 08 09	grease and oil mixture from oil/water separation containing only edible oil and fats
19 09	wastes from the preparation of water intended for human consumption or water for industrial use
19 09 01	solid waste from primary filtration and screenings
19 09 04	spent activated carbon

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
19 09 05	saturated or spent ion exchange resins
19 10	wastes from shredding of metal-containing wastes
19 10 01	iron and steel waste
19 10 02	non-ferrous waste
19 10 03*	fluff-light fraction and dust containing hazardous substances
19 10 04	fluff-light fraction and dust other than those mentioned in 19 10 03
19 10 05*	other fractions containing hazardous substances
19 10 06	other fractions other than those mentioned in 19 10 05
19 12	wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	paper and cardboard
19 12 02	ferrous metal
19 12 03	non-ferrous metal
19 12 04	plastic and rubber
19 12 05	glass
19 12 06*	wood containing hazardous substances
19 12 07	wood other than that mentioned in 19 12 06
19 12 08	textiles
19 12 09	minerals (for example sand, stones)
19 12 10	combustible waste (refuse derived fuel)
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing hazardous substances
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11
19 13	wastes from soil and groundwater remediation
19 13 01*	solid wastes from soil remediation containing hazardous substances
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01
20	Municipal wastes (household waste and similar commercial, industrial and institutional wastes) including separately collected fractions
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 02	glass
20 01 08	biodegradable kitchen and canteen waste
20 01 10	clothes
20 01 11	textiles
20 01 13*	solvents
20 01 14*	acids

Table S2.1 Permitted waste types and quantities for hazardous waste transfer station and inert/non-haz transfer station with treatment	
Maximum quantity	The total quantity of waste accepted at the site shall not exceed 156,000 tonnes per year.
Waste code	Description
20 01 15*	alkalines
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 25	edible oil and fat
20 01 26*	oil and fat other than those mentioned in 20 01 25
20 01 27*	paint, inks, adhesives and resins containing hazardous substances
20 01 28	paint, inks, adhesives and resins other than those mentioned in 20 01 27
20 01 29*	detergents containing hazardous substances
20 01 30	detergents other than those mentioned in 20 01 29
20 01 31*	cytotoxic and cytostatic medicines
20 01 32	medicines other than those mentioned in 20 01 31
20 01 33*	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries
20 01 34	batteries and accumulators other than those mentioned in 20 01 33
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 37*	wood containing hazardous substances
20 01 38	wood other than that mentioned in 20 01 37
20 01 39	plastics
20 01 40	metals
20 01 41	wastes from chimney sweeping
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 02 03	other non-biodegradable wastes
20 03	other municipal wastes
20 03 01	mixed municipal waste
20 03 02	waste from markets
20 03 03	street-cleaning residues
20 03 07	bulky waste

Schedule 3 – conditions to be added

The following conditions are added as a result of the application made by the operator

4.5 Pre-operational conditions

4.5.1 The operations specified in schedule 1 table S1.4B shall not commence until the measures specified in that table have been completed

Table S1.4B Pre-operational measures for future development		
Reference	Operation	Pre-operational measures
1	Blending of trommel fines with Compost Like Output (CLO) from any other site operated by MYgroup (GB) Limited and its subsidiaries Mytum and Selby Waste Recycling Limited and The Maltings Organic Treatment Limited other than Morley Street, Hull and Garden Lane, Sherburn in Elmet.	<p>1. The operator shall submit a sampling plan detailing how the sampling of the proposed trommel fines will be undertaken and obtain the Environment Agency's written approval to it. The plan as a minimum should:</p> <ul style="list-style-type: none"> - provide for 5 samples representative of the process taken over different days. - include a typical suite of analysis that would be suitable for fines waste classification. Given that the trommel fines are intending to be mixed with the CLO the following testing should be included: - <ul style="list-style-type: none"> a. Suite of heavy metals including arsenic; cadmium; chromium; hexavalent chromium; copper; lead; mercury' nickel; selenium; and zinc b. pH c. Sulphate total (acid soluble rather than water soluble) d. Organics of speciated or total petroleum hydrocarbons (TPHs) and speciated PAHs e. Screening for asbestos – including quantification if asbestos fibres detected. <p>2. The operator shall <u>sample and submit</u> a written analysis of the trommel fines <u>from the site they wish to accept waste from</u> with interpretations of the analysis in <u>accordance with the approved plan</u> and obtain the Environment Agency's written approval <u>to accept waste from that site.</u></p>