



CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

DL 606
DISPOSAL LICENCE NO:GTL/OD0001

LICENCE HOLDER: O'DONOVAN (WASTE DISPOSAL) LIMITED

ADDRESS OF FACILITY: 82 MARKFIELD ROAD
TOTTENHAM
LONDON
N15 4QF

TYPE OF WASTE
DISPOSAL FACILITY: WASTE TRANSFER

The London Waste Regulation Authority (hereinafter called the 'LWRA') pursuant to section 5 of the Control of Pollution Act 1974 hereby authorises the use by O'Donovan (Waste Disposal) Limited registered office 82 Markfield Road, Tottenham, London N15 4QF (hereinafter called 'the holder') of the site known as 82 Markfield Road, Tottenham, London, N15 4QF as shown outlined in red on location drawing Reg. No. LWRA/0431731, holder's drawing No. 929/04, dated October 1993 (which site is hereinafter called the 'facility') for the reception and transfer of wastes subject to the conditions attached hereto.

(This licence does not exempt the holder from complying with other legislation, in particular the Radioactive Substances Act 1993, the Health and Safety at Work, etc. Act 1974 and planning, transport, water protection and environmental health legislation)

Signed: Director, London Waste Regulation Authority, the officer appointed for this purpose.

Dated this

7th day of November 1995.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

1.0 OPERATIONAL TIMES

1.1 Waste shall not be received or handled at the facility except during the following times:-

Mondays to Fridays 07.00 hours - 18.30 hours

Saturdays 07.00 hours - 14.00 hours

Sundays & Public Holidays No operation.

1.2 Notwithstanding condition 1.1 above, waste may be received or handled outside of these hours with the express permission of the LWRA prior to each occasion.

2.0 WASTE TYPES & THROUGHPUT

2.1 The quantity of waste deposited at the facility shall not exceed 570 tonnes on each day from Mondays to Fridays (inclusive) and 360 tonnes on Saturdays.

2.2 The volume of waste carried out of the facility shall not exceed 700 cubic metres on each day from Mondays to Fridays (inclusive) or 425 cubic metres on Saturdays, Sundays and Public Holidays.

2.3.1 No waste other than the controlled household, industrial and commercial wastes as defined in Section 30 of the Control of Pollution Act 1974 and the Collection and Disposal of Waste Regulations 1988 as are listed below and detailed in the appendix, shall be received or handled at the facility.

TONNES PER DAY

i) Waste category A :	Inert waste	170
ii) Waste category B(i):	General non-putrescible waste	365
iii) Waste category C :	General putrescible waste	35



CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

- A 2.3.2 No 'special waste' as defined by the Control of Pollution (Special Waste) Regulations 1980 (S.I. 1980 No. 1709) shall be handled at the facility.
- A 2.3.3 No clinical waste as defined by the Collection and Disposal of Waste Regulations 1988 (S.I. 1988 No. 819) shall be handled at the facility.

3.0 **CONTROL & SUPERVISION**

- 11 3.1.1 Location and layout drawings together with the document dated 10 April 1995 detailing intended methods of operation supplied in or at the time of the application for this licence and any later drawings or written statements received by the LWRA in substitution for or in augmentation of such drawings or statements, are hereinafter referred to as 'the working plan' and give details of how operations are to be conducted at the facility. The working plan shall be deemed to be part of this licence.
- H 3.1.2 Waste shall not be received or handled at the facility until such time as the working plan referred to in condition 3.1.1 above is being complied with unless otherwise agreed by the LWRA in writing.
- 4 3.1.3 Notification shall be made in writing to the LWRA of any proposed change in the actual conduct of operations from the proposals shown in the working plan, as altered by any previously notified changes, at least one month before the proposed change is implemented and such change shall not be implemented without the prior written consent of the LWRA.
- W 3.1.4 Subject to the terms of this licence the holder shall conduct its operations in accordance with the working plan.
- 3 3.2 Sufficient management and technical supervision shall be provided at the facility throughout operating hours to ensure that operations comply with this licence and the working plan.
- C 3.3.1 An identification board of durable material and finish, and in a form and location to be approved by the LWRA shall be displayed at the entrance to the facility.
- 3.3.2 The board shall show the following information which shall be easily readable from the public highway:-
- i) the name and address of the facility
 - ii) the days and hours when the facility is permitted to be open for the receipt of waste



CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

iii) the name, address and telephone number (with extensions if appropriate) of the operator, its local agent if any, the LWRA and any other person to contact in an emergency.

- C 3.3.3 The board shall be maintained in a legible condition.
- C 3.4 A control office, equipped with a telephone, shall be provided at the facility.
- B 3.5.1 The terms of this licence and working plan and any alteration thereto shall be made known to any person who is given responsibility for the management or control of the facility.
- B 3.5.2 A copy of this licence shall be displayed at the facility control office where it can be read by the holder's employees at the facility and any visitors.
- u 3.5.3 A copy of the working plan shall be kept at the facility control office and shall be readily available.
- D 3.6 Waste received on any day shall be removed by the end of the following full working day.
- B 3.7 Equipment shall be provided and arrangements made to contain and collect spillage of waste anywhere on the facility as necessary.
- D 3.8.1 Loading of waste from the transfer area shall be by mechanical means only.
- C 3.8.2 Any machine working in an elevated location shall be on a solid plinth which has been properly designed and constructed.
- B 3.8.3 In the event of a breakdown of the mechanical equipment and no replacement being available within 24 hours the facility shall cease accepting waste.
- 3.9.1 No vehicle shall be allowed to enter the facility for the purpose of depositing or collecting waste unless it is designed and used in such a manner as to prevent spillage of waste or deposit of liquid or other debris on the entrance and exit roads within the facility.
- 3.9.2 All vehicles and containers holding waste, using or being parked or placed on the facility other than in the course of loading or unloading shall be adequately covered if there is any material risk of any of the contents spilling out or being blown away. The holder shall ensure that where there is such a risk vehicles carrying waste out of the facility are adequately covered before they leave the facility.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

- 3.10 Appropriate alternative arrangements shall be implemented for the disposal or transfer of waste in the event of an interruption of normal operations extending beyond 24 hours.
- 3.11 The holder shall inform the LWRA in writing of its intention to cease operations 14 days prior to the date on which they are due to cease.
- 3.12 Adequate parking and queueing facilities shall be provided for vehicles off the public highway commensurate with the scale of operation.

4.0 SPECIAL REQUIREMENTS REGARDING STORAGE

- 4.1 Waste materials including those segregated for resale or re-use, shall be loaded, unloaded, sorted and stored only in the areas designated on the working plan.
- 4.2 Liquid storage tanks, other than for water, shall be located within a bund having a capacity of not less than 110% of the total capacity of all the tanks. The floor and walls of the bund shall be impervious to the contents of the tanks. Inlet/outlet/vent pipes and gauges must be within the bunded area.
- 4.3.1 Waste shall only be stored in the areas prescribed on the drawing Reg. No. LWRA/0731732, holder's drawing No. 929/03 rev C dated 5 October 1994.
- 4.3.2 No more than 425 cubic metres of waste shall be stored in the areas referred to in condition 4.3.1 above at any one time.
- 4.3.3 No waste shall be stored to a height exceeding 3.0 metres as measured from the lowest point of the waste storage area.
- 4.3.4 Waste shall be stored to a height no greater than 0.5 metres below the top of the loading bay walls.
- 4.3.5 On at least one occasion during every calendar month the holder shall ensure that the areas referred to in condition 4.1 are completely cleared of waste to permit inspection of the condition of the retaining wall, hardstanding and drainage system by a duly authorised officer of the LWRA. The holder shall notify the LWRA three full working days prior to each clearance.

5.0 DESIGN & CONSTRUCTION

- 5.1.1 Gates and chain-link or solid fencing at least 2.0 metres high shall be provided and maintained around the entire boundary of the facility as shown on drawing Reg. No. LWRA/0431732, holder's drawing No. 929/03 rev C dated 5 September 1994.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

- 5.1.2 The facility shall be secured at all times when unattended.
- 5.1.3 In the areas used for waste handling and storage any waste bay shall be of sufficiently robust construction to withstand pressure from stored waste and impact by loading shovel.
- 5.2 The ground surface of the facility in the areas where waste is handled or stored and all internal roadways, shall be properly constructed concrete hardstanding, unless agreed to the contrary by the LWRA. The surface shall be designed, constructed, maintained and drained so that;
- i) the hardstanding is free from faults or cracks and all joints suitably protected, such that it is impermeable and substances or articles constituting or resulting from the waste are prevented from penetrating into the ground or any watercourse or soakaway,
 - ii) there is no accumulation of surface water and any surface drainage flows unimpeded only to and thence within the drainage system at the facility or is contained,
 - iii) the hardstanding and drainage system are of such a type and of sufficient structural strength to withstand impact and loading from stored waste, plant and equipment and the activities at the facility.
- 5.3 Putrescible waste shall only be received or handled at the facility after the erection of a structure for complete cover of the waste storage and loading areas. The design and construction of this structure shall be approved by the LWRA.
- 6.0 PUBLIC HEALTH
- 6.1.1 No waste shall be burnt at the facility and emergency provisions shall be made to allow for the discharge of loads found to be on fire or in an otherwise dangerous condition.
- 6.1.2 If a load is found to be on fire the Fire Brigade shall be informed immediately.
- 6.1.3 The holder shall notify the LWRA as soon as practicable of any outbreak of fire and the details shall be confirmed in writing within 48 hours.
- 6.2 Persons employed at the facility shall be instructed in the procedure to be adopted in case of fire, including evacuation and fire-fighting.



CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

- 6.3.1 Instructions for dealing with fires as supplied by the Fire Brigade shall be displayed where all persons employed at the facility can readily read them.
- 6.3.2 These instructions shall be framed and glazed or otherwise protected to avoid defacement.
- 6.4.1 Water supplies for fire-fighting purposes and portable fire-fighting equipment shall be available and maintained as recommended by the Fire Brigade.
- 6.4.2 Water supplies shall be suitably protected against freezing.
- 6.5 Adequate access to the facility for Fire Brigade vehicles shall be provided and maintained at all times.
- 6.6 Regular inspections of the facility shall be made and any infestation or suspected infestation shall be reported immediately to the relevant Local Authority and contractor and any necessary action (such as, but not limited to, insecticide treatment, rodents, insect or bird deterrent measures) taken to eliminate such infestation.
- 6.7 If operations at the facility are undertaken during the hours of darkness, or in other conditions of poor light, adequate lighting shall be provided and used to cover all operating areas of the facility.
- 6.8 No pedestrians shall be allowed within the vicinity of the tipping or loading areas whilst any machine or vehicle is operating. Notices to this effect and to the satisfaction of the LWRA shall be displayed where they can be easily seen.
- 7.0 ENVIRONMENTAL POLLUTION
- 7.1.1 No discharge arising from operations on the facility shall be made or allowed to take place either directly or indirectly to any river, stream, watercourse, underground strata or sewer except those which are consented to or approved by the National Rivers Authority and/or relevant water company. A copy of any such consent or approval shall be sent by the holder to the LWRA.
- 7.1.2 Where such consent includes a requirement for safeguarding works, such works shall be carried out to the satisfaction of the LWRA, the National Rivers Authority and/or relevant water company.
- 7.1.3 All discharge from the tipping, emergency bay and washdown areas, shall be to the foul sewer only. Discharge from all other areas may be to the surface water outlet only if an oil interceptor is in use and is effective.
- 7.2 Effective measures shall be taken to prevent the emission of dust from the facility.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

- 7.3 Effective measures shall be undertaken to limit the noise and vibration caused by machinery and vehicles operating at the facility (including their proper maintenance and use) which may be detrimental to the amenities of the locality.
- 7.4 No odours attributable to the activities authorised by this licence shall be detectable beyond the boundaries of the facility.
- 7.5 Effective measures shall be taken to:
- (a) Prevent litter from being blown from the facility to anywhere outside the facility.
 - (b) Ensure that the facility, including its boundaries, is kept clear of litter and other rubbish irrespective of its source.
- 7.6 Wheel cleaning equipment located in the position shown on drawing Reg. No. LWRA/0431732, holder's drawing No. 929/03 rev C dated 5 October 1994 shall be provided, properly maintained and used whenever necessary.
- 7.7 The holder must ensure that vehicles leaving the facility do not cause the deposit of any liquid, mud or other debris on the loading area, or the internal and external roadways.

8.0 RECORD KEEPING

- 8.1.1 Records of the daily input and output shall be kept in such a manner that the following information may be easily extracted:-
- i) the registration number of all vehicles delivering waste and the type and weight in tonnes (or the volume in cubic metres) of each load of waste being deposited each day.
 - ii) the registration number of all vehicles removing waste from the facility each day, the type of waste and the weight in tonnes or the volume in cubic metres.
 - iii) the destination which must be either a facility where a waste disposal licence, issued under section 5 of the Control of Pollution Act 1974, or a waste management licence issued under Section 36 of the Environmental Protection Act 1990, is in force (the conditions of which authorise the deposit or use, as the case may be, of the type of waste referred to in (ii)); or a facility which is exempt from the requirements of this Act. The record shall include the proper full name and address of the facility, the quantity and type of waste disposed of and the date.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

- F 8.1.2 A weekly summary of the foregoing records shall be made using a system approved by the LWRA and shall be supplied monthly to the LWRA, and made available not later than the fifth working day of the following month.
- F 8.1.3 Records shall be kept of the dates of inspections and treatments used in respect of condition 6.6.
- F 8.1.4 The date and time of any breakdown of any waste handling equipment shall be recorded and the record signed by the facility manager.
- F 8.1.5 All such records as specified in this licence shall be made available to the LWRA and to any officer of the LWRA authorised in writing to enter the facility in accordance with section 91 of the Control of Pollution Act 1974 or section 69 of the Environmental Protection Act 1990 as and when required.
- F 8.2 The holder shall notify the LWRA in writing within 14 days of any change of address. If the holder is an individual or partnership the address to be notified is the residential address. If the holder is a company the addresses to be notified are the registered address and the residential addresses of the director(s) and secretary.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

DEFINITIONS

"Hours of darkness" means the time between half an hour after sunset and half an hour before sunrise.

Notwithstanding the above, words and phrases in this licence have the meaning ascribed to them by the Control of Pollution Act 1974 and its associated legislation, unless the context requires otherwise.



**CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE**

APPENDIX

WASTE CATEGORY A: INERT WASTE

Subsoil
Topsoil
Hardcore
Brickwork
Stone
Concrete
Clay
Sand
Excavated Road Metal
Glass, Pottery, China, Enamels, Ceramics, Mica and Abrasives.

EXCLUSIONS

Wastes mixed or contaminated with hazardous amounts of any noxious, poisonous or polluting substances.

Sludges or liquids.



CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

APPENDIX (continued)

WASTE CATEGORY B(i): GENERAL NON-PUTRESCIBLE WASTE

Wood (including sawdust and sanderdust)
Paper (including oiled and tarred paper)
Cardboard and fibreboard
Wood products (hardboard, chipboard)
Plastics as finished products or manufacturing scrap only.
Plasterboard
Iron, steel, aluminium, brass, copper, tin, zinc
Leather
Wool, cotton, linen, hemp, sisal, hessian, string, rope, and any other natural or man-made fibre
Cork, ebonite, kapok
Shot blasting residues
Silicate slag
Boiler scale
Carbon, kieselguhr, diatomaceous earth
Oxides of iron, magnesium, zinc, aluminium and titanium
Ash, clinker
Cement
Decontaminated empty containers less than 50 litres capacity.

EXCLUSIONS

Wastes mixed or contaminated with hazardous amounts of any noxious, poisonous or polluting substances.

Metal swarf, dusts, particulate scrap
Leather processing waste
Toxic metal slags
Pulverised fuel ash and vanadium contaminated ash.

Sludges or liquids.



CONTROL OF POLLUTION ACT 1974
WASTE DISPOSAL LICENCE

APPENDIX (continued)

WASTE CATEGORY C: GENERAL PUTRESCIBLE WASTE

Floor sweepings
Cellulose waste
Trees, bushes
Garden waste

EXCLUSIONS

Wastes mixed or contaminated with hazardous amounts of any noxious, poisonous or polluting substances.

Horticultural chemical waste.
Sludges or liquids.

9083/MARSHJ