

Water Quality Public Register Scanning – Work Instruction
Appendix 1

PERMIT REFERENCE:
(EDRM OTHER REFERENCE)

Permit Reference as it appears on the permit including characters (/.-)

245 / 1796

ENVIRONMENT AGENCY

NORTH EAST REGION - NORTHUMBRIA AREA

WATER RESOURCES ACT 1991 (PART III)

(as amended by the Environment Act 1995)

APPLICATION FOR CONSENT

CONSENT REF: 245/1196

1.	APPLICANTS NAME & ADDRESS	PORT OF SUNDERLAND AUTHORITY, HENDON DOCKS, SUNDERLAND
2.	DATE OF APPLICATION	16/1/98
3.	DATE RECEIVED	16/1/98
	NAME & ADDRESS OF LOCATION OF DISCHARGE	STONE HILL
	RECEIVING WATER OR INTO LAND	NORTH SEA
	NGR POINT OF DISCHARGE	NZ 4126 5765
4.	NATURE OF DICHARGE COMPOSITION: PARAMETERS & CONCENTRATIONS as appropriate (inc. temp)	CRUDE SEWAGE
	FOR SSO RATE OF FLOW AT COMMENCEMENT OF DISCHARGE	
	DRY WEATHER FLOW (M3/D)	
	MAXIMUM DAILY VOLUME (M3/D)	<5
	MAXIMUM RATE OF DISCHARGE (L/S)	
	PERIOD OF DISCHARGE (if for a limited period)	

Date of entry into register 19/1/98

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: Port of Sunderland Authority
Barrack Street
Sunderland
Tyne & Wear
SR1 2BU
FAO Mr Atkinson

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent reference 245/1196

Nature of Discharge(s); Sewage
at Stone Hill, Hendon Docks, Sunderland

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor. To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To: The Environment Agency, Tyneside House, Skinnerburn Road, Newcastle Business Park, Newcastle Upon Tyne, NE4 7AR

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent

Name:

Address:

I/We hereby serve notice on the Agency that I/we am/are no longer a/the Holder of the above consent which will be/was transferred to:

• delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed:..... **Dated:**.....

Name (block capitals):..... **Position:**

(to be completed when signing on behalf of corporate bodies)



CONSENT NO:

245/1196

ENVIRONMENT AGENCY

**WATER RESOURCES ACT 1991
(As amended by the Environment Act 1995)**

SECTION 88 - SCHEDULE 10

CONSENT TO DISCHARGE

TO: PORT OF SUNDERLAND AUTHORITY
BARRACK STREET
SUNDERLAND
TYNE & WEAR
SRI 2BU

FAO MR ATKINSON

The **ENVIRONMENT AGENCY** ("The Agency") in pursuance of its powers under the Water Resources Act 1991 **HEREBY CONSENTS** to the making of a discharge of **SEWAGE** ("the discharge") as follows:-

FROM: AN OUTFALL

AT: STONE HILL, HENDON DOCKS, SUNDERLAND

TO: THE NORTH SEA

SUBJECT TO the conditions set out in the attached schedule:

Schedule No: 245/1196-01 SEWAGE

Subject to the provisions of Paragraphs 7 and 8 of Schedule 10 of the Water Resources Act 1991 (as amended by Schedule 22 of the Environment Act 1995), no notice shall be served by the Agency, altering this consent without the agreement in writing of the discharger, during a period of four years from the date this consent takes effect or such later date as may be specified in an endorsement to this document.

This consent is issued and takes effect on the12th.....day of

.....March.....1998

Signed:
J E BURNS, ENVIRONMENT PLANNING MANAGER
on behalf of the Environment Agency

DATE OF ENTRY
INTO REGISTER: 24/13/98

CONSENT NO:	245/1196
SCHEDULE NO:	245/1196-01
DATE ISSUED:	12.3.98

**SCHEDULE OF CONDITIONS RELATING TO THE DISCHARGE OF
SEWAGE**

1. GENERAL

As far as is reasonably practicable, the treatment facilities shall be operated so as to prevent:

- a) any matter being present in the discharge to such an extent as to cause the receiving waters, or any waters of which the receiving waters are a tributary, to be poisonous or injurious to fish in those waters, or to the spawning grounds, spawn or food of fish in those waters, or otherwise cause damage to the ecology of those waters; and
- b) the discharge from having any other adverse environmental impact.

2. OUTLET AND LOCATION

The discharge shall be made at the place specified as:

- i) discharging to the North Sea.
- ii) at National Grid Reference NZ 4126 5765 shown marked "Consent Point" on the plan attached to this consent.

3. VOLUME

The volume of the discharge under dry weather flow conditions, shall not exceed 5 cubic metres in any period of 24 consecutive hours.

4. NATURE AND COMPOSITION

- i) The discharge shall consist solely of sewage.
- ii) As far as is reasonably practicable, the discharge shall not contain any significant trace of visible trace of oil or grease.

5. SAMPLING POINT

A sample point shall be provided and maintained at National Grid Reference NZ 4124 5764, shown marked 'sample point' on the plan attached to this consent, so that a representative sample of the discharge may be obtained. The discharger shall ensure that all constituents of the discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown that any sample of the discharge taken at the said sampling point is a sample of what was discharging into controlled waters.

6. OTHER

- i) The discharge shall be given septic tank treatment from by 31 December 1998.
- ii) From this date the following condition shall apply.
 - a) The discharge shall not contain any poisonous, noxious or polluting matter or solid waste matter.
 - b) Provided that the discharge hereby consented is made in accordance with the following conditions of this consent, such discharge shall not be taken to be in breach of condition (b) above by reason of containing substances or having properties identified in and controlled by these conditions.

Consent Ref. 245/1196

NOTES ATTACHED TO CONSENT

1. This consent does not exempt the applicant from obtaining any consent required by, or complying with, any other statutory provisions, statutory instruments or by-laws.
2. There should be no departure from the proposals as described in the application submitted, without prior consultation with the Agency.
3. This consent is given on the understanding that the relevant sewage treatment facilities will be operated and maintained in a satisfactory manner.
4. Under paragraph 2 of Section 91 of the Act, you may appeal to the Secretary of State for the Environment if you consider any of the conditions of this consent to be unreasonable. Any appeal should be sent to:-

The Planning Inspectorate
Room 10/13
Tollgate House
Houlton Street
Bristol
BS1 9DJ

Notice of an appeal must be given in writing within three months of this notification and must be accompanied by a statement of the grounds of appeal.

STONE HILL

CONSENT REF: 245/1196

CONSENT POINT

SAMPLE POINT

2

EAST QUAY NO. 1

31 ft. (9.621)

CROSS QUAY

21 ft. 6 ins. (6.574m) M.H.W.S. YOUNG'S QUAY

WORKSHOPS

GRAVING DOCK

DOCK OFFICE

12

13

14

TIDEWAY

NORTH WAREHOUSE QUAY

26 ft. 6 ins. M.H.W.S.

NORTH WAREHOUSE QUAY (8.992m) 29 ft. 6 ins. M.H.W.S.

30

33

No. 1 WAREHOUSE
No. 2 HOUSE