

Permit with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Summerleaze Limited

Water Oakley Quarry

Windsor Road

Water Oakley

Bray

Berkshire

SL4 5UQ

Permit number

EPR/JB3503XB

Water Oakley Quarry

Permit number **EPR/JB3503XB**

Introductory note

This introductory note does not form a part of the permit

The main features of the permit are as follows.

The use of suitable imported inert waste materials for the restoration of the site to agriculture. The site will be restored in a series of five phases where mineral extraction and restoration by clean inert waste will take place simultaneously.

The restoration of the site will require approximately 1,056,400 m³ (1,900,000 tonnes) of imported inert waste. The site will accept up to 300,000 tonnes per annum (tpa).

If you need to deploy mobile plant under a mobile plant permit at a site that is subject to a site based permit to enable you to complete the recovery activity, there will be inconsistencies between the requirements of the two permits and, in this situation, those of the site based permit prevail. Therefore you must be able to deliver the desired recovery activity through use of this permit alone, without relying upon the subsequent use of a separate mobile plant permit.

The status log of the permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application EPR/JB3503XB/A001	Duly made 08/04/22	Application for a deposit for recovery activity permit.
Additional information received	09/09/22	ESSD drawings, Conceptual Site Model, Maintenance and Monitoring Plan, Noise Management Plan, Operating Techniques, Waste Acceptance Procedures, RAM modelling, Stability Risk Assessment and Dust Management Plan.
Additional information received	17/02/23	Conceptual Site Model, detail on stability, Hydrogeological Risk Assessment and RAM modelling.
Additional information received	26/05/23	Construction Quality Assurance detail, Monitoring and Maintenance Plan and Conceptual Site Model.
Permit determined EPR/JB3503XB	26/07/23	Permit issued to Summerlease Limited.

End of introductory note

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/JB3503XB

The Environment Agency hereby authorises, under regulation 13 of the Environmental Permitting (England and Wales) Regulations 2016

Summerleaze Limited ("the operator"),

whose registered office is

7 Summerleaze Road

Maidenhead

Berkshire

SL6 8SP

company registration number 01738920

to operate waste operations at

Water Oakley Quarry

Windsor Road

Water Oakley

Bray

Berkshire

SL4 5UQ

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Claire Roberts	26/07/2023

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1, table S1.1 (the 'activities').

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

- 2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ('plan') specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.5 Waste acceptance

- 2.5.1 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2, table S2.1;
 - (b) it has been identified as a suitable waste in the approved waste recovery plan;
 - (c) its chemical, physical and biological characteristics make it suitable for its intended use on the site; and
 - (d) it fulfils the approved waste acceptance criteria; and
 - (e) all the approved waste acceptance procedures have been completed; and
 - (f) it conforms to the description in the documentation supplied by the producer and holder; and
 - (g) It is not waste consisting solely or mainly of dusts, powders or loose fibres; and
 - (h) It is not hazardous wastes; and
 - (i) It is not waste in liquid form.
- 2.5.2 The operator shall:
- (a) visually inspect without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the site and waste at the point of deposit; and
 - (b) be satisfied that the waste conforms to the requirements of condition 2.6.1.
- 2.5.3 The total quantity of waste that shall be deposited under the permit shall be limited by the final levels shown on the final levels contour plan referenced in schedule 1 table S1.2.

2.6 Site Engineering

- 2.6.1 No construction of site engineering in the area for waste deposit shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.2 The construction of site engineering in the area for waste deposit shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or all the approved waste acceptance procedures have been completed; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.

- 2.6.3 The operator shall submit a CQA Validation Report to the Environment Agency within 4 weeks following the construction of the area for deposit.
- 2.6.4 No waste shall be recovered in the area for waste deposit until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.6.5 No construction of site infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.6 The construction of the site infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.7 The operator shall submit a CQA Validation Report within 4 weeks following the construction of the site infrastructure.
- 2.6.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.6.1 and 2.6.5 do not apply and the relevant site infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.6.9 For the purposes of conditions 2.6.1, 2.6.4 and 2.6.5, the Environment Agency shall be deemed to be satisfied where it has not, within the period of 4 weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.
- 2.6.10 Where the Environment Agency has required further information under condition 2.6.9(b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 The limits given in schedule 3 shall not be exceeded
- 3.1.2 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3, table S3.1.
- 3.1.3 The operator shall prevent the input of any hazardous substances from the activities into groundwater.
- 3.1.4 The operator shall submit to the Environment Agency a review of the Hydrogeological Risk Assessment:
- (a) between nine and six months prior to the sixth anniversary of the granting of the permit, and
 - (b) between nine and six months prior to every subsequent six year anniversary of the granting of the permit.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Noise and vibration

- 3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.4 Monitoring

- 3.4.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:
- (a) Groundwater specified in table S3.1;
 - (b) Surface water specified in table S3.2.
- 3.4.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.4.3 The operator shall undertake a topographical survey of the site referenced to ordnance datum that shall be used to produce a plan of a scale adequate to show the surveyed features of the site:
- (a) prior to commencement of the recovery activity; and
 - (b) on completion of the recovery activity to show final waste levels.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made or, in the case of the following records, until permit surrender:
 - (i) off-site environmental effects;
 - (ii) matters which affect the condition of the land and groundwater;
 - (iii) waste types and quantities;

- (iv) the results of groundwater monitoring; and
- (v) the results of surface water monitoring

- 4.1.2 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery, origin and the identity of the carrier and producer of any waste that is received for recovery. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.
- 4.1.3 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 3 table(s) S3.1 and S3.2;
 - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.2 ; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 The operator shall submit the topographical survey plans required by condition 3.4.3 (a) and (b) to the Environment Agency within one month of the completion of the survey.

4.3 Notifications

- 4.3.1 In the event that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
- (a) inform the Environment Agency,
 - (b) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (c) take the measures necessary to prevent further possible incidents or accidents;
- 4.3.2 In the event of a breach of any permit condition the operator must immediately—
- (a) inform the Environment Agency, and
 - (b) take the measures necessary to ensure that compliance is restored within the shortest possible time.
- 4.3.3 In the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.4 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.5 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.6 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.7 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.3.8 The operator shall notify the Environment Agency in writing:

- (a) at least 14 days before the commencement of the recovery activity;
- (b) within 14 days of completion of the recovery activity.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made 'immediately', in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities	
Description of activities for waste operations	Limits of activities
R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)	Secure storage of wastes listed in Table S2.1 for the purpose of recovery. Storage of wastes listed in Table S2.1 shall be limited to three years.
R5: Recycling/reclamation of other inorganic compounds	Use of waste types specified in Table S2.1 for the purposes of construction work and/or restoration, reclamation or improvement of land.

Table S1.2 Operating techniques		
Description	Parts	Date Received
Application	Approved waste recovery plan document (reference 416.00063.00067, Version 1 dated 01/03/21) in response to section 1c of Part B4 of the application form	08/04/22
Application	Final levels contour plan (drawing 004 dated 01/02/21, reference 416.00063.00067.13.001-006.D1.004 – Approved Restoration Scheme)	08/04/22
Application	Environmental Site Setting and Design (reference 416.00063.00067, Version 2 dated 01/07/23)	26/07/23
Application	Waste Acceptance Procedure (reference 416.00063.00067, Version 3 dated 01/07/23)	26/07/23
Application	Dust Management Plan (reference 416.00063.00067, Version 2 dated 01/09/22)	09/09/22
Application	Noise Management Plan (reference 416.00063.00067.002, Version 2 dated 01/06/22)	09/09/22
Application	Stability Risk Assessment (reference 416.00063.00067, Version 2 dated 01/09/22)	09/09/22
Application	Monitoring and Maintenance Plan (reference 416.00063.00067, Version 5 dated 01/07/23)	26/07/23

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
1	Within 12 months of permit issue, written details shall be presented to the Environment Agency for written approval to update the interim groundwater compliance limits for Fluoride, Selenium, Sulphate, Lead and Benzene. Compliance limits shall be based on a dataset representing annual seasonal variations at groundwater sampling points upgradient of waste deposit, as specified in the Monitoring and Maintenance Plan, version 5 dated 01/07/23, that is at BH01, BH02, BH03, BH05, Abstraction Point (which varies as quarrying progresses) and the Groundwater Drain. The accurate National Grid Reference locations of the samples taken at the Abstraction Point and Groundwater Drain are to be recorded as the samples are taken.	27/07/24

Table S1.3 Improvement programme requirements		
Reference	Requirement	Date
	Once approved in writing by the Environment Agency the compliance limits shall be incorporated in the permit for downgradient monitoring locations BH06, BH07 through a permit variation application. If the Abstraction Point (which varies as quarrying progresses) and Groundwater Drain are downgradient of waste deposition the compliance limits shall apply.	

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Permitted waste types and quantities for use of waste in deposit for recovery	
Maximum quantity	The total quantity of waste accepted at the site shall be less than 300,000 tonnes per year. The total quantity of waste to be accepted at the site shall not exceed 1,056,400 m ³
Waste code	Description
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01	concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics
17 05	soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	soil and stones (excluding topsoil and peat)

Schedule 3 – Emissions and monitoring

Table S3.1 Groundwater – emission limits and monitoring requirements					
Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
Down gradient (potentially affected by site activities) BH06, BH07 Groundwater drain* Abstraction point (only during the operational period)*	Fluoride Selenium Sulphate Lead Benzene	0.88 mg/l 0.0053 mg/l 162.5 mg/l 0.005 mg/l 0.001 mg/l	Spot Sample	Quarterly	In accordance with; BS ISO 5667-11:2009, BS 6068-6.11:2009
Down gradient (potentially affected by site activities) BH06, BH07	Groundwater level, mAOD	No limit	Spot sample	Every 2 weeks during operational period	In accordance with; BS ISO 5667-11:2009, BS 6068-6.11:2009
Groundwater drain* Abstraction point (only during the operational period)* Up gradient (permanent) BH01, BH02, BH03	Antimony, Fluoride, Molybdenum, Selenium, Sulphate, Lead, Benzene pH, Electrical conductivity, Total alkalinity, Chloride, Ammoniacal nitrogen Magnesium, Potassium, Calcium, Sodium, Copper, Iron, Nickel, Zinc, Manganese, Cyanide, Arsenic, Mercury, Chromium (VI)	No limit	Spot sample	Quarterly during operational period	In accordance with; BS ISO 5667-11:2009, BS 6068-6.11:2009

Table S3.1 Groundwater – emission limits and monitoring requirements					
Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
Up gradient (potentially affected by site activities) BH05	Toluene, Ethylbenzene, Xylene, Benzo(a)pyrene, Polychlorinated biphenyls (PCB), Polycyclic aromatic hydrocarbons (PAH) Dip to base, mAOD	No limit	Spot sample	Annually during operational period	In accordance with; BS ISO 5667-11:2009, BS 6068-6.11:2009
Groundwater drain* Up gradient BH01, BH02, BH03, BH05 Down gradient BH06, BH07	Groundwater level, mAOD Antimony, Fluoride, Molybdenum, Selenium, Sulphate, Lead, Benzene pH, Electrical conductivity, Total alkalinity, Chloride, Ammoniacal nitrogen	No limit	Spot sample	Quarterly during post-operational period	In accordance with; BS ISO 5667-11:2009, BS 6068-6.11:2009
	Magnesium, Potassium, Calcium, Sodium, Copper, Iron, Nickel, Zinc, Manganese, Cyanide, Arsenic, Mercury, Chromium (VI) Toluene, Ethylbenzene, Xylene, Benzo(a)pyrene, Polychlorinated biphenyls (PCB), Polycyclic aromatic hydrocarbons (PAH) Dip to base, mAOD	No limit	Spot sample	Annually during post-operational period	In accordance with; BS ISO 5667-11:2009, BS 6068-6.11:2009

*NGR locations of the samples taken to be recorded on a site plan and sampling logbook by the person taking the samples.

Table S3.2 Surface water – other monitoring requirements				
Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
SW1A, SW3 and SW4	Arsenic, Antimony, Barium, Cadmium, Calcium, Chromium, Copper, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Sodium, Zinc, Fluoride, Sulphate, Chloride, Nitrate, Nitrite, TON, Ammoniacal nitrogen, Total alkalinity, Electrical conductivity, pH and TOC	Quarterly	Spot sample	-

Schedule 4 – Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data		
Parameter	Reporting period	Period ends
Groundwater monitoring Parameters as required by schedule 3, table S3.1	Every 3 months	31 March, 30 June, 30 September, 31 December
Other surface water monitoring Parameters as required by schedule 3, table S3.2	Every 3 months	31 March, 30 June, 30 September, 31 December

Table S4.2 Reporting forms		
Media/parameter	Reporting format	Date of form
Surface water	Form Water 1 or other form as agreed in writing by the Environment Agency	26/07/23
Groundwater	Form Groundwater 1 or other form as agreed in writing by the Environment Agency	26/07/23
Topographical surveys and interpretation	Reporting format to be agreed in writing with the Environment Agency	-

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any incident or accident which significantly affects or may significantly affect the environment	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

‘accident’ means an accident that may result in pollution.

‘Annex I’ means Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

‘Annex II’ means Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

‘application’ means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

‘authorised officer’ means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

‘Background concentration’ means such concentration of that substance as is present in:

- For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to groundwater, the groundwater quality up-gradient of the site; or
- For emissions of ground gas, the ground or air outside the site and not attributable to the site

‘Construction Proposals’ means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the site or new phase of the site.

‘CQA Validation Report’ means the final ‘as built’ construction and engineering details of the area of the site for deposit or of the Site Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme - this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;
- Plans showing the location of all tests;
- ‘As-built’ plans and sections of the works;
- Copies of the site engineer’s daily records;
- Records of any problems or non-compliances and the solution applied;
- Any other site specific information considered relevant to proving the integrity of the engineering of the site or new Phase of the site or Site Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

‘emissions to land’ includes emissions to groundwater.

‘emissions of substances not controlled by emission limits’ means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

‘groundwater’ means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

‘List of Wastes’ means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on

waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

'inert waste' means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater

'No impact' means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

'quarter' means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

'R' means a recovery operation provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

'Site infrastructure' means any specified element of the:

- permanent capping;
- surface water drainage systems;
- groundwater monitoring boreholes;
- ground gas monitoring boreholes;
- ground gas management systems;

within the site.

"Waste code" means the six digit code referable to a type of waste in accordance with the List of Wastes (England) Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

'Waste Framework Directive' or 'WFD' means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste, as read in accordance with Schedule 1A to the Environmental Permitting (England and Wales) Regulations 2016.

'year' means calendar year ending 31 December.

When the following terms appear in the waste code list in Schedule 2, table S2.1, for that table, they have the meaning given below:

"hazardous substance" means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008.

"heavy metal" means any compound of antimony, arsenic, cadmium, chromium (VI), copper, lead, mercury, nickel, selenium, tellurium, thallium and tin, as well as these materials in metallic form, as far as these are classified as hazardous substances.

"PCBs" means

- polychlorinated biphenyls
- polychlorinated terphenyls
- monomethyl-tetrachlorodiphenyl methane, Monomethyl-dichloro-diphenyl methane, Monomethyldibromo-diphenyl methane
- any mixture containing any of the above mentioned substances in a total of more than 0,005 %by weight.

"transition metals" means any of the following metals: any compound of scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium,


molybdenum and tantalum, as well as these materials in metallic form, as far as these are classified as hazardous substances.


“stabilisation” means processes which change the hazardousness of the constituents in the waste and transform hazardous waste into non-hazardous waste.

“solidification” means processes which only change the physical state of the waste by using additives without changing the chemical properties of the waste.

“partly stabilised wastes” means wastes containing, after the stabilisation process, hazardous constituents which have not been changed completely into non-hazardous constituents and could be released into the environment in the short, middle or long term.

Schedule 7 – Site plan





©Crown Copyright. All rights reserved. Environment Agency, 100024198, 2023.

END OF PERMIT