




**ENVIRONMENT  
AGENCY**



**ENVIRONMENTAL PROTECTION ACT 1990  
Section 40**

**TRANSFER OF A WASTE MANAGEMENT LICENCE**

This notice formally endorses under Section 40(5) of the above Act;

**Waste Management Licence Reference Number: 279 with the following particulars:**

**TRANSFEROR:**

National Power PLC  
Windmill Hill Business Park  
Whitehill Way  
Swindon  
SN5 6PB

**TRANSFeree:**

Biffa Waste Services Ltd  
Coronation Road  
Cressex  
High Wycombe  
HP12 3TZ

Pursuant to the above joint application dated: 17 January 2000

The Environment Agency (the powers and duties of all waste regulation authorities in England and Wales being transferred to the Environment Agency on 1<sup>st</sup> April 1996 by virtue of section 2 of Environment Act 1995) hereby agrees to transfer the Waste Management Licence in respect of the:

Landfill

**SITUATED AT**

**Land off Newsam Green Road  
Newsam Green  
Leeds  
Ordnance Survey Grid Reference: NGR SE 363 303**


**TO**

**Biffa Waste Services  
Coronation Road  
Cressex  
High Wycombe  
HP12 3TZ**

The **OPERATIVE DATE** being: 9 May 2001

The operation of the above facility is subject to the attached Schedule of Conditions comprising: 4 pages and 19 conditions.

DATED 9.5.2001 2001

Signed   
Gerard Morris  
Environment Planning Manager - Ridings

**NOTE**

The new licence holder should familiarise themselves with the conditions of this licence.

**The Environment Agency, Ridings Area, Phoenix House, Global Avenue, LEEDS LS11 8PG  
Tel: 0113 244 0191 Fax: 0113 213 4609**



**LICENCE NO. 279****OXBOW ASH DISPOSAL SCHEME**  
**NEWSOME GREEN**  
**LEEDS****NGR SE 355 305****SCHEDULE OF CONDITIONS**

1. The Licence Holder shall notify the Waste Disposal Authority of any proposed changes in the actual conduct of operations from the proposals shown in the plan and details attached to this Licence, as altered by any previously notified changes, at least one month before the proposed change is implemented.
2. The types and quantities of waste accepted for deposit at the site shall be as described in the attached schedule, Ref 279/02, but excluding any wastes which are poisonous, noxious or polluting or the presence of which on land is likely to give rise to an environmental hazard.
3. No asbestos shall be accepted unless the site is adequately manned and supervised.
4. The terms of the site licence shall be made known to any person who is given responsibility for the management or control of the site, and a copy of this shall be maintained at the control office for the site.
5. Asbestos waste shall be deposited in accordance with the Control of Pollution (Special Waste) Regulations 1980 and the Code of Practice for the Disposal of Asbestos Waste (as amended) in the Department of the Environment's Waste Management Paper No.18, Asbestos Waste.
6. Asbestos dust and fibre and small pieces of asbestos waste shall be contained in sealed polythene bags, minimum gauge 200, double sealed at the bottom. When filled the bags shall be sealed so as to prevent the escape of dust.
7. Prior to the delivery of asbestos waste to the site, an area of dry pulverised fuel ash shall be excavated which is of sufficient area and depth that the bags can be laid flat in a layer not more than 1 metre deep and covered with a minimum of 500mm of inert covering material.  
  
All bags of asbestos shall be unloaded by hand and covered forthwith.
8. Asbestos and non asbestos containing insulation material shall not be deposited within 2 metres of the final surface of the site.
9. The asbestos from any bag which bursts after unloading shall not be re-bagged but shall be immediately dampened and covered with not less than 500mm of inert material.

10. An adequate subsidiary site road from the site entrance to the asbestos tipping area shall be provided and maintained to the reasonable satisfaction of the Waste Disposal Authority.
11. Adequate measures including the installation of wheel cleaning equipment if necessary, shall be taken to the reasonable satisfaction of the Waste Disposal Authority to prevent the deposit on the public highway of mud, stone or waste material caused by the operation of the site. If water is used as part of the wheel cleaning process, adequate measures shall be taken with drainage from the wheel cleaning process.
12. A gate shall be provided of equal height to the existing fencing at the entrance to the site, and the gate and fencing shall be maintained to the reasonable satisfaction of the Waste Disposal Authority. All precautions shall be taken to prevent unauthorised access to the site.
13. Within 2 months from the date of issue of this licence, hazard warning boards of durable material and finish shall be displayed at prominent positions around the perimeter of the lagoons to the reasonable satisfaction of the Waste Disposal Authority.
14. Safe access to all areas of the site shall be provided and maintained to the reasonable satisfaction of the Waste Disposal Authority.
15. All necessary action shall be taken to prevent any nuisance being caused by the operation of the site and when necessary to maintain the waste in a damp condition and so control the emission of dust.
- 16a. A record shall be kept of all wastes received and of all materials (wastes and recovered materials) removed from the site. The records shall include the following for each vehicle load of waste / materials:
  - (a) the origin of the waste by Local Authority District
  - (b) time and date received
  - (c) quantities in tonnes received and waste type - as specified by the Agency
  - (d) time and date removed
  - (e) quantities in tonnes removed and waste type - as specified by the Agency
  - (f) destination of where materials removed to by Local Authority
- 16b. A summary of the information provided in condition 16a shall be submitted to the Agency in a format and at the frequency as required by the Agency. This summary shall be submitted within fourteen days of the end of the accounting period specified by the Agency.
- 16c. A summary of the consumption of air space and confirmation of the remaining capacity at the site shall be submitted to the Agency, in a format agreed with the Agency, for the twelve months proceeding 1 April each year before 30 April that year.

17. Adequate measures shall be taken to ensure that the surfaces of completed deposits of ash are covered with suitable stabilised material to the satisfaction of the Waste Disposal Authority.
18. All bunds or embankment walls shall be inspected regularly by a suitably qualified person at least once in every period of 12 months and shall be maintained in a proper water-tight order.
19. The non-asbestos containing insulation material shall be contained in sealed polythene bags which shall be deposited in a pre-excavated pit and covered with a minimum of 500mm of inert covering material by the end of the working day.

**WASTE DISPOSAL LICENCE NO:279**

**NATIONAL POWER plc  
OXBOW ASH DISPOSAL SCHEME  
NEWSOME GREEN LEEDS**

**SCHEDULE OF WASTES  
AUTHORISED FOR ACCEPTANCE UNDER CONDITION 2**

**SCHEDULE REF NO 279/02**

<b>WASTE TYPE (SOLID)</b>	<b>MAXIMUM DAILY QUANTITY (TONNES)</b>
<b>Pulverised fuel ash delivered by pipeline from the Skelton Grange Power Station</b>	<b>400</b>

**MAXIMUM ANNUAL QUANTITY OF WASTE DELIVERED 24,999 TONNES**